

MADE
IN
ITALY



Fluid Handling Innovation

LISTINO PREZZI
PRICE LIST

11.15

INDICE

| SETTORE | DESCRIZIONE | SECTOR | DESCRIPTION | PAG |
|------------------------------|---|------------------------------|--|---|
| Atex | Linea ATEX explosion proof | Atex | ATEX explosion proof range | 4 |
| Distributori | Cube Accessori per Cube e Self Service Self Service MC Box, Connessioni Ocio Hardware - Software 2.0 ST stazioni elettriche ST Box Drum - Unità di travaso gasolio per fusti PIT Stop ST 200 Access 85 | Dispenser | Cube Accessories for Cube and Self Service Self Service MC Box, Connections Ocio Hardware - Software 2.0 ST Dispenser ST Box Drum - Diesel transfer units for drums PIT Stop ST 200 Access 85 | 5 5 6 7 7 8 9 10 10 11 11 11 |
| Pompe | Carry 3000 - Battery Kit - PiusiBox - Pico Elettropompe Viscomat Pompe Pneumatiche a membrana Pompe a mano | Pumps | Carry 3000 - Battery Kit - PiusiBox - Pico Electropumps Viscomat Air Operated Membrane Pumps Hand pumps | 12 13 14 15 16 |
| Contalitri | Contalitri meccanici Contalitri elettronici Contalitri Pulser Display remoto con emettitore di impulsi | Meters | Mechanical meters Electronic meters Pulse-Meters Remote display with pulse transmitter | 16 16 17 17 |
| Pistole | Pistole Manuali Pistole Automatiche con swivel Pistole Olio Pistole contalitri Olio | Nozzles | Manual nozzles Automatic Nozzles with swivel Oil Nozzles Oil Nozzle meters | 17 17 18 18 |
| Attrezzi speciali | Vacubox Cambiaolio Depuroil - Filtrroll diesel/oil Viscotroll | Special equipments | Vacubox Cambiaolio Depuroil - Filtrroll diesel/oil Viscotroll | 19 19 19 20 |
| Accessori | Arrotolatori Tubi Connettori Filtri Collegamenti Connessioni Flangiate Dumbox | Accessories | Hose reels Hoses Connectors Filters Fittings Flanged connections Dumbox | 20 22 22 23 24 25 25 |
| Soluzioni per AdBlue® | Erogatori Pompe Contalitri, Contalitri-pulser Pistole Sistemi di controllo Arrotolatori e Tubi Accessori | Solutions for AdBlue® | Dispensers Pumps Meters, Pulse-meters Nozzles Control systems Hose reels and Hoses Accessories | 26 27 28 28 28 29 29 |
| Indice per codice | Index code | | | 30 |
| Condizioni generali | Condizioni generali di vendita Licenza d'uso | Conditions | General sales conditions Software license | 40 43 |

| COD. | MODELLO | MODEL | VOLT/HZ | EURO |
|---|--|---|-----------|---------------|
| LINEA ATEX EXPLOSION PROOF - ATEX EXPLOSION PROOF RANGE | | | | |
|  | F00371000 Pompa Atex EX50 (singola) | Atex Pump EX50 (only) | 12 | 330,00 |
| | F00372020 Pompa Atex EX50 + porta pistola + attacco Drum 2" BSP | Atex Pump EX50 + Nozzle Holder + Drum Connector 2" BSP | 12 | 352,00 |
| | F0037300A Pompa EX50 230V | Pump EX50 230V | 230/50-60 | 353,00 |
| | F0037402A Pompa EX50 230V + porta pistola + attacco 2" BSP | EX50 230V pump + nozzle holder + 2" BSP connector | 230/50-60 | 375,00 |
|  | Tank + Filtro + Cavo | Tank + Filter + Cable | | |
| | F00372030 Pompa Atex EX50 + pistola manuale + tubo aspirazione rigido + tubo mandata 4 mt + filtro separatore acqua + cavo 4 mt | Atex Pump EX50 + manual nozzle + telescopic suction pipe + 4 mt delivery hose + water absorbing filter + 4 mt cable | 12 | 510,00 |
| | F00372040 Pompa Atex EX50 + pistola automatica + tubo aspirazione rigido + tubo mandata 4 mt + filtro separatore acqua + cavo 4 mt | Atex Pump EX50 + automatic nozzle + telescopic suction pipe + 4 mt delivery hose + water absorbing filter + 4 mt cable | 12 | 580,00 |
|  | Tank + Filtro | Tank + Filter | | |
| | F00372000 Pompa Atex EX50 + pistola manuale + tubo aspirazione rigido + tubo mandata 4 mt + filtro separatore acqua | Atex Pump EX50 + manual nozzle + telescopic suction pipe + 4 mt delivery hose + water absorbing filter + 4 mt cable | 12 | 473,00 |
| | F00372010 Pompa Atex EX50 + pistola automatica + tubo aspirazione rigido + tubo mandata 4 mt + filtro separatore acqua | Atex Pump EX50 + automatic nozzle + telescopic suction pipe + 4 mt delivery hose + water absorbing filter + 4 mt cable | 12 | 543,00 |
| | F0037400A EX50 230V + pistola manuale + tubo aspirazione rigido + tubo mandata 4 mt + filtro separatore acqua | EX50 230V + manual nozzle + telescopic suction pipe + 4 mt delivery hose + water absorbing filter | 230/50-60 | 496,00 |
| | F0037401A EX50 230V + pistola automatica + tubo aspirazione rigido + tubo mandata 4 mt + filtro separatore acqua | EX50 230V + automatic nozzle + telescopic suction pipe + 4 mt delivery hose + water absorbing filter | 230/50-60 | 566,00 |
|  | Tank + Filtro + Contalitri + Cavo | Tank + Filter + Meter + Cable | | |
| | F0037502A Pompa Atex EX50 + pistola manuale + tubo aspirazione rigido + tubo mandata 4 mt + filtro separatore acqua + contalitri K33 Atex + cavo 4 mt | Atex Pump EX50 + manual nozzle + telescopic suction pipe + 4 mt delivery hose + water absorbing filter + K33 Atex mechanical meter + 4 mt cable | 12 | 720,00 |
| | F0037503A Pompa Atex EX50 + pistola automatica + tubo aspirazione rigido + tubo mandata 4 mt + filtro separatore acqua + contalitri K33 Atex + cavo 4 mt | Atex Pump EX50 + automatic nozzle + telescopic suction pipe + 4 mt delivery hose + water absorbing filter + K33 Atex mechanical meter + 4 mt cable | 12 | 790,00 |
|  | Tank + Filtro + Contalitri | Tank + Filter + Meter | | |
| | F0037500A Pompa Atex EX50 + pistola manuale + tubo aspirazione rigido + tubo mandata 4 mt + filtro separatore acqua + contalitri K33 Atex | Atex Pump EX50 + manual nozzle + telescopic suction pipe + 4 mt delivery hose + water absorbing filter + K33 Atex mechanical meter | 12 | 683,00 |
| | F0037501A Pompa Atex EX50 + pistola automatica + tubo aspirazione rigido + tubo mandata 4 mt + filtro separatore acqua + contalitri K33 Atex | Atex Pump EX50 + automatic nozzle + telescopic suction pipe + 4 mt delivery hose + water absorbing filter + K33 Atex mechanical meter | 12 | 753,00 |
| | F0037600B EX50 230V + pistola manuale + tubo aspirazione rigido + tubo mandata 4 mt + filtro separatore acqua + contalitri K33 Atex | EX50 230V pump + manual nozzle + telescopic suction pipe + 4 mt delivery hose + water absorbing filter + K33 Atex mechanical meter | 230/50-60 | 706,00 |
| | F0037601B Pompa Atex EX50 + pistola automatica + tubo aspirazione rigido + tubo mandata 4 mt + filtro separatore acqua + contalitri K33 Atex | Atex Pump EX50 + automatic nozzle + telescopic suction pipe + 4 mt delivery hose + water absorbing filter + K33 Atex mechanical meter | 230/50-60 | 776,00 |
| | Stazioni elettriche | St Unit | | |
| NEW | F00377000 Pompa Atex EX50 + pistola automatica + pannello + tubo mandata 4 mt + pannello murale + contalitri K33 Atex | Atex Pump EX50 + automatic nozzle + wall plate + 4 mt delivery hose + wall plate + K33 Atex mechanical meter | 230/50-60 | 700,00 |
|  | Contalitri | Meter | | |
| | F0057000A Contalitri K33 ver. A Atex | K33 meter ver. A Atex | | 200,00 |
| | F0057001A Contalitri K33 ver. B Atex | K33 meter ver. B Atex | | 200,00 |
| | F0057002A Contalitri K33 ver. C Atex | K33 meter ver. C Atex | | 200,00 |
| | F0057003A Contalitri K33 ver. D Atex | K33 meter ver. D Atex | | 200,00 |
|  | F00408X00 K24 Atex M/F 1" BSP ATEX/IECEx | K24 Atex M/F 1" BSP ATEX/IECEx | | 285,00 |
| | F00408Y00 K24 Atex pulser M/F 1" BSP ATEX/IECEx | K24 Atex pulser M/F 1" BSP ATEX/IECEx | | 114,00 |
| ACCESSORI - ACCESSORIES | | | | |
|  | F18624000 Pressacavo EXD1/2NPT ATEX/IECEx | Cable gland EXD1/2NPT ATEX/IECEx | | 17,50 |
| | F18626000 Kit Cavo 4m + Pressacavo ATEX/IECEx | Cable Kit 4m + Cable gland ATEX/IECEx | | 39,59 |
| | F00613020 Pistola automatica Atex | Atex Automatic Nozzle | | 105,00 |
| | 00065003A Pistola manuale Self 3000 1" BSP - estremità per benzina verde | Self 3000 manual nozzle 1" BSP - unleaded spout | | 36,75 |
| | F1815100A Tubo benzina D.20 L=4m 1'x1'-PARKER | Gasoline hose D.20 L=4m 1'x1'-PARKER | | 58,85 |

| COD. | MODELLO | MODEL | VOLT/HZ | EURO |
|---|---|---|------------|----------------------|
| CUBE DISTRIBUTORI - CUBE DISPENSERS | | | | |
|  | con contalitri meccanico | with mechanical meter | | |
| F0057500C | Cube 56/33 | Cube 56/33 | 230/50 | 510,85 |
| F0057600C | Cube 56/33 DC 12V | Cube 56/33 DC 12V | 12 | 511,24 |
| F0059100A | Cube 70/33 | Cube 70/33 | 230/50 | 618,20 |
| F0057700C | Cube 70/33 DC 24V | Cube 70/33 DC 24V | 24 | 547,19 |
|  | NEW F00592000 | Cube 90/44 | Cube 90/44 | 230/50 726,00 |
|  | con contalitri multi-utente | with multi-user meter | | |
| F0059400C | Cube 70 MC 50 utenti | Cube 70 MC 50 users | 230/50 | 1.415,74 |
| F0059415B | Cube 70 MC 120 utenti | Cube 70 MC 120 users | 230/50 | 1.855,00 |
| F0059413B | Cube 70 MC DC 12V 50 utenti | Cube 70 MC DC 12V 50 users | 12 | 1.431,00 |
| F0059414B | Cube 70 MC DC 24V 50 utenti | Cube 70 MC DC 24V 50 users | 24 | 1.485,06 |
| F00594220 | Cube 70 MC DC 12V 120 utenti | Cube 70 MC DC 12V 120 users | 12 | 1.870,26 |
|  | con contalitri pulsar | with pulse transmitter | | |
| F0059500A | Cube 70 MC PRESET Puls Out | Cube 70 MC PRESET Puls Out | 230/50 | 1.311,00 |
| F00595500 | Cube 70 MC LITE 20 utenti (no connessione a pc) | Cube 70 MC LITE 20 users * (no pc connection) | 230/50 | 1.189,00 |

Dotazioni:

- Art. 00057500C-F0057600C-F0059100A-F0057700C Struttura autoportante in lamiera, elettropompa volumetrica autoadescante con interruttore on/off, Contalitri K33, mt.4 Tubo Erogazione, Pistola Automatica A60, raccordi-morsetti.
- Art. F00592000 Struttura autoportante in lamiera, elettropompa volumetrica autoadescante Panther 90 con interruttore on/off, Contalitri K44, mt.4 Tubo Erogazione, Pistola Automatica A120, raccordi-morsetti.
- Art. F0059400C - Art. F0059415B: Struttura autoportante in lamiera, elettropompa Panther 72, mt. 4 tubo erogazione, pistola automatica, sistema di gestione dei fluidi "MC" (50 utenti-120 utenti), quadro elettrico di comando.
- Art. F0059413B - F0059414B: Struttura autoportante in lamiera, elettropompa Panther DC, mt. 4 tubo erogazione, pistola automatica, sistema di gestione dei fluidi "MC" (50 utenti) DC.
- Art. F0059500A: Struttura autoportante in lamiera, elettropompa Panther 72, mt. 4 tubo erogazione, pistola automatica, sistema di preselezione della quantità erogata e contatore K600 con emettitore di impulsi.

Equipments:

- Art. 00057500C-F0057600C-F0059100A-F0057700C Steel cabinet, volumetric self-priming electric pump, K33 meter, mt. 4 delivery hose, ON/OFF switch, automatic nozzle A60.
- Art. F00592000 Steel cabinet, volumetric self-priming Panther 90 electric pump, K44 meter, mt. 4 delivery hose, ON/OFF switch, automatic nozzle A120.
- Art. F0059400C - Art. F0059415B: Steel cabinet, Panther 72, suction filter, mt. 4 hose, automatic nozzle, fuel monitoring system "MC" (50 users - 120 users), power box.
- Art. F0059413B - F0059414B: Steel cabinet, Panther DC, suction filter, mt. 4 delivery hose, automatic nozzle, fuel monitoring system "MC" (50 users) DC.
- Art. F0059500A Steel cabinet, Panther 72, suction filter, mt. 4 hose, automatic nozzle, system of pre-selecting the quantity to be dispensed and K600 pulse meter with pulse transmitter.

| ACCESSORI - ACCESSORIES | | | | |
|---|--|--|--|-----------------|
|  | per Cube: F1270800C | for Cube: Kit piedistallo colore NERO | Pedestal color BLACK | - 220,00 |
|  | R12737000 | Kit staffe a muro | Kit wall support | - 33,71 |
|  | R12738000 | Kit lucchetto Cube MC (lucchetto escluso) | Kit lock Cube MC (Key lock not included) | - 12,36 |
|  | per Cube MC e Self Service MC/FM: F1271000C | for Cube MC and Self Service MC/FM: USB Converter + Software * | USB Converter + Software * | - 470,23 |
| | F13292000 | PW14 - Convertitore USB | PW14 - USB Converter | - 202,25 |
|  | F14144040 | Kit software* per SELF SERVICE\CUBE + Chiavi magnetiche + Adattatore USB | Kit software* for SELF SERVICE\CUBE + Keys + USB adaptor | - 486,00 |
| | R15904000 | User Key Gialla (N. 10pz) IB-PIUSI | KIT Nr. 10 pcs User Key Yellow | - 128,00 |
| | R12496000 | Chiave Gestore colore Rosso | Manager Key color Red | - 53,10 |

Dotazioni:

- Art. F1271000C: USB convertitore, adattatore, software.
- Art. F14144040: 1 chiave manager, 10 chiavi utenti colore giallo, 1 lettore chiave con adattatore USB + software.

Equipments:

- Art. F1271000C: USB converter, adaptor, software.
- Art. F14144040: 1 manager key, 10 user keys yellow color, 1 key reader with USB adaptor, software.

* Programma ceduto in licenza d'uso regolamentata dal relativo contratto e delle norme sulla repressione della pirateria informatica (vedi condizioni generali di vendita, sezione licenza d'uso).

* Program given out exclusively by means of the user licence to be used in accordance with the relevant agreement and informative anti-piracy regulations (see general sales conditions section software license).

| COD. | MODELLO | MODEL | VOLT/HZ | EURO |
|---|----------------------------------|--|---|-----------------|
| SELF SERVICE DISTRIBUTORI - SELF SERVICE DISPENSERS | | | | |
| | con contalitri meccanico | with mechanical meter | | |
| F0073701B | Self Service 70 K44 F | Self Service 70 K44 F | 230/50 | 1.333,15 |
| F00737B0B | Self Service TANK 70 K44 | Self Service TANK 70 K44 | 230/50 | 1.150,57 |
| F00737B2B | Self Service TANK 70 K44 PULSER | Self Service TANK 70 K44 PULSER | 230/50 | 1.327,53 |
| | | | | |
| | | | | |
|  | TANK version | | | |
| F0074001B | Self Service 100 K44 F | Self Service 100 K44 F | 230/50 | 1.692,99 |
| F0074002A | Self Service 100 K44 F PULSER | Self Service 100 K44 F PULSER | 230/50 | 1.698,88 |
| F00740B0B | Self Service TANK 100 K44 | Self Service TANK 100 K44 | 230/50 | 1.410,12 |
| | | | | |
| | | | | |
|  | MC FM | con contalitri e gestione multi-utente | with meter and multi-user management system | |
| F0073801C | Self Service 70 MC F | Self Service 70 MC F | 230/50 | 1.839,33 |
| F00738060 | Self Service 70 MC F 7mt PRINTER | Self Service 70 MC F 7mt PRINTER | 230/50 | 2.376,41 |
| F00738B0C | Self Service TANK 70 MC | Self Service TANK 70 MC | 230/50 | 1.666,30 |
| F0073900B | Self Service 70 FM | Self Service 70 FM | 230/50 | 3.146,08 |
| F00739B0B | Self Service TANK 70 FM | Self Service TANK 70 FM | 230/50 | 2.973,05 |
| | | | | |
|  | TANK version | | | |
| F0074101C | Self Service 100 MC F | Self Service 100 MC F | 230/50 | 2.205,63 |
| F00741B0C | Self Service TANK 100 MC | Self Service TANK 100 MC | 230/50 | 1.995,51 |
| F0074200B | Self Service 100 FM | Self Service 100 FM | 230/50 | 3.512,37 |
| F00742B0B | Self Service TANK 100 FM | Self Service TANK 100 FM | 230/50 | 3.302,26 |

Dotazioni:

- Art. F0073701B-F0074001B Colonnina in metallo h.= 1387 mm, elettropompa Panther 72/E120, filtro aspirazione, mt. 4 tubo erogazione, pistola automatica, contalitri K44, quadro elettrico di comando, filtro separatore d'acqua
- Art. F00737B0B-F00740B0B Colonnina in metallo h.= 990 mm, elettropompa Panther 72/E120, filtro aspirazione, mt.4 tubo erogazione, pistola automatica, contalitri K44, quadro elettrico di comando.
- Art. F00737B2B Colonnina in metallo h.= 990 mm, elettropompa Panther 72, filtro aspirazione, mt. 4 tubo erogazione, pistola automatica, contalitri pulser K44 con emettitore di impulsi, quadro elettrico di comando.
- Art. F0073801C - F0074101C: Colonnina in metallo h.=1387 mm, elettropompa Panther 72/E120, filtro aspirazione, mt. 4 tubo erogazione, pistola automatica, sistema di gestione dei fluidi "MC" (80 utenti), quadro elettrico di comando, filtro separatore d'acqua, lettore chiave.
- Art. F00738060: Colonnina in metallo h.=1387 mm, elettropompa Panther 72, filtro aspirazione, mt. 7 tubo erogazione, pistola automatica, sistema di gestione dei fluidi "MC" (80 utenti), quadro elettrico di comando, filtro separatore d'acqua, stampante locale, lettore chiave.
- Art. F0073900B - F0074200B: Colonnina in metallo h.=1387 mm, elettropompa Panther72/E120, filtro aspirazione, mt. 4 tubo erogazione, pistola automatica, sistema di gestione dei fluidi "FM" (120 utenti), quadro elettrico di comando, filtro separatore d'acqua, stampante locale, OCIO sistema di monitoraggio livello, lettore chiave.
- Art. F00738B0C-F00741B0C: Colonnina in metallo h.=990 mm, elettropompa Panther72/E120, filtro aspirazione, mt. 4 tubo erogazione, pistola automatica, sistema di gestione dei fluidi "MC" (80 utenti), quadro elettrico di comando, lettore chiave.
- Art. F00739B0B-F00742B0B: Colonnina in metallo h.=990 mm, elettropompa Panther72/E120, filtro aspirazione, mt. 4 tubo erogazione, pistola automatica, sistema di gestione dei fluidi "FM" (120 utenti), quadro elettrico di comando, stampante locale, OCIO sistema di monitoraggio livello, lettore chiave.

Equipments:

- Art. F0073701B-F0074001B Steel cabinet h.=1387 mm., Panther 72/E120 Pump, suction filter, mt. 4 hose, Automatic nozzle, K44 meter, power box, water separation filter.
- Art. F00737B0B-F00740B0B Steel cabinet h.=990 mm., Panther 72/E120 Pump, suction filter, mt. 4 hose, Automatic nozzle, K44 meter, power box.
- Art. F00737B2B Steel cabinet h.=990 mm., Panther 72, suction filter, mt. 4 hose, Automatic nozzle, K44 pulse meter, power box.
- Art. F0073801C - F0074101C: Steel cabinet h.=1387 mm., Panther 72/E120 pump, suction filter, mt. 4 hose, automatic nozzle, fuel monitoring system "MC" (80 users), power box, water separator filter, i-button data system.
- Art. F00738060: Steel cabinet h.=1387 mm., Panther 72/E120 pump, suction filter, mt. 7 hose, automatic nozzle, fuel monitoring system "MC" (80 users), power box, water separator filter, ticket printer, i-button data system.
- Art. F0073900B - F0074200B: Steel cabinet h.=1387 mm., Panther 72/E120 pump, suction filter, mt. 4 hose, automatic nozzle, fuel monitoring system "FM" (120 users), power box, water separator filter, ticket printer OCIO level control, i-button data system.
- Art. F00738B0C-F00741B0C: Steel cabinet h.=990 mm., Panther 72/E120 pump, suction filter, mt. 4 hose, automatic nozzle, fuel monitoring system "MC" (80 users), power box, i-button data system.
- Art. F00739B0B-F00742B0B: Steel cabinet h.=990 mm., Panther 72/E120 pump, suction filter, mt. 4 hose, automatic nozzle, fuel monitoring system "FM" (120 users), power box, ticket printer, OCIO level control, i-button data system.

| COD. | MODELLO | MODEL | VOLT/HZ | EURO |
|---|---|--|-----------------|-----------------|
| PANNELO ELETTRONICO - ELECTRONIC CONTROL PANEL | | | | |
|  | F0057201B Kit MC BOX, K600 New, Chiavi, PC software (80 utenti) | Kit MC BOX, K600 New, Keys, PC softwareE (80 users) | 230/50 | 1.595,51 |
| | F1398000C Kit MC BOX 230V 80 utenti | Kit MC BOX 230V 80 users | 230/50 | 876,41 |
| | F1398005B Kit MC BOX 230V 120 utenti | Kit MC BOX 230V 120 users | 230/50 | 1.315,67 |
| | F1398001B Kit MC BOX 12V 120 utenti | Kit MC BOX 12V 120 users | 12 | 1.315,67 |
| | F1398002B Kit MC BOX 24V 120 utenti | Kit MC BOX 24V 120 users | 24 | 1.315,67 |
| | F1398010A Kit MC BOX Preset puls out (con emettitore di impulsi) | Kit MC BOX Preset puls out (pulse transmitter) | 85-260V 50-60Hz | 771,00 |
| | F13981000 MC BOX Lite, 4 chiavi user configurate, fino a 20 utenti | MC BOX Lite, 4 user key configurated, up to 20 users | 230/50 | 650,00 |

CONNESSIONI PC - PC CONNECTIONS

| | | | | |
|---|---|------------------------------------|----------|---------------|
|  | F12710050 PW LAN + CD software Selfservice* | PW LAN + CD software Selfservice* | 100-240V | 500,00 |
| | F12710040 PW WIFI + CD software Selfservice* | PW WIFI + CD software Selfservice* | 100-240V | 650,00 |
| | F12710090 PW station - WIFI | PW station - WIFI | 100-240V | 350,00 |

Dotazioni:

- Art. F12710050 – Dispositivo elettronico PW-LAN, CD ROM software Self Service, driver PW14, driver per convertitore 485-ETHER, driver Key reader.
- Art. F12710040 - Dispositivo elettronico con antenna PW-WiFi, CD ROM software Self Service, driver PW14, driver per convertitore 485-ETHER, driver Key reader.
- Art. F12710090 - Dispositivo elettronico con antenna PW-WiFi per creare access point o repeater.

* Programma ceduto in licenza d'uso regolamentata dal relativo contratto e delle norme sulla repressione della pirateria informatica (vedi condizioni generali di vendita, sezione licenza d'uso).

Equipments:

- Art. F12710050 – Electronic device PW-LAN, CD ROM software Self Service, driver PW14, driver converter 485-ETHER, driver Key reader.
- Art. F12710040 - Electronic device + access point PW-WiFi, CD ROM software Self Service, driver PW14, CD ROM driver converter 485-ETHER, driver Key reader.
- Art. F12710090 - Electronic device + access point PW-WiFi to create access point or repeater.

* Program given out exclusively by means of the user licence to be used in accordance with the relevant agreement and informatic anti-piracy regulations (see general sales conditions section software license).

| COD. | MODELLO | MODEL | VOLT/HZ | EURO |
|-------------|--|--|---------|-----------------|
| OCIO | | | | |
| Ocio | F0075510D Ocio indicatore di livello RS OUT fino a 30 CsT | Ocio Level indicator RS OUT up to 30 CsT | 230/50 | 328,60 |
| NEW | | | | |
| Ocio Desk | F12939000 Kit per Olio | Kit pipe for Oil | | 32,70 |
| | F00755SB0 Kit Wi-Fi Ocio Desk single tank* | Kit Wi-Fi Ocio Desk single tank* | | 605,00 |
| | F00755S1A Ocio Desk SingleTank (PC interfaccia + software* per 1 serbatoio) | Ocio Desk SingleTank (PC interface + software* for 1 tank) | | 424,00 |
| | F00755SOC Ocio Desk MultiTank 4 (PC interfaccia + software* per 4 serbatoi) | Ocio Desk MultiTank 4 (PC interface + software* for 4 tanks) | | 742,00 |
| | F00755S2A Ocio Desk MultiTank 8 (PC interfaccia + software* per 8 serbatoi) | Ocio Desk MultiTank 8 (PC interface + software* for 8 tanks) | | 980,50 |
| | F00755S3A Ocio Desk MultiTank 12 (PC interfaccia + software* per 12 serbatoi) | Ocio Desk MultiTank 12 (PC interface + software* for 12 tanks) | | 1.219,00 |
| Ocio GSM | F00755G50 Ocio GSM Quad band SMS | Ocio GSM Quad band SMS | | 906,30 |
| | F00755G20 Espansione Ocio GSM da 2 a 4 serbatoi | Expansion Ocio GSM tanks 2 - 4 | | 212,00 |
| | F00755G40 Espansione Ocio GSM da 5 a 8 serbatoi | Expansion Ocio GSM tanks 5 - 8 | | 318,00 |

Dotazioni:

- Art. F0075510D
Sistema di monitoraggio del livello, con RS out, tubo 10 m e diam. 5 mm, con terminale in ottone.
- Art. F00755SB0
Dispositivo elettronico con antenna PW-WiFi, CD software Ocio desk single tank+driver PW14, CD ROM driver per convertitore 485-ETHER.

* Programma ceduto in licenza d'uso regolamentata dal relativo contratto e delle norme sulla repressione della pirateria informatica (vedi condizioni generali di vendita, sezione licenza d'uso).

Equipments:

- Art. F0075510D
Level control system with RS out 10m. hose diam. 5mm and brass bottom weight.
- Art. F00755SB0
Electronic device + access point PW-WiFi, CD software Ocio desk single tank +driver PW14, CD ROM driver converter 485-ETHER.

* Program given out exclusively by means of the user licence to be used in accordance with the relevant agreement and informatic anti-piracy regulations (see general sales conditions section software license).

| COD. | MODELLO | MODEL | VOLT/HZ | EURO |
|---|---|---|------------------|-----------------|
| HARDWARE - SOFTWARE 2.0 | | | | |
|  | Distributore Cube 2.0 | Cube 2.0 dispenser | | |
| NEW F00596000 | Cube 70 MC 2.0 | Cube 70 MC 2.0 | 230/50 | 2.000,00 |
| NEW F00596100 | Cube 90 1MC 2.0 | Cube 90 1MC 2.0 | 230/50 | 2.110,00 |
|  | Distributore self service 2.0 | 2.0 Self service dispenser | | |
| NEW F00743010 | Self Service 100 FM 2.0 | Self Service 100 FM 2.0 | 230/50 | 4.200,00 |
| NEW F00743020 | Self Service 100 MC 2.0 | Self Service 100 MC 2.0 | 230/50 | 2.650,00 |
|  | Pannello elettronico 2.0 | Electronic control panel 2.0 | | |
| NEW F00597010 | MCBOX LAN 2.0 | MCBOX LAN 2.0 | 90-240/ 50-60 | 1.700,00 |
| NEW F00597020 | MCBOX WIFI 2.0 | MCBOX WIFI 2.0 | 90-240/ 50-60 | 1.850,00 |
|  | Ocio 2.0 | Ocio 2.0 | | |
| NEW F00755210 | Level IND. Ocio Wifi 2.0 | Level IND. Ocio Wifi 2.0 | 230-50/60 | 1.000,00 |
| NEW F00755220 | Level IND. Ocio 2.0 RS485 | Level IND. Ocio 2.0 RS485 | 230-50/60 | 400,00 |
| NEW F00755260 | Level IND. Ocio MC 2.0 | Level IND. Ocio MC 2.0 | 230-50/60 | 850,00 |
|  | Software 2.0 versione usb* | Software 2.0 usb version* | | |
| NEW F00772000 | SSM 2.0 Client Software - usb | SSM 2.0 Client Software - usb | | 300,00 |
| NEW F00772010 | SSM 2.0 Standard Software - usb | SSM 2.0 Standard Software - usb | | 800,00 |
| NEW F00772020 | SSM 2.0 Professional Software - usb | SSM 2.0 Professional Software - usb | | 1.200,00 |
| NEW F00772030 | SSM 2.0 Enterprise Software - usb | SSM 2.0 Enterprise Software - usb | | 1.600,00 |
| NEW F00772040 | SSM 2.0 Ultimate Software - usb | SSM 2.0 Ultimate Software - usb | | 2.200,00 |
|  | Software 2.0 versione web* | Software 2.0 web version* | | |
| NEW F00772200 | SSM 2.0 Client-Web edition Software | SSM 2.0 Client-Web edition Software | | 250,00 |
| NEW F00772210 | SSM 2.0 Standard-Web edition Software | SSM 2.0 Standard-Web edition Software | | 750,00 |
| NEW F00772220 | SSM 2.0 Professional-Web edition Software | SSM 2.0 Professional-Web edition Software | | 1.150,00 |
| NEW F00772230 | SSM 2.0 Enterprise-Web edition Software | SSM 2.0 Enterprise-Web edition Software | | 1.550,00 |
| NEW F00772240 | SSM 2.0 Ultimate-Web edition Software | SSM 2.0 Ultimate-Web edition Software | | 2.150,00 |
| | Kit Upgrade Self Service | Kit Upgrade Self Service | | |
| NEW F19225000 | Kit upgrade Self Service MC 2.0-LAN | Kit upgrade Self Service MC 2.0-LAN | | 1.150,00 |
| NEW F19226000 | Kit upgrade Self Service FM 2.0-LAN | Kit upgrade Self Service FM 2.0-LAN | | 2.650,00 |
| | Accessori | Accessories | | |
| NEW F12262010 | Kit lettore chiavi 2.0 | Kit Key reader 2.0 | | 105,00 |
| NEW F12710120 | PW Wifi 2.0 | PW Wifi 2.0 | | 550,00 |
| NEW R15904000 | Chiave autista gialla (10 pz) | Yellow driver key (10 pz) | | 128,00 |
| NEW R17299000 | Chiave veicolo blu (10 pz) | Blue vehicle key (10 pz) | | 117,98 |

Dotazioni:

- Art. F00596000: Struttura autoportante in lamiera, elettropompa Panther 72, mt. 4 tubo erogazione, pistola automatica, collegamento LAN (software self service management 2.0 obbligatorio), quadro-elettrico di comando.
- Art. F00596100: Struttura autoportante in lamiera, elettropompa Panther 90, mt. 4 tubo erogazione, pistola automatica, collegamento LAN (software self service management 2.0 obbligatorio), quadro-elettrico di comando.
- Art. F00743010: Colonnina in metallo h.=1387 mm., elettropompa E120, filtro aspirazione, mt. 4 tubo erogazione, pistola automatica, collegamento LAN (software self service management 2.0 obbligatorio), quadro-elettrico di comando, filtro separatore d'acqua, stampante locale, OCIO sistema di monitoraggio livello, lettore chiave.
- Art. F00743020: Colonnina in metallo h.=1387 mm., elettropompa E120, filtro aspirazione, mt. 4 tubo erogazione, pistola automatica, collegamento LAN (software self service management 2.0 obbligatorio), quadro-elettrico di comando, filtro separatore d'acqua, lettore chiave.

* Programma ceduto in licenza d'uso regolamentata dal relativo contratto e delle norme sulla repressione della pirateria informatica (vedi condizioni generali di vendita, sezione licenza d'uso).

Equipments:

- Art. F00596000: Steel cabinet, Panther 72, suction filter, mt. 4 hose, automatic nozzle, LAN connection (software self service management 2.0 compulsory), power box.
- Art. F00596100: Steel cabinet, Panther 90, suction filter, mt. 4 hose, automatic nozzle, LAN connection (software self service management 2.0 compulsory), power box.
- Art. F00743010: Steel cabinet h.=1387 mm., E120 pump, suction filter, mt. 4 hose, automatic nozzle, LAN connection (software self service management 2.0 compulsory), power box, water separator filter, ticket printer OCIO level control, i-button data system.
- Art. F00743020: Steel cabinet h.=1387 mm., E120 pump, suction filter, mt. 4 hose, automatic nozzle, LAN connection (software self service management 2.0 compulsory), power box, water separator filter, i-button data system.

* Program given out exclusively by means of the user licence to be used in accordance with the relevant agreement and informative anti-piracy regulations (see general sales conditions section software license).

| COD. | MODELLO | MODEL | VOLT/HZ | EURO |
|--|---|---|---------|---------------|
| ST STAZIONI ELETTRICHE - ST UNITS | | | | |
| | Senza contalitri | Without meter | | |
| 000266P00 | ST Panther 56/M | ST Panther 56/M | 230/50 | 228,88 |
| 000286P00 | ST Panther 56/M A60 | ST Panther 56/M A60 | 230/50 | 296,12 |
| 000214000 | ST E 80/M | ST E 80/M | 230/50 | 365,73 |
| 000244000 | ST E 80/M A80 | ST E 80/M A80 | 230/50 | 453,03 |
| 000216000 | ST E 120/M | ST E 120/M | 230/50 | 471,91 |
| 000252000 | ST E 120/M A120 | ST E 120/M A120 | 230/50 | 542,12 |
| 000248000 | ST Viscomat 70/M | ST Viscomat 70/M | 230/50 | 371,64 |
| | Con contalitri | With meter | | |
| F00385P0A | ST Panther 56/M K33 | ST Panther 56/M K33 | 230/50 | 358,65 |
| F00287P0A | ST Panther 56/M K33 A60 | ST Panther 56/M K33 A60 | 230/50 | 425,90 |
| 000390000 | ST E 80/M K33 | ST E 80/M K33 | 230/50 | 495,51 |
| 000392000 | ST E 80/M K33 A80 | ST E 80/M K33 A80 | 230/50 | 582,81 |
| 000395000 | ST E 120/M K33 | ST E 120/M K33 | 230/50 | 602,86 |
| 000397000 | ST E 120/M K33 A120 | ST E 120/M K33 A120 | 230/50 | 673,07 |
| 000256000 | ST Viscomat 70/M K33 | ST Viscomat 70/M K33 | 230/50 | 502,59 |
| | Con contalitri-filtro separatore acqua | With meter and water-absorbing filter | | |
| F00386F60 | ST Panther 56 K33 A60 Filtro senza tubo aspir. | ST Panther 56 K33 A60 Filter without suction hose | 230/50 | 455,00 |
| F00386F0A | ST Panther 56 K33 A60 Filtro con tubo aspir. | ST Panther 56 K33 A60 Filter with suction hose | 230/50 | 577,00 |
| F00265F0A | ST Panther 72 K33 A60 Filtro con tubo aspir. | ST Panther 72 K33 A60 Filter with suction hose | 230/50 | 612,00 |
| F00265F40 | ST Panther 72 K33 A60 Filtro senza tubo aspir. | ST Panther 72 K33 A60 Filter without suction hose | 230/50 | 490,00 |
| F00395F0A | ST E120 K33 A120 Filtro con tubo aspir. | ST E120 K33 A120 Filter with suction hose | 230/50 | 829,00 |
| F00395F60 | ST E120 K33 A120 Filtro senza tubo aspir. | ST E120 K33 A120 Filter without suction hose | 230/50 | 707,00 |
| | Con contalitri e filtro clear captor | with meter and clear captor filter | | |
| F00265F3A | ST Panther 72 K33 A60 Filtro CC,con tubo aspir. | ST Panther 72 K33 A60 CC Filter with suction hose | 230/50 | 577,00 |
| F00265R70 | ST Panther 72 K24 A80 Filtro CC con tubo aspir. | ST Panther 72 K24 A80 CC Filter with suction hose | 230/50 | 540,00 |
| F00265S20 | ST Panther 72 K24 f a60 6mt | ST Panther 72 K24 f a60 6mt | 230/50 | 513,00 |
| F00386R70 | ST Panther 56 K33 cc/6mt/pa60 | ST Panther 56 K33 cc/6mt/pa60 | 230/50 | 462,00 |

Dotazioni:

- Art. 000266P00 - 000214000 - 000216000 - 000248000. Pannello, elettropompa volumetrica autoadescante con interruttore on/off, filtro di linea, mt. 4 tubo di erogazione, pistola manuale, raccordi.
- Art. 000286P00 - 000244000 - 000252000. Pannello, elettropompa volumetrica autoadescante con interruttore on/off, filtro di linea, mt. 4 tubo di erogazione, pistola automatica, raccordi.
- Art. F00287P0A - 000392000 - 000397000. Pannello, elettropompa volumetrica autoadescante con interruttore on/off, filtro di linea, mt. 4 tubo di erogazione, pistola automatica, raccordi, contalitri.
- Art. F00385P0A - 000390000 - 000395000 - 000256000. Pannello, elettropompa volumetrica autoadescante con interruttore on/off, filtro di linea, mt. 4 tubo di erogazione, pistola manuale, raccordi, contalitri.
- Art. F00386F0A - F00265F0A - F00395F0A - F00265F3A - F00265R70. Pannello, elettropompa volumetrica autoadescante con interruttore on/off, filtro separatore acqua in aspirazione, mt. 6 tubo di erogazione, mt. 4 tubo di aspirazione, pistola automatica, raccordi, contalitri.
- Art. F00386F60 - F00265F40 - F00395F60 - F00265520 - F00386R70. Pannello, elettropompa volumetrica autoadescante con interruttore on/off, filtro separatore acqua in aspirazione, mt. 6 tubo di erogazione, pistola automatica, raccordi, contalitri, no tubo aspirazione.

Equipments:

- Art. 000266P00 - 000214000 - 000216000 - 000248000. Wall plate, self-priming electric pump, filter, mt. 4 delivery hose, ON/OFF switch (not on three phase), manual nozzle.
- Art. 000286P00 - 000244000 - 000252000. Wall plate, self-priming electric pump, filter, mt. 4 delivery hose, ON/OFF switch (not on three phase), automatic nozzle.
- Art. F00287P0A - 000392000 - 000397000. Wall plate, self-priming electric pump, filter, K33 meter, mt. 4 delivery hose, ON/OFF switch, automatic nozzle.
- Art. F00385P0A - 000390000 - 000395000 - 000256000. Wall plate, self-priming electric pump, K33 meter, mt. 4 delivery hose, ON/OFF switch, manual nozzle.
- Art. F00386F0A - F00265F0A - F00395F0A - F00265F3A - F00265R70. Wall plate, self-priming electric pump, filter, K33 meter, mt. 6 delivery hose, mt. 4 suction hose, water-absorbing filter in suction line, ON/OFF switch, automatic nozzle.
- Art. F00386F60 - F00265F40 - F00395F60 - F00265520 - F00386R70. Wall plate, self-priming electric pump, filter, K33 meter, mt. 6 delivery hose, water-absorbing filter in suction line, ON/OFF switch, automatic nozzle, no suction hose.

| COD. | MODELLO | MODEL | VOLT/HZ | EURO |
|--|--|-------------------------|---------|-----------------|
| ST CASSETTA - ST BOX | | | | |
|  | F00365020 ST Cassetta Panther 56 Basic | ST Box Panther 56 Basic | 230/50 | 880,00 |
| | F00365060 ST Cassetta Panther 72 Basic | ST Box Panther 72 Basic | 230/50 | 914,00 |
| | F00365010 ST Cassetta Panther 72 Pro | ST Box Panther 72 Pro | 230/50 | 1.250,00 |
| | 00933100A Cassetta Metallica per Stazioni | Metal Box with Kit Lock | | 240,45 |

Dotazioni:

- Art. F00365020 cassetta con elettropompa autoadescante PANTHER 56, contalitri meccanico K33, filtro separatore acqua, mt. 6 tubo di erogazione, pistola automatica A60.
- Art. F00365010 Cassetta con elettropompa autoadescante PANTHER 72, contalitri meccanico K33, filtro separatore acqua, mt. 6 tubo di erogazione, pannello controllo pompa ACCESS, portapistola con switch, pistola automatica A60, nr.1 chiave manager rossa, nr. 4 chiavi gialle utenti.

Equipments:

- Art. F00365020 Metal Box with electric pump PANTHER 56, K33 meter, water-absorbing filter, mt. 6 delivery hose, automatic nozzle A60.
- Art. F00365010 Metal Box with electric pump PANTHER 72, K33 meter, water-absorbing filter, mt. 6 delivery hose, pump control box ACCESS, nozzle-holder with switch, automatic nozzle A60, nr.1 manager red key, nr.4 users yellow keys

UNITÀ DI TRAVASO GASOLIO PER FUSTI - DIESEL TRANSFER UNITS FOR DRUMS

| | | | | |
|---|--|----------------------------------|--------|---------------|
|  | Senza contalitri | Without meter | | |
| | 000271P00 Drum 56 | Drum 56 | 230/50 | 257,67 |
| | 000273P00 Drum 56 A60 | Drum 56 A60 | 230/50 | 324,92 |
| | 000270000 Drum Viscomat 70 | Drum Viscomat 70 | 230/50 | 358,78 |
| | F0026100D Drum Viscomat 200/2 | Drum Viscomat 200/2 | 230/50 | 331,46 |
|  | F0022201A Drum Bi-Pump 12V | Drum Bi-Pump 12V | 12 | 443,50 |
| | F0022203A Drum Bi-Pump 12V A120 | Drum Bi-Pump 12V A120 | 12 | 513,71 |
| | Disponibili versioni 24V | Versions 24V available | | |
|  | Con contalitri | With meter | | |
| | 000272P00 Drum 56 K33 | Drum 56 K33 | 230/50 | 388,64 |
| | 000274P00 Drum 56 K33 A60 | Drum 56 K33 A60 | 230/50 | 454,70 |
| | 000270010 Drum Viscomat 70 K33 | Drum Viscomat 70 K33 | 230/50 | 491,07 |
| | F0026200D Drum Viscomat 200/2 K400 | Drum Viscomat 200/2 K400 | 230/50 | 511,24 |
|  | F0022205A Drum Bi-Pump 12V K33 | Drum Bi-Pump 12V K33 | 12 | 573,28 |
| | F0022207A Drum Bi-Pump 12V K33 A120 | Drum Bi-Pump 12V K33 A120 | 12 | 643,48 |
| | Disponibili versioni 24V | Versions 24V available | | |
|  | F16586000 Kit Accessori per Drum 3000 | Kit Drum 3000 Accessories | | 51,36 |
| | F16631000 Kit Adattatore Drum 3000 K33-Filtro | Kit Drum 3000 K33-Filter Adapter | | 66,00 |

Dotazioni:

Versioni senza contalitri

- Art. 000271P00-F0022201A-000270000-F0026100D: Elettropompa on/off, porta-pistola, tubo telescopico di aspirazione, mt. 4 tubo di erogazione, pistola manuale, raccordi e morsetti.
- Art. 000273P00-F0022203A: Elettropompa on/off, portapistola, tubo telescopico di aspirazione, mt. 4 tubo di erogazione, pistola automatica, raccordi e morsetti.
- Art. F16586000: Tubo telescopico di aspirazione, kit attacco rapido, kit supporto pistola, kit collettore 90° nuova BP3000.
- Art. F16631000: Tubo telescopico di aspirazione, kit attacco rapido, kit supporto pistola, kit collettore 90° nuova BP3000, raccordi per montaggio filtro e contalitri K33.

Versioni con contalitri

- Art. 000272P00-F0022205A-000270010: Elettropompa on/off, portapistola, tubo telescopico di aspirazione, mt. 4 tubo di erogazione, contalitri K33, pistola self 2000, raccordi e morsetti.
- Art. 000274P00-F0022207A: Elettropompa on/off, portapistola, tubo telescopico di aspirazione, mt. 4 tubo di erogazione, pistola automatica, raccordi e morsetti, contalitri.
- Art. F0026200D: Elettropompa on/off, porta-pistola, tubo telescopico di aspirazione, mt. 4 tubo di erogazione, contalitri K400, pistola manuale, raccordi e morsetti.

Equipments:

Without meter versions

- Art. 000271P00-F0022201A-000270000-F0026100D: Self-priming electric pump, mt. 4 delivery hose, ON/OFF switch, manual nozzle, nozzle holder, telescopic suction pipe.
- Art. 000273P00-F0022203A: Self-priming electric pump, mt. 4 delivery hose, ON/OFF switch, automatic nozzle, nozzle holder, telescopic suction pipe.
- Art. F16586000: Telescopic suction hose, quick coupling, nozzle holder, flanged elbow 90°.
- Art. F16631000: Telescopic suction hose, quick coupling, nozzle holder, flanged elbow 90°, connectors for K33 meter and filter.

With meter versions

- Art. 000272P00-F0022205A-000270010: Self-priming electric pump, mt. 4 delivery hose, ON/OFF switch, K33 meter, manual nozzle, nozzle holder, telescopic suction pipe.
- Art. 000274P00-F0022207A: Self-priming electric pump, mt. 4 delivery hose, ON/OFF switch, K33 meter, automatic nozzle, nozzle holder, telescopic suction pipe, meter.
- Art. F0026200D: Self-priming electric pump, mt. 4 delivery hose, ON/OFF switch, K400 meter, manual nozzle, nozzle holder, telescopic suction pipe.

| COD. | MODELLO | MODEL | VOLT/HZ | EURO | |
|---|------------------|-----------------------------|-----------------------------|------|-----------------|
| DISTRIBUTORE - DISPENSER | | | | | |
|  | F00212000 | Piusi PIT STOP 45 12V/14 mt | Piusi PIT STOP 45 12V/14 mt | 12 | 1.130,00 |
| | F00213000 | Piusi PIT STOP 45 24V/14 mt | Piusi PIT STOP 45 24V/14 mt | 24 | 1.130,00 |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

Dotazioni:

- Art. F00212000: Arrotolatore, 2 pompe BP 3000 12 Volt, 14 mt. tubo gasolio 3/4", pistola automatica A60, filtro separatore acqua.
- Art. F00213000: Arrotolatore, 2 pompe BP 3000 24 Volt, 14 mt. tubo gasolio 3/4", pistola automatica A60, filtro separatore acqua.

Equipments:

- Art. F00212000: Hosereel, 2 BP 3000 12 Volt pumps, 14 mt delivery hose 3/4", automatic nozzle A60, water captor filter.
- Art. F00213000: Hosereel, 2 BP 3000 24 Volt pumps, 14 mt delivery hose 3/4", automatic nozzle A60, water captor filter.

| COD. | MODELLO | MODEL | VOLT/HZ | EURO | |
|---|------------------|--------------|-----------------|--------|-----------------|
| GRUPPO ST2OO - ST2OO DISPENSER | | | | | |
|  | F00315000 | Gruppo ST200 | ST200 Dispenser | 230/50 | 1.060,00 |
| | | | | | |
| | | | | | |
| | | | | | |

| | | | | | | |
|---|------------|------------------|-----------------|--------------------|----|-----------------|
|  | NEW | F00318000 | Gruppo ST200 DC | ST200 Dispenser DC | 24 | 1.060,00 |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

| | Accessori | Accessories | | |
|------------------|--|--------------------------------------|--|---------------|
| F16860000 | Kit Ruote / Maniglia ST 200 | Kit Trolley / Handle ST 200 | | 78,00 |
| F00540000 | Contalitri Meccanico K700M lt/gas Ver. A | K700M lt/gas Mechanical Meter Ver. A | | 750,00 |
| F18798000 | Tubo 1" 1/2 con CAM-LOCK 10 m | Hose kit 10 mt 1" 1/2 with CAM-LOCK | | 350,00 |
| F18799000 | Tubo 1" 1/2 con CAM-LOCK 20 m | Hose kit 20 mt 1" 1/2 with CAM-LOCK | | 645,00 |

Dotazioni:

- Art. F00315000: Struttura autoportante in lamiera, elettropompe 230V/50Hz, interruttore ON/OFF
- Art. F00318000: Struttura autoportante in lamiera, 4 elettropompe DC, interruttore ON/OFF

Equipments:

- Art. F00315000: Sturdy frame, Self-priming electric pumps 230V/50Hz, ON/OFF switch.
- Art. F00318000: Sturdy frame, Self-priming 4 electric pumps DC, ON/OFF switch.

| | | | | | |
|---|---------------------------------------|--|-------------------------------|--------|---------------|
|  | F00702000 | ACCESS 85 Centralina di comando pompa | ACCESS 85 Pump control box | 230/50 | 160,00 |
| | F00702010 | ACCESS 85 con chiavi | ACCESS 85 with keys | 230/50 | 220,00 |
| Accessori | | | | | |
| R15904000 | Kit n° 10 chiavi utente colore giallo | Kit nr. 10 users keys yellow color | | | 128,00 |
| R12496000 | Chiavi gestore colore rosso | Manager key red color | | | 53,10 |
| F17121000 | Sonda di livello | Level probe | | | 65,00 |

Dotazioni:

- Art. F00702010
Access 85 con 4 user keys già configurate.

Equipments:

- Art. F00702010
Access 85 with 4 user keys just configured.

| COD. | MODELLO | MODEL | VOLT/HZ | EURO |
|---|--|---|---------|---------------|
| GRUPPI PORTATILI PER TRAVASO GASOLIO - PORTABLE GROUPS FOR DIESEL TRANSFER | | | | |
|  | F0022300C Carry 3000 12V | Carry 3000 12V | 12 | 146,00 |
| | F0022400C Carry 3000 24V | Carry 3000 24V | 24 | 146,00 |
| | F00223260 Carry 3000 12V 3/4 BSP in-line | Carry 3000 12V 3/4 BSP in-line | 12 | 146,00 |
| | F00224240 Carry 3000 24V 3/4 BSP in-line | Carry 3000 24V 3/4 BSP in-line | 24 | 146,00 |
|  | F0034004B Carry Panther DC 12V | Carry Panther DC 12V | 12 | 222,42 |
| | F0034104C Carry Panther DC 24/12V | Carry Panther DC 24/12V | 24/12 | 261,80 |
|  | F0022500C Battery Kit 3000/12V | Battery Kit 3000/12V | 12 | 186,50 |
| | F0022600C Battery Kit 3000/24V | Battery Kit 3000/24V | 24 | 186,50 |
| | F00225410 Battery Kit 3000/12V BO 3/4" Self2000 1°F | Battery Kit 3000/12V BO 3/4" Self2000 1°F | 12 | 186,50 |
| | F00226380 Battery Kit 3000/24V BO 3/4" Self2000 1°F | Battery Kit 3000/24V BO 3/4" Self2000 1°F | 24 | 186,50 |
| | F0034003B Battery Kit Panther DC 12V | Battery Kit Panther DC 12V | 12 | 265,70 |
| | F0034103C Battery Kit Panther DC 24/12V | Battery Kit Panther DC 24/12V | 24/12 | 323,41 |
| | F00309060 Battery Kit Viscomat 60/2 12V | Battery Kit Viscomat 60/2 12V | 12 | 328,92 |
| | F00310070 Battery Kit Viscomat 60/2 24V | Battery Kit Viscomat 60/2 24V | 24 | 328,92 |
|  | F0023100A Piusi Box 12V Basic | Piusi Box 12V Basic | 12 | 260,00 |
| | F0023101A Piusi Box 12V Pro | Piusi Box 12V Pro | 12 | 310,00 |
| | F0023200A Piusi Box 24V Basic | Piusi Box 24V Basic | 24 | 260,00 |
| | F0023201A Piusi Box 24V Pro | Piusi Box 24V Pro | 24 | 310,00 |
| | R17256000 Kit montaggio per K24 Piusi Box | Assembly kit for K24 PiusiBox | - | 18,80 |
|  | PICO senza contalitri | PICO without meter | | |
| | F00202000 Pico 230V Pistola manuale 4m tubo | Pico 230V Manual nozzle 4m hose | 230/50 | 182,00 |
| | F00202010 Pico 230V Pistola automatica 4m tubo | Pico 230V Automatic nozzle 4m hose | 230/50 | 232,00 |
| | F00202040 Pico 12V Pistola manuale 4m tubo | Pico 12V Manual nozzle 4m hose | 12 | 201,00 |
| | F00202050 Pico 12V Pistola automatica 4m tubo | Pico 12V Automatic nozzle 4m hose | 12 | 251,00 |
| | Disponibili versioni 24V | Versions 24V available | | |
|  | PICO con contalitri | PICO with K24 meter | | |
| | F00202020 Pico 230V K24 Pistola manuale 4m tubo | Pico 230V Man. nozzle 4m hose + K24 | 230/50 | 317,00 |
| | F00202030 Pico 230V K24 Pistola aut. 4m tubo | Pico 230V Aut. nozzle 4m hose + K24 | 230/50 | 367,00 |
| | F00202060 Pico 12V K24 Pistola manuale 4m tubo | Pico 12V Man. nozzle 4m hose + K24 | 12 | 336,00 |
| | F00202070 Pico 12V K24 Pistola aut. 4m tubo | Pico 12V Aut. nozzle 4m hose + K24 | 12 | 386,00 |
| | Disponibili versioni 24V | Versions 24V available | | |

Dotazioni:

- Art. F0022300C - F0022400C: Elettropompa mod. By Pass 3000, carter con maniglia, mt. 2 cavo+pinze, interruttore on/off, fusibile salvamotore, raccordi e morsetti.
- Art. F0022500C - F0022600C: Elettropompa mod. By Pass 3000, carter con maniglia, mt. 2 cavo+pinze, interruttore on/off, fusibile salvamotore, mt. 4 tubo, Pistola Self 2000, filtro aspirazione, raccordi e morsetti.
- Art. F0034004B-F0034104C: Elettropompa mod. Panther DC, carter con maniglia, mt. 2 cavo+pinze, interruttore on/off, fusibile salvamotore, raccordi e morsetti.
- Art. F0034003B-F0034103C: Elettropompa mod. Panther DC, carter con maniglia, mt. 2 cavo+pinze, interruttore on/off, fusibile salvamotore, mt. 4 tubo, Pistola Self 2000, filtro aspirazione, raccordi e morsetti.
- Art. F00309060 - F00310070: Elettropompa mod. Viscomat DC, mt. 2 cavo+pinze, interruttore on/off, fusibile salvamotore, mt.4 tubo, pistola Self 3000, filtro aspirazione, raccordi e morsetti.
- Art. F0023100A - F0023200A: Contenitore rigido in plastica facilmente trasportabile, elettropompa mod. By Pass 3000, mt. 4 cavo+pinze, interruttore on/off, fusibile salvamotore, mt. 4 tubo, Pistola Self 2000, valvola di fondo, raccordi e morsetti.
- Art. F0023101A - F0023201A: Contenitore rigido in plastica facilmente trasportabile, elettropompa mod. By Pass 3000, mt. 4 cavo+pinze, interruttore on/off, fusibile salvamotore, mt. 6 tubo, Pistola Self 2000, raccordi e morsetti, filtro impurità con cartuccia di ricambio, valvola di fondo e guanti.
- Art. F00202000 - F00202040: Elettropompa centrifuga con interruttore, tubo 4 mt., pistola manuale in plastica, filtro di fondo per aspirazione, raccordi.
- Art. F00202010 - F00202050: Elettropompa centrifuga con interruttore, tubo 4 mt., pistola automatica, filtro di fondo per aspirazione, raccordi.
- Art. F00202020 - F00202060: Elettropompa centrifuga con interruttore, contalitri a turbina K24, tubo 4 mt., pistola manuale in plastica, filtro di fondo per aspirazione, raccordi.
- Art. F00202030 - F00202070: Elettropompa centrifuga con interruttore, contalitri a turbina K24, tubo 4 mt., pistola automatica, filtro di fondo per aspirazione, raccordi.

Equipments:

- Art. F0022300C - F0022400C: By Pass 3000 DC Electric Pump, carrying box c/w handle, mt. 2 cables+clips, on/off switch, save-motor fuse.
- Art. F0022500C - F0022600C: By Pass 3000 DC Electric Pump, carrying box c/w handle, mt. 2 cables+clips, on/off switch, save-motor fuse, mt. 4 hose, SELF 2000 nozzle, suction filter, connectors and clamps.
- Art. F0034004B-F0034104C: Panther DC Electric Pump, carrying box w/handle, mt.2 cables+clips, on/off switch, save-motor fuse.
- Art. F0034003B-F0034103C: Panther DC Electric Pump, carrying box w/handle, mt.2 cables+clips, on/off switch, save-motor fuse, mt.4 hose, SELF 2000 nozzle, suction filter, connectors and clamps.
- Art. F00309060 - F00310070: Viscomat DC Electric Pump, mt. 2 cables+clips, on/off switch, save-motor fuse, mt.4 hose, Self 3000 nozzle, suction filter, connector and clamps.
- Art. F0023100A - F0023200A: Carrying plastic box c/w handle., by pass 3000 DC Electric Pump, mt. 4 cables+clips, on/off switch, save-motor fuse, mt. 4 hose, SELF 2000 nozzle, foot valve, connectors and clamps.
- Art. F0023101A - F0023201A: Carrying plastic box c/w handle., by pass 3000 DC Electric Pump, mt. 4 cables+clips, on/off switch, save-motor fuse, mt. 6 hose, SELF 2000 nozzle, connectors and clamps, filter with spare cartridge, foot valve and gloves.
- Art. F00202000 - F00202040: Centrifugal Electric Pump with switch, hose 4 mt., plastic manual nozzle, suction foot filter, connectors and clamps.
- Art. F00202010 - F00202050: Centrifugal Electric Pump with switch, hose 4 mt., automatic nozzle, suction foot filter, connectors and clamps.
- Art. F00202020 - F00202060: Centrifugal Electric Pump with switch, K24 turbine meter, hose 4 mt., plastic manual nozzle, suction foot filter, connectors and clamps.
- Art. F00202030 - F00202070: Centrifugal Electric Pump with switch, K24 turbine meter, hose 4 mt., automatic nozzle, suction foot filter, connectors and clamps.

| COD. | MODELLO | MODEL | VOLT/HZ | EURO |
|---|----------------------|--|---|----------------------|
| ELETTROPOMPE - ELECTROPUMPS | | | | |
|  | F00730000 | Panther 56 | Panther 56 | 230/50 146,07 |
| | 000732000 | Panther 72 | Panther 72 | 230/50 179,33 |
|  | 000305000 | E 80/M | E 80/M | 230/50 261,92 |
| | 000326000 | E 120/M | E 120/M | 230/50 350,39 |
|  | NEW F00321000 | E 300 | E 300 | 230/50 600,00 |
| | | | | |
|  | F00342000 | BP3000 12V | BP3000 12V | 12 112,00 |
| | F00347000 | BP3000 24V | BP3000 24V | 24 112,00 |
| | F00357500 | BP3000 12V 3/4 BSP in-line | BP3000 12V 3/4 BSP in-line | 12 112,00 |
| | F00358500 | BP3000 24V 3/4 BSP in-line | BP3000 24V 3/4 BSP in-line | 24 112,00 |
|  | Accessori | Accessories | | |
| | F1601100A | Coperchio con interruttore | Electrical Box with switch | 5,60 |
| | F16293000 | Kit morsettiera + Cavo 2mt 12V | Kit Terminal Box+2mt Cable with clamp 12V | 14,50 |
| | F16294000 | Kit morsettiera + Cavo 2mt 24V | Kit Terminal Box+2mt Cable with clamp 24V | 14,50 |
| | F16295000 | Kit morsettiera + Cavo 4mt 12V | Kit Terminal Box+4mt Cable with clamp 12V | 21,08 |
| | F16296000 | Kit morsettiera + Cavo 4mt 24V | Kit Terminal Box+4mt Cable with clamp 24V | 19,70 |
|  | F16172000 | Kit n°2 Portagomma 3/4" Dritto | Kit nr.2 pcs 3/4" Straight Hose Tail | 8,55 |
| | F17124000 | Kit n°2 Portagomma 1" Dritto | Kit nr.2 pcs 1" Straight Hose Tail | 9,50 |
| | F16173000 | Kit n°1 Portagomma 3/4" 90° | Kit nr. 1 pcs 3/4" 90° Hose Tail | 9,15 |
| | F17262000 | Kit n°1 Portagomma 1" 90° | Kit nr. 1 pcs 1" 90° Hose Tail | 9,70 |
| | F16178000 | Kit n°1 Collettore 90° | Kit nr. 1 pcs Flanged Elbow 90° | 8,10 |
| | F16770000 | Kit n°1 Collettore 90° senza flangia | Kit nr. 1 Elbow 90° without Flange | 8,67 |
| | F16799000 | Kit n°1 Raccordo 1" BSP F | Kit nr. 1 Flanged adapter 1" BSP F | 5,00 |
| | F17314000 | Kit n°1 Raccordo 3/4" BSP F | Kit nr. 1 Flanged adapter 3/4" BSP F | 7,20 |
| | F17313000 | Kit n°1 Raccordo 1" BSP M | Kit nr. 1 Flanged adapter 1" BSP M | 8,50 |
|  | F0034000B | Panther DC 12V | Panther DC 12V | 12 163,51 |
| | F0034100C | Panther DC 24/12V | Panther DC 24/12V | 24/12 215,20 |
|  | F00363A0A | BI-PUMP 12V con interruttore | BI-PUMP 12V with switch | 12 326,71 |
| | F00363B0A | BI-PUMP 24V con interruttore | BI-PUMP 24V with switch | 24 326,71 |
| | F0036301A | BI-PUMP 12V con interruttore + cavo 2mt | BI-PUMP 12V with switch + cable 2mt | 12 351,49 |
| | F0036302A | BI-PUMP 12V con interruttore + cavo 4mt | BI-PUMP 12V with switch + cable 4mt | 12 358,57 |
| | F0036303A | BI-PUMP 24V con interruttore + cavo 2mt | BI-PUMP 24V with switch + cable 2mt | 24 351,49 |
| | F0036304A | BI-PUMP 24V con interruttore + cavo 4mt | BI-PUMP 24V with switch + cable 4mt | 24 358,57 |
| | F0036321A | BI-PUMP 12/24V senza interruttore e cavo | BI-PUMP 12/24V without switch and cable | 12/24 303,12 |
| POMPE MARINE - MARINE PUMPS | | | | |
|  | NMT400000 | POMPA AMALFI 1 | AMALFI 1 PUMP | 12 160,00 |
| | NMT400001 | POMPA AMALFI 2 | AMALFI 2 PUMP | 24 160,00 |
| | NMT400003 | POMPA AMALFI 5 | AMALFI 5 PUMP | 230/50 230,00 |
|  | NMT450000A | POMPA GARDA 1 12V | GARDA 1 12V PUMP | 12 181,00 |
| | NMT450001A | POMPA GARDA 1 24V | GARDA 1 24V PUMP | 24 181,00 |
| | NMT450002A | POMPA GARDA 2 12V | GARDA 2 12V PUMP | 12 204,00 |
| | NMT450003A | POMPA GARDA 2 24V | GARDA 2 24V PUMP | 24 204,00 |
| | NMT460000A | KIT GARDA 2 12V | KIT GARDA 2 12V | 12 220,00 |
| | NMT460001A | KIT GARDA 2 24V | KIT GARDA 2 24V | 24 220,00 |
| | NMT450006 | POMPA GARDA 5 | GARDA 5 PUMP | 230/50 250,00 |

Dotazioni:

- Art. NMT460000A, NMT460001A
pompa con morsettiera, interruttore, cavi con pinze (2 m)

Equipments:


- Art. NMT460000A, NMT460001A
pump with terminal, switch, cables with clamps (2 m)

| | COD. | MODELLO | MODEL | VOLT/HZ | EURO |
|---|---------------------------|----------------------------------|-------------------------------|-----------|---------------|
| VISCOMAT | | | | | |
|  | F0030403D | Viscomat 200/2 M | Viscomat 200/2 M | 230/50-60 | 274,16 |
| | F0030405D | Viscomat 200/2 T | Viscomat 200/2 T | 400/50 | 274,16 |
| | F0030430D | Viscomat 230/3 M | Viscomat 230/3 M | 230/50 | 340,45 |
| | F00304T4D | Viscomat 230/3 T | Viscomat 230/3 T | 400/50 | 340,45 |
| | F0030401D | Viscomat 350/2 M | Viscomat 350/2 M | 230/50 | 340,45 |
| | F00304T1D | Viscomat 350/2 T | Viscomat 350/2 T | 400/50 | 340,45 |
|  | F0030200D | Viscomat 200/2 M con Pressostato | Viscomat 200/2 M with Flowmat | 230/50-60 | 486,52 |
| | F0030204D | Viscomat 230/3 M con Pressostato | Viscomat 230/3 M with Flowmat | 230/50-60 | 551,69 |
| | F0030206D | Viscomat 350/2 M con Pressostato | Viscomat 350/2 M with Flowmat | 230/50-60 | 551,69 |
|  | F0030902A | Viscomat 60/1 12V DC | Viscomat 60/1 12V DC | 12 | 216,85 |
| | F0030901A | Viscomat 60/2 12V DC | Viscomat 60/2 12V DC | 12 | 240,45 |
| | F0030900A | Viscomat 120/1 12V DC | Viscomat 120/1 12V DC | 12 | 240,45 |
| | F0031002A | Viscomat 60/1 24V DC | Viscomat 60/1 24V DC | 24 | 216,85 |
| | F0031001A | Viscomat 60/2 24V DC | Viscomat 60/2 24V DC | 24 | 240,45 |
| | F0031000A | Viscomat 120/1 24V DC | Viscomat 120/1 24V DC | 24 | 240,45 |
|  | F00311000 | Viscomat 120/1 12V PST * | Viscomat 120/1 12V PST * | 12 | 365,70 |
| | F00311010 | Viscomat 120/1 24V PST * | Viscomat 120/1 24V PST * | 24 | 365,70 |
| | * sistema con pressostato | | * flowmat system | | |
|  | F0033490A | Viscomat 70 M | Viscomat 70 M | 230/50-60 | 298,00 |
| | F0033190A | Viscomat 70 T | Viscomat 70 T | 400/50-60 | 295,00 |
| | F00303M00 | Viscomat 90 M | Viscomat 90 M | 230/50-60 | 334,00 |
| | 000303000 | Viscomat 90 T | Viscomat 90 T | 400/50-60 | 319,00 |

| COD. | MODELLO | MODEL | VOLT/HZ | EURO |
|---|----------------------|---|--|----------|
| POMPE PNEUMATICHE A MEMBRANA - AIR OPERATED MEMBRANE PUMP | | | | |
|  | NEW F00208A00 | Pompe per olio e diesel PIUSI MA 130 | Pumps for oil and diesel PIUSI MA 130 | 710,00 |
| | | | | |
|  | NEW F00208P10 | PIUSI MA 140 | PIUSI MA 140 | 710,00 |
| | | | | |
|  | NEW F00208A10 | PIUSI MA 180 | PIUSI MA 180 | 908,00 |
| | | | | |
|  | NEW F00208A20 | PIUSI MA 190 | PIUSI MA 190 | 1.875,00 |
| | | | | |
|  | NEW F00208P00 | Pompe per diesel, acqua e liquidi dinamici come l'AdBlue® e il liquido antigelo PIUSI MP 130 | Pumps for diesel, water and chemicals such as AdBlue® and Antifreeze PIUSI MP 130 | 690,00 |
| | | | | |
|  | NEW F00208P20 | PIUSI MP 140 | PIUSI MP 140 | 750,00 |
| | | | | |
|  | NEW F00208P30 | PIUSI MP 180 | PIUSI MP 180 | 985,00 |
| | | | | |
|  | NEW F00208P40 | PIUSI MP 190 | PIUSI MP 190 | 1.400,00 |
| | | | | |

| COD. | MODELLO | MODEL | VOLT/HZ | EURO |
|---|---|--|---------|-----------------|
| POMPE A MANO - HAND PUMPS | | | | |
|  | F0031600A Pompa a mano GPI Pistone | Hand pump GPI Piston | | 346,00 |
| | F0033200A H P Rotativa 50 L/min alluminio | Aluminium Rotative Hand Pump | | 48,60 |
| | F0033201A Pompa a mano Rotativa in ghisa | Rotative cast iron Hand pump | | 32,40 |
| | F0034900A Pompa a mano a leva | Piston Hand pump 25 l/m' | | 27,00 |
| | F0035100A H P Pistone 35 L/min | Piston Hand pump 35 L/M' | | 40,00 |
|  | F0035200A Ingrassatore 500cc / 16oz | Grease gun 500cc / 16oz | | 18,05 |
| | F0035201A Ingrassatore 800cc / 28oz | Grease gun 800cc / 28oz | | 20,65 |
| | F0035202A Ingrassatore 1000cc / 35oz | Grease gun 1000cc / 35oz | | 23,67 |
| CONTALITRI MECCANICI - MECHANICAL METERS | | | | |
|  | 000550000 Contalitri K33 Ver. A | K33 meter Ver. A | | 129,78 |
| | Disponibili versioni B-C-D | Versions B-C-D available | | |
|  | 000560000 Contalitri K44 Ver. A | K44 meter Ver. A | | 176,97 |
| | Disponibili versioni B-C-D | Versions B-C-D available | | |
| | 00056500A Contalitri K44/PULSER Ver. D | K44/PULSER meter Ver. D | | 353,93 |
|  | F00540000 Contalitri meccanico K700M lt/gas Ver. A | K700 lt/gas Mechanical meter Ver. A | | 750,00 |
| | Disponibili versioni B-C-D | Versions B-C-D available | | |
|  | F00490020 Contalitri K40 meccanico litri | K40 lt/gas Mechanical meter | | 169,89 |
| CONTALITRI ELETTRONICI - ELECTRONIC METERS | | | | |
|  | F00408100 K24-A contal. a turbina-allum. M/F 1" BSP | K24-A aluminium turbine meter M/F 1" BSP | | 153,00 |
|  | F0043011A Greaster di linea GR/KG - Contagrammi per grasso | K200 in-line Grease meter GR/KG | | 259,55 |
| | F0043012A Contalitri K200 mL/L | K200 meter mL/L | | 259,55 |
|  | F00484000 Contalitri K400 CAL L/BSP | K400 meter CAL L/BSP | | 169,89 |
| | 000483020 Contalitri K400 CAL L/BSP liquido lavavetri | K400 meter CAL L/BSP Windscreen | | 244,21 |
|  | F00486150 Contalitri NEXT/2 | NEXT/2 meter | | 195,00 |
|  | F00496A00 Contalitri K600/3 1in BSP vers. Gasolio | K600/3 electr. meter 1in BSP diesel version | | 250,00 |
| | F00496A20 Contalitri K600/3 3/4in BSP vers. Olio | K600/3 electr. meter 3/4in BSP oil version | | 270,00 |
| | 00049700A Contalitri K600/4 LITRI 1 1/2in BSP | K600/4 meter 1 1/2in BSP | | 350,00 |
|  | F00491000 Contalitri K600 B/3 1" BSP vers. Gasolio | K600 B/3 meter 1" BSP Diesel vers. | | 320,00 |
| | F00491010 Contalitri K600 B/3 3/4" BSP vers. Olio | K600 B/3 METER 3/4" BSP Oil vers. | | 320,00 |
| | F00492000 Contalitri K600 B/3 1" BSP pulse out vers. Gasolio | K600 B/3 METER 1" BSP pulse out Diesel vers. | | 370,00 |
| | F00492010 Contalitri olio K600 B/3 3/4" BSP pulse out vers. Olio | K600 B/3 METER 3/4" BSP pulse out Oil vers. | | 370,00 |
|  | F0049900A K900 Contalitri 3in BSP | K900 meter 3in BSP | | 1.850,00 |

| COD. | MODELLO | MODEL | VOLT/HZ | EURO |
|---|---|--|---------|----------|
| CONTALITRI PULSERS - PULSE-METERS | | | | |
|  | NEW F00408Y00 K24 Pulser M/F 1" BSP ATEX/IECEX | K24 Pulser M/F 1" BSP ATEX/IECEX | | 114,00 |
| | | | | |
| | | | | |
| | 000452000 K200 Pulser 1/4in BSP | K200 Pulser 1/4in BSP | | 129,78 |
| | 000452030 K200 Pulser HP 1/8in BSP per grasso | K200 Pulser HP 1/8in BSP for grease | | 153,37 |
| | F00440200 K400 Pulser 1/2in BSP | K400 Pulser 1/2in BSP | | 94,38 |
| | 00044007A K400 Pulser 1/2in BSP per liquido lavavetri | K400 Pulser 1/2in BSP for Windscreen | | 212,36 |
| | F00472A00 K600/3 Pulser 1in BSP versione Gasolio | K600/3 Pulser 1in BSP Diesel version | | 200,00 |
| | F00472A20 K600/2-3 Pulser 3/4in BSP versione Olio | K600/2-3 Pulser 3/4in BSP Oil version | | 224,00 |
| | 000473000 K600/4 Pulser 1 1/2in BSP | K600/4 Pulser 1 1/2in BSP | | 300,00 |
| | | | | |
| | F0049800A K700 Pulser 2in BSP | K700 Pulser 2in BSP | | 825,00 |
| | F0049902A K900 Pulser 3in BSP | K900 Pulser 3in BSP | | 1.900,00 |
| | | | | |
| DISPLAY REMOTO CON EMETTITORE DI IMPULSI - REMOTE DISPLAY WITH PULSE TRANSMITTER | | | | |
| | F0049501A Display Remoto UNIVERSALE | Remote Display with Puls out UNIVERSAL | | 286,20 |
| | F1175200B Display Remoto K600/3 | Remote Display with Puls out K600/3 | | 201,40 |
| | F1175300B Display Remoto K600/4 | Remote Display with Puls out K600/4 | | 201,40 |
| | F1175400B Display Remoto K700 | Remote Display with Puls out K700 | | 201,40 |
| | F0049502A Display Remoto PULS IN | Remote Display with PULS IN | | 309,11 |
| | | | | |
| PISTOLE MANUALI - MANUAL NOZZLES | | | | |
| | F00641130 Self 2000 Pistola manuale 1in BSP | Self 2000 Manual nozzle 1in BSP | | 20,90 |
| | | | | |
| | F0065000A Self 3000 Pistola manuale 1in BSP | Self 3000 Manual nozzle 1in BSP Leaded spout | | 24,60 |
| | 00065001A Self 3000 Pistola manuale 1in BSP - estremità per benzina verde | Self 3000 Manual nozzle 1in BSP - unleaded spout | | 36,75 |
| | F0063000A Pistola in plastica 1in con Swivel - Nera - | Plastic nozzle 1in W/Swiwel - Black | | 12,15 |
| | F0063001A Pistola in plastica 1in senza Swivel - Bianca | Plastic nozzle 1in W/O Swivel - White | | 20,65 |
| | F00976W10 Pistola per liquido lavavetri + Estremità rigida + Swivel | Windscreen nozzle + Rigid spout + Swivel | | 59,16 |
| | | | | |
| PISTOLE AUTOMATICHE CON SWIVEL - AUTOMATIC NOZZLES WITH SWIVEL | | | | |
| | F00603060 Pistola automatica A60 1in F | Automatic nozzle A60 1in F | | 69,00 |
| | F00602020 Pistola automatica A60 1in F - Estremità per benzina verde | Automatic nozzle A60 1in F - Unleaded spout | | 69,00 |
| | F00613A00 Pistola automatica A60 EN 13012 | Automatic nozzle A60 EN 13012 | | 80,00 |
| | F00602030 Pistola automatica A60 1in F per Rapsoil | Automatic nozzle A60 1in F for Rapsoil | | 75,00 |
| | F00604030 Pistola automatica A80 1in F Nera | Automatic nozzle A80 1in F Black | | 97,00 |
| | F00610020 Pistola automatica A120 1in F Nera | Automatic nozzle A120 1in F Black | | 97,00 |
| | F13249000 Pistola automatica 280 LPM | Automatic nozzle 280 LPM | | 375,00 |
| | | | | |

| COD. | MODELLO | MODEL | VOLT/HZ | EURO |
|---|------------------|--|--|---------------|
| PISTOLE CONTALITRI - NOZZLE METERS | | | | |
|  | F00973030 | K40 lt/gas con estremità rigida | K40 lt/gas with Rigid spout | 228,88 |
| | F00973020 | K40 lt/gas con estremità flessibile | K40 lt/gas with Flexible spout | 234,78 |
|  | F00984000 | K400 CAL lt/gas + Easy oil + Swivel + Estremità rigida | K400 CAL lt/gas + Easy oil + Swivel + Rigid spout | 228,88 |
| | F00984010 | K400 CAL lt/gas + Easy oil + Swivel + Estremità flessibile | K400 CAL lt/gas + Easy oil + Swivel + Flexible spout | 234,78 |
| | F00976WOA | K400 Windscreen + Pistola + Estremità rigida + Swivel | K400 EASY Windscreen + Swivel + Rigid spout | 303,37 |
|  | F00974010 | NEXT/2 + Pistola + Estremità rigida | NEXT/2 + Pistol-One + Rigid spout | 360,00 |
| | F00974020 | NEXT/2 + Pistola + Estremità flessibile | NEXT/2 + Pistol-One + Flexible spout | 370,00 |
|  | F0068700C | K500 Presettabile con Estremità rotante | K500 Preset batch meter with Rotating spout | 530,90 |
| | F00687200 | K500 Presettabile con Estremità rigida | K500 Preset batch meter with Rigid spout | 514,00 |
| | F00687210 | K500 Presettabile con Estremità flessibile | K500 Preset batch meter with Flexible spout | 520,00 |
|  | F0043000A | Greaster - Pistola contagrammi per grasso Gr/Kg | Greaster - Grease meter nozzle GR/KG | 364,56 |
| | F0043100A | Greaster - Pistola contagrammi per grasso Gr/Kg con "Z" raccordo girevole ed estremità rotante | Greaster - Grease meter nozzle GR/KG with -Z- Swivel and rigid spout | 394,04 |
| PISTOLE EASYOIL - NOZZLES EASYOIL | | | | |
|  | F00966130 | Easyoil + Swivel + Estremità rigida + Valvola automatica | Easyoil + Swivel + Rigid spout + Automatic anti-drip valve | 51,22 |
| | F00966140 | Easyoil + Swivel + Estremità flessibile + Valvola automatica | Easyoil + Swivel + Flexible spout + Automatic anti-drip valve | 57,71 |
| | F00966150 | Easyoil + Swivel + Estremità rotante + Valvola automatica | Easyoil + Swivel + Rotating spout + Automatic anti-drip valve | 67,56 |
|  | F0096600A | Impugnatura Easyoil FF 1/2in X 1/2in BSP Nera | Handgrip Easyoil FF 1/2in x 1/2in BSP Black | 23,80 |
| | | Disponibili colori: Rosso, Verde, Giallo, Blu | Versions Red, Green, Yellow, Blue colour available | |
| | | Accessori | Accessories | |
| | F09949000 | Filtro per Easyoil | Filter for Easyoil | 2,44 |
|  | F09659000 | Protezione Swivel - Nera | Swivel Rubber Protection - Black | 3,04 |
| | | Disponibili colori: Rosso, Verde, Giallo, Blu | Versions Red, Green, Yellow, Blue colour available | |
|  | F00665000 | Estremità rigide per pistole Easyoil | Rigid spouts for Easy Oil nozzle | |
| A | F00665000 | Estremità Rigida A/P con valvola antigoccia automatica (A) | Rigid Spout A/P with automatic anti-drip valve (A) | 19,29 |
| B | F0067000A | Estremità Rigida B/P (B) | Rigid Spout B/P (B) | 16,85 |
| C | F0067002A | Estremità Rigida 90 mm B/P (B) | Rigid Spout 90 mm B/P (B) | 15,23 |
| D | 000934000 | Estremità Rigida HF con valvola antigoccia manuale (C) | Rigid Spout HF with manual anti-drip valve (C) | 35,51 |
| | 000938000 | Estremità Rigida LF con valvola antigoccia manuale (D) | Rigid Spout LF with manual anti-drip valve (D) | 23,53 |
|  | F00666000 | Estremità flessibili per pistole Easyoil | Flexible spouts for Easy Oil nozzle | |
| A | F00666000 | Estremità Flessibile A/P con valvola antigoccia automatica (A) | Flexible Spout A/P with automatic anti-drip valve (A) | 27,39 |
| B | F0067100A | Estremità Flessibile B/P (B) | Flexible Spout B/P (B) | 24,52 |
| C | 000935000 | Estremità Flessibile HF con valvola antigoccia manuale (C) | Flexible Spout HF with manual anti-drip valve (C) | 41,23 |
| D | F00939000 | Estremità Flessibile LF con valvola antigoccia manuale (D) | Flexible Spout LF with manual anti-drip valve (D) | 33,12 |
|  | 000669000 | Estremità Rotante A/P con valvola antigoccia automatica | Rotating Spout A/P with automatic anti-drip valve | 33,52 |

| COD. | MODELLO | MODEL | VOLT/HZ | EURO |
|---|-----------|-----------------------------------|-----------------------|--------|
| PISTOLE PISTOL-ONE - NOZZLES PISTOL-ONE | | | | |
|  | F00640000 | Pistol-ONE | Pistol-ONE | 122,00 |
| | F00640010 | Pistol-ONE + estremità rigida | Pistol-ONE + rigid | 165,00 |
| | F00640020 | Pistol-ONE + estremità flessibile | Pistol-ONE + flexible | 175,00 |

| | | | | |
|---|---|-------------------------------------|----------------|-------|
|  | Estremità per pistole Pistol-ONE | Spouts for Pistol-ONE nozzle | | |
| | F16005010 | Estremità rigida | Rigid spout | 41,00 |
| | F16004010 | Estremità flessibile | Flexible spout | 51,00 |

| | | | | | |
|----------------|-----------|---------|---------|--------|--------|
| VACUBOX | F00500B00 | Vacubox | Vacubox | 230/50 | 630,00 |
|----------------|-----------|---------|---------|--------|--------|

| | | | | |
|---|------------------|----------------------------------|-----------------------------|-------|
|  | Accessori | Accessories | | |
| | R08308000 | Kit Tubo Aspirazione con Valvola | Kit Suction Hose with Valve | 21,35 |
| | R08309000 | Kit Sonde 650+800 mm | Kit Probes 650+800 mm | 54,10 |
| | R12737000 | Kit Staffe a Muro | Kit Wall Support | 33,71 |
| | F11774010 | Kit Sonde 1000 mm | Kit Probes 1000 mm | 46,00 |

Dotazioni:

- Art. F00500B00 Struttura autoportante in lamiera con trattamento anticorrosione, pompa autoadescante, vacuometro per controllo delle operazioni di aspirazione, segnalatore acustico di fine operazioni, ingresso 1/2" BSP, uscita 1/2".

Equipments:

- Art. F00500B00 Self supporting plate structure paint finished with anticorrosion treatment, self priming pump, vacuum meter to verify pump working, acoustic device at the end of operation, Inlet 1/2" BSP, Outlet 1/2" BSP.

| | | | | | |
|---------------------------------|-----------|------------|-------------|-----------|--------|
| CAMBIAOLIO - OIL CHANGER | F0050000B | Cambiallio | Oil changer | 230/50/60 | 456,98 |
|---------------------------------|-----------|------------|-------------|-----------|--------|



| | | | | |
|-----------|----------------------|-----------------------|--|-------|
| R08309000 | Kit Sonde 650+800 mm | Kit Probes 650+800 mm | | 54,10 |
| F11774010 | Kit Sonde 1000 mm | Kit Probes 1000 mm | | 46,00 |

Dotazioni:

- Art. F0050000B Carrello, elettropompa, interruttore on/off, serbatoio asportabile, mt.2 tubo aspirazione, completo di n° 6 sonde, cavo elettrico di alimentazione mt. 5.

Equipments:

- Art. F0050000B Trolley, Pump, on/off switch, removable tank, mt. 2 suction hose, completed by n° 6 probes, mt. 5 electrical cable.

| | | | | | |
|---------------------------------------|-----------|---|--|--------|--------|
| DEPUROIL - FILTROLL DIESEL/OIL | 00050300A | Depuroil unità di filtraggio e travaso Olio | Depuroil filtering and transfer Oil unit | 230/50 | 528,54 |
|---------------------------------------|-----------|---|--|--------|--------|



| | | | | |
|-----------|-----------------------|---------------------|--------|---------|
| F00506000 | Filtroll gasolio | Filtroll gasoil | 230/50 | 890,00 |
| F00506010 | Filtroll olio/gasolio | Filtroll oil/gasoil | 230/50 | 1010,00 |
| F0050606A | Filtroll 12V gasolio | Filtroll 12V gasoil | 12V | 890,00 |

Dotazioni:

- Art. 00050300A Carrello, elettropompa Viscomat 70 con interruttore on/off, filtro con cartuccia, cartuccia di ricambio, indicatore di intasamento, tubo aspirazione mt. 2 completo di lancia.
- Art. F00506000 Carrello, elettropompa Panther 56, filtro clear captor con cartuccia, filtro water captor, manometro, tubo aspirazione mt. 3 con valvola di fondo, tubo di mandata mt. 4 con pistola manuale, cavo elettrico di alimentazione mt. 5.
- Art. F00506010 Carrello, elettropompa Viscomat 70, filtro clear captor con cartuccia, filtro water captor, manometro, tubo aspirazione mt. 3 completo di lancia, tubo di mandata mt. 3 completo di lancia, cavo elettrico di alimentazione mt. 5.
- Art. F0050606A Carrello, elettropompa Panther DC 12V con 6 mt cavo+pinze, filtro clear captor con cartuccia, filtro water captor, manometro, tubo aspirazione 3 mt con valvola di fondo, tubo mandata 4 mt con pistola manuale.

Equipments:

- Art. 00050300A Trolley, Viscomat 70 Pump, filter with cartridge + a spare cartridge, optical device, mt. 2 suction hose with lance.
- Art. F00506000 Trolley, electropump Panther 56, water captor filter with cartridge,clear captor filter, optical device, 3 mt suction hose with valve, 4 mt delivery hose with manual nozzle, mt. 5 electrical cable.
- Art. F00506010 Trolley, electropump Viscomat 70, water captor filter with cartridge,clear captor filter, optical device, 3 mt suction hose with lance, 3 mt delivery hose with lance, mt. 5 electrical cable.
- Art. F0050606A Trolley,electropump Panther DC 12V with 6 mt cable+pliers, water captor filter with cartridge, clear captor filter, optical device, 3 mt suction hose with valve, 4 mt delivery hose with manual nozzle.

| COD. | MODELLO | MODEL | VOLT/HZ | EURO |
|---|----------------------------|----------------------------|---------|-----------------|
| UNITÀ DI TRAVASO OLIO PER FUSTI - OIL TRANSFER UNITS FOR DRUMS | | | | |
| | Senza contalitri | Without meter | | |
| F0026300D | Viscotroll 200/2 | Viscotroll 200/2 | 230/50 | 664,45 |
| F0026302D | Viscotroll 200/2 PST * | Viscotroll 200/2 PST * | 230/50 | 895,48 |
| 000263100 | Viscotroll 70 | Viscotroll 70 | 230/50 | 641,06 |
| F00263200 | Viscotroll 120/1 12V PST * | Viscotroll 120/1 12V PST * | 12 | 1.350,46 |
| | * sistema con pressostato | * flowmat system | | |

| | | | | |
|------------------|---------------------------------|---------------------------------|--------|-----------------|
| | Con contalitri | With meter | | |
| F0026303D | Viscotroll 200/2 K400 PST * | Viscotroll 200/2 K400 PST * | 230/50 | 1.060,61 |
| 000263110 | Viscotroll 70 K33 | Viscotroll 70 K33 | 230/50 | 770,97 |
| F0026301D | Viscotroll 200/2 K400 | Viscotroll 200/2 K400 | 230/50 | 835,27 |
| F00263210 | Viscotroll 120/1 12V K400 PST * | Viscotroll 120/1 12V K400 PST * | 12 | 1.522,71 |
| | * sistema con pressostato | * flowmat system | | |

Dotazioni:

- Art. F0026300D-F0026302D-000263100: Elettropompa con interruttore on/off, porta-pistola, tubo telescopico di aspirazione, mt. 4 tubo di erogazione, pistola manuale, raccordi e morsetti, carrello portafusto.
- Art. F00263200: Elettropompa 12V con interruttore on/off, mt. 4 tubo di erogazione, pistola manuale, porta-pistola, tubo telescopico di aspirazione, portafusto, carica batteria incorporato.
- Art. F0026301D-F0026303D-000263110: Elettropompa con interruttore on/off, portapistola, tubo telescopico di aspirazione, mt. 4 tubo di erogazione, pistola manuale, raccordi e morsetti, carrello portafusto, contalitri.
- Art. F00263210: Elettropompa 12V con interruttore on/off, mt. 4 tubo di erogazione, pistola manuale, porta-pistola, tubo telescopico di aspirazione, contalitri, portafusto, carica batteria incorporato.

Equipments:

- Art. F0026300D-F0026302D-000263100: Self-priming electric pump, mt. 4 delivery hose, ON/OFF switch, manual nozzle, nozzle holder, telescopic suction pipe, trolley for drum.
- Art. F00263200: Self-priming gear-pump, mt. 4 delivery hose, ON/OFF switch, manual nozzle, nozzle holder, telescopic suction pipe, trolley for drum, built-in battery charger.
- Art. F0026301D-F0026303D-000263110: Self-priming electric pump, mt. 4 delivery hose, ON/OFF switch, manual nozzle, nozzle holder, telescopic suction pipe, trolley for drum, meter.
- Art. F00263210: Self-priming gear-pump 12V, mt. 4 delivery hose, ON/OFF switch, manual nozzle, nozzle holder, telescopic suction pipe, K400 meter, trolley for drum, built-in battery charger.

ARROTOLATORI DIESEL - DIESEL HOSE REELS



NEW

| | Arrotolatori senza tubo | Hose reels without hose | | |
|------------------|---|---|-----|---------------|
| F0075008A | Arrotolatore per tubo 3/4in (max 8 mt) Small | Hose reel for hose 3/4in (max 8 mt) Small | (*) | 279,00 |
| F0075000A | Arrotolatore per tubo 3/4in (max 14 mt) Big | Hose reel for hose 3/4in (max 14 mt) Big | | 353,00 |
| F0075001A | Arrotolatore per tubo 1in (max 10 mt) Big | Hose reel for hose1in (max 10 mt) Big | | 372,00 |
| F0075018B | Arrotolatore per tubo 1in (max 15 mt) XL | Hose reel for hose1in (max 15 mt) XL | | 570,00 |
| F0075025A | Arrotolatore per tubo 1in (max 15 mt) XL HEAVY DUTY** | Hose reel for hose1in (max 15 mt) XL HEAVY DUTY** | | 588,00 |



NEW

| | Arrotolatori con tubo | Hose reels with hose | | |
|------------------|--|---|-----|---------------|
| F0075009A | Arrotolatore con 8 mt tubo 3/4in Small | Hose reel with 8 mt hose 3/4in Small | (*) | 369,00 |
| F0075004A | Arrotolatore con 10 mt tubo 3/4in Big 1" BSP | Hose reel with 10 mt hose 3/4in Big 1" BSP | | 454,00 |
| F0075012A | Arrotolatore con 10 mt tubo 3/4in Big 3/4" BSP | Hose reel with 10 mt hose 3/4in Big 3/4" BSP | | 448,00 |
| F0075010A | Arrotolatore con 14 mt tubo 3/4in Big | Hose reel with 14 mt hose 3/4in Big | | 484,00 |
| F0075002A | Arrotolatore con 8 mt tubo 1in Big | Hose reel with 8 mt hose 1in Big | | 491,00 |
| F0075003A | Arrotolatore con 10 mt tubo 1in Big | Hose reel with 10 mt hose 1in Big | | 513,00 |
| F0075013A | Arrotolatore con 10 mt tubo 3/4in Big/Benzina | Hose reel with 10 mt hose 3/4in Big/Gasoline | | 458,00 |
| F0075023A | Arrotolatore con 10 mt tubo 1in Big HEAVY DUTY** | Hose reel with hose 10 mt hose 1in Big HEAVY DUTY** | | 531,00 |
| F0075024A | Arrotolatore con 10 mt tubo 3/4in Big HEAVY DUTY** | Hose reel with hose 10 mt hose 3/4in Big HEAVY DUTY** | | 472,00 |
| F0075019A | Arrotolatore con 15 mt tubo 1in XL | Hose reel with 15 mt hose 1in XL | | 766,00 |
| F0075026A | Arrotolatore con 15 mt tubo 1in XL HEAVY DUTY** | Hose reel with hose 15 mt hose 1in XL HEAVY DUTY ** | | 784,00 |



| | Accessori | Accessories | | |
|------------------|--------------------------------------|------------------------------|-----|--------------|
| F16279000 | Supporto girevole arrotolatore Big | Rotating support plate Big | | 47,00 |
| F16298000 | Staffa fissa arrotolatore Big | Fix support plate Big | | 28,00 |
| F17317000 | Supporto girevole arrotolatore Small | Rotating support plate Small | (*) | 47,00 |
| F17316000 | Staffa fissa arrotolatore Small | Fix support plate Small | (*) | 24,00 |
| F16367000 | Tubo collegamento arrotolatore | Junction hose | | 38,00 |

* Dimensioni: Small: 550x200x540 mm, Big: 550x260x540 mm,
XL: 560x350x560 mm

* Dimensions: Small: 550x200x540 mm, Big: 550x260x540 mm,
XL: 560x350x560 mm

** Mozzo in acciaio

** Steel Hub

| COD. | MODELLO | MODEL | VOLT/HZ | EURO |
|---|--------------------------------|--|------------------------------------|---------------|
| ARROTOLATORI OLIO - OIL HOSE REELS | | | | |
|  | Arrotolatori senza tubo | Hose reels without hose | | |
| NEW | HN60151200A | Arrotolatore aperto 60b w/o 1/2" max 15m oil | Reel open 60b w/o 1/2" max 15m oil | 267,00 |
| NEW | HN60153800A | Arrotolatore aperto 60b w/o 3/8" max 15m oil | Reel open 60b w/o 3/8" max 15m oil | 265,00 |
| NEW | HN60201200A | Arrotolatore aperto 60b w/o 1/2" max 20m oil | Reel open 60b w/o 1/2" max 20m oil | 345,00 |

| | | | | |
|---|------------------------------|--|--------------------------------|---------------|
|  | Arrotolatori con tubo | Hose reels with hose | | |
| NEW | HA60101200A | Arrotolatore aperto 60b w/ 1/2" 10mt oil | Reel open 60b w/ 1/2" 10mt oil | 372,00 |
| NEW | HA60151200A | Arrotolatore aperto 60b w/ 1/2" 15mt oil | Reel open 60b w/ 1/2" 15mt oil | 411,00 |
| NEW | HA60201200A | Arrotolatore aperto 60b w/ 1/2" 20mt oil | Reel open 60b w/ 1/2" 20mt oil | 527,00 |
| NEW | HA60101000A | Arrotolatore aperto 60b w/ 1" 10mt oil | Reel open 60b w/ 1" 10mt oil | 770,00 |
| NEW | HA60153400A | Arrotolatore aperto 60b w/ 3/4" 15mt oil | Reel open 60b w/ 3/4" 15mt oil | 745,00 |

| | | | | | |
|---|------------|--------------------|--|--------------------------------|---------------|
|  | NEW | HC60121200A | Arrotolatore chiuso 60b w/ 1/2" 12mt oil | Case reel 60b w/ 1/2" 12mt oil | 398,00 |
|---|------------|--------------------|--|--------------------------------|---------------|

| | | | | |
|---|--------------------------------|---|-----------------------------------|---------------|
|  | Arrotolatori senza tubo | Hose reels without hose | | |
| NEW | HN40151400A | Arrotolatore aperto 400b wo 1/4" max 15m g. | Reel open 400b wo 1/4" max 15m g. | 282,00 |
| NEW | HN40153800A | Arrotolatore aperto 400b wo 3/8" max 15m g. | Reel open 400b wo 3/8" max 15m g. | 282,00 |

| | | | | |
|---|------------------------------|--|--------------------------------|---------------|
|  | Arrotolatori con tubo | Hose reels with hose | | |
| NEW | HA40151400A | Arrotolatore aperto 400b w/ 1/4" 15mt g. | Reel open 400b w/ 1/4" 15mt g. | 418,00 |
| NEW | HA40153800A | Arrotolatore aperto 400b w/ 3/8" 15mt g. | Reel open 400b w/ 3/8" 15mt g. | 457,00 |

| | | | | | |
|---|------------|--------------------|---|---------------------------------|---------------|
|  | NEW | HC40123800A | Arrotolatore chiuso 400b w/ 3/8" 12m g. | Reel closed 400b w/ 3/8" 12m g. | 446,00 |
|---|------------|--------------------|---|---------------------------------|---------------|

| | | | | |
|---|------------------------------|--|------------------------------------|---------------|
|  | Arrotolatori con tubo | Hose reels with hose | | |
| NEW | HA20151200A | Arrotolatore aperto 20b w/ 1/2" 15mt wat/air | Reel open 20b w/ 1/2" 15mt wat/air | 400,00 |
| NEW | HA20153800A | Arrotolatore aperto 20b w/ 3/8" 15mt wat/air | Reel open 20b w/ 3/8" 15mt wat/air | 372,00 |

| | | | | | |
|---|--------------------|--|---|---------------------------------------|---------------|
|  | NEW | HC20121400A | Arrotolatore chiuso 20b w/ 10x14 12mt wat/air | Reel closed 20b w/ 10x14 12mt wat/air | 218,00 |
| NEW | HC20151200A | Arrotolatore chiuso 20b w/ 8x12 15mt wat/air | Reel closed 20b w/ 8x12 15mt wat/air | 199,00 | |

| | | | | |
|---|------------------------------|---|---------------------------------|---------------|
|  | Arrotolatori con tubo | Hose reels with hose | | |
| NEW | HA201512ALA | Arrotolatore aperto 20b w/ 1/2" 15mt a/ws | Reel open 20b w/ 1/2" 15mt a/ws | 457,00 |

| COD. | MODELLO | MODEL | VOLT/HZ | EURO |
|---|--|---|---------|-----------------|
| TUBI - HOSES | | | | |
|  | Tubi Gasolio | Diesel fuel hose | | |
| F0060502A | Tubo gasolio gomma Ø 3/4" (19x27mm) 80 mt | Rubber hose Ø 3/4" (19x27mm) 80 mt | | 442,00 |
| F0060602A | Tubo gasolio gomma Ø 1" (25x35mm) 40 mt | Rubber hose Ø 1" (25x35mm) 40 mt | | 368,00 |
|  | Tubi Aspirazione PVC | PVC suction hose | | |
| F1113100B | Tubo PVC diam. 25 trasparente (60 mt) | PVC suction hose D. 25 (60 mt) | | 330,00 |
| F1113200A | Tubo PVC trasparente diam. 25 1,6 mt con valvola di fondo | PVC suction hose D. 25 1,6 mt with foot valve | | 42,70 |
| F11638010 | Tubo PVC 4 mt D. 25 | PVC hose 4 mt D. 25 | | 68,00 |
|  | Tubi Aspirazione Rinforzati | Reinforced suction hose | | |
| F12120010 | Tubo Plutone PH diam. 25 60 mt spiralato | Plutone suction hose PH D. 25 60 mt | | 1.112,40 |
| F1640400A | Kit aspirazione 4 mt + valvola di fondo | Kit suction hose 4 mt + foot valve | | 122,00 |
|  | Tubo estensibile | Extensible pipe | | |
| F08934000 | Tubo estensibile in plastica 110 cm | Plastic telescopic suction pipe 110 cm | | 7,69 |
|  | Tubo estensibile acciaio | Steel extensible pipe | | |
| F08934010 | Kit tubo estend. acciaio 1" BSP (180 cm) + attacco Drum 2" BSP con valvola | Kit steel telescopic hose 1" BSP (180 cm) + 2" BSP Drum connector | | 90,00 |
| F08934020 | Tubo estensibile acciaio 1" BSP (110 cm) | Steel telescopic hose 1" BSP (110 cm) | | 26,00 |
|  | Tubi raccordati | Crimped hoses | | |
| F08976000 | Tubo Gasolio diam. 20 mt. 4 raccordato 1in x 1in | Rubber hose D. 20 4 mt crimped 1in x 1in | | 42,30 |
| F08977000 | Tubo Gasolio diam. 25 mt. 4 raccordato 1in x 1in | Rubber hose D.25 4 mt crimped 1in x 1in | | 61,00 |
| F08945000 | Tubo Gasolio diam. 20 mt. 6 raccordato 1in x 1in | Rubber hose D.20 6 mt crimped 1in x 1in | | 57,14 |
| F08858000 | Tubo Gasolio diam. 25 mt. 6 raccordato 1in x 1in | Rubber hose D.25 6 mt crimped 1in x 1in | | 79,40 |
| CONNETTORI - CONNECTORS | | | | |
|  | Kit attacco rapido | Quick coupling | | |
| R08930000 | Kit attacco rapido 2in x 1in | Kit quick coupling 2in x 1in | | 35,00 |
| R09160000 | Kit attacco rapido 2in x 3/4in | Kit quick coupling 2in x 3/4in | | 35,00 |
|  | Attacchi Drum | Drum connectors | | |
| F17163000 | Attacco 2" BSP Drum con Valvola | 2" BSP Drum connector with Valve | | 38,00 |
| F17190000 | Attacco 2" BSP Drum senza Valvola | 2" BSP Drum connector without Valve | | 29,00 |
| F17163010 | Attacco 2" BSP con Valvola + Flangia | 2" BSP Drum connector + valve, Flanged | | 46,50 |
|  | Raccordo rapido per tubo | Hose quick coupling | | |
| F00636000 | Attacco rapido 1" GAS | Hose quick coupling 1in GAS | | 45,00 |
|  | Sigillanti | Sealant paste | | |
| F08173000 | Teflon liquido | Liquid teflon | | 22,55 |
| F10767000 | Sigillante tenuta media (Blu Loxeal) | Sealant paste medium duty (Blu Loxeal) | | 46,01 |
| F12278000 | Sigillante tenuta forte (Verde Loxeal) | Sealant paste heavy duty (Verde Loxeal) | | 46,01 |

| COD. | MODELLO | MODEL | VOLT/HZ | EURO |
|---|---|---|---------|---------------|
| FILTRI - FILTERS | | | | |
| | Filtri separazione acqua WATER CAPTOR | Water cartridge filter WATER CAPTOR | | |
|  | F00611A00 Filtro Water Captor 70 l/min (2 cartucce) | Filter Water Captor 70 l/min (2 cartridges) | | 88,00 |
| | F00611A10 Filtro Water Captor 150 l/min (1 cartuccia) | Filter Water Captor 150 l/min (1 cartridge) | | 109,00 |
| | F00611010 Cartuccia Water Captor 70 l/min (12 pz) | Cartridge Water Captor 70 l/min (12 pcs) | | 407,40 |
| | F00611020 Cartuccia Water Captor 150 l/min (6 pz) | Cartridge Water Captor 150 l/min (6 pcs) | | 508,86 |
| | F14640000 Testata filtro 1in x 1in UNF 70 l/min | Filter head 1in x 1in UNF 70 l/min | | 13,00 |
| | F15743000 Testata filtro 150 l/min | Filter head 150 l/min | | 23,90 |
| | Filtri Biofuel | Biofuel filter | | |
|  | F00611C00 Filtro Biofuel 70 l/min (2 cartucce) | Biofuel filter 70 l/min (2 cartridges) | | 201,00 |
| | F00611C10 Filtro Biofuel 150 l/min (1 cartuccia) | Biofuel filter 100 l/min (1 cartridge) | | 160,00 |
| | R14861000 Cartuccia Biofuel 70 l/min | Cartridge Biofuel 70 l/min | | 94,00 |
| | R14862000 Cartuccia Biofuel 100 l/min | Cartridge Biofuel 100 l/min | | 134,00 |
| | F14640000 Testata filtro 1in x 1in UNF 70 l/min | Filter head 1in x 1in unf 70 l/min | | 13,00 |
| | F15743000 Testata filtro 100 l/min | Filter head 100 l/min | | 23,90 |
| | Filtri gasolio e olio | Oil and fuel filter | | |
|  | F0777200A Filtro 70 l/min 10µm con testata 1in BSP | Filter 70 l/min 10µm with head 1in BSP | | 29,50 |
| | F0914900A Filtro 100 l/min 10µm con testata 1in BSP | Filter 100 l/min 10µm with head 1in BSP | | 61,00 |
| | F09149020 Filtro 100 l/min 5µm con testata 1in BSP | Filter 100 l/min 5µm with head 1in BSP | | 67,00 |
| | F00611000 Cartuccia 10 micron filtro 70 l/min | Cartridge 10 micron filter 70 l/min | | 16,50 |
| | F09359000 Cartuccia 10 micron filtro 100 l/min | Cartridge 10 micron filter 100 l/min | | 33,60 |
| | F09359010 Cartuccia 5 micron filtro 100 l/min | Cartridge 5 micron filter 100 l/min | | 43,00 |
| | F14528000 Testata filtro 1in x 1in 3/4 BSP 70 l/min | Filter head 1in x 1in 3/4 BSP l/min | | 13,00 |
| | F15743000 Testata filtro 100 l/min | Filter head 100 l/min | | 23,90 |
| | Filtri CLEAR CAPTOR filtri a cartuccia con contenitore trasparente | CLEAR CAPTOR filters: Cartridge filters with transparent container | | |
|  | F00611B00 Filtro Clear Captor 5 micron (2 cartucce) | Clear captor filter 5 micron (2 cartridges) | | 95,00 |
| | F00611B10 Filtro Clear Captor separazione acqua (2 cartucce) | Clear captor filter water absorbing (2 cartridges) | | 119,00 |
| | F00611030 Cartuccia Clear Captor 5 micron (6 pz) | Cartridge clear captor 5 micron (6 pcs) | | 109,00 |
| | F00611040 Cartuccia Clear Captor separazione acqua (6 pz) | Cartridge clear captor water absorbing (6 pcs) | | 178,50 |
|  | F15744000 Testata filtro Clear Captor | Filter head clear captor | | 32,20 |
| | F00611B60 Filtro Clear Captor con cartuccia metallica 125 µ | Filter Clear Captor strainer with cartridge 125 µ | | 113,00 |
| | F00611060 Cartuccia metallica 125 µ (1 cartuccia) | Strainer cartridge 125 µ (1 pc) | | 28,30 |
| | Filtro di linea | Line filter | | |
|  | F08950000 Filtro di linea 1.1 F/F flangiato | Line filter 1.1 F/F flanged | | 16,85 |
| | | | | |
| | | | | |
| | Filtri di fondo | Foot filter | | |
|  | F10571000 Filtro per valvola 3/4in BSP | Filter for foot valve 3/4in BSP | | 2,19 |
| | F07979000 Filtro per valvola 1in BSP | Filter for foot valve 1in BSP | | 2,42 |

| COD. | MODELLO | MODEL | VOLT/HZ | EURO |
|---|---|--|---------|---------------|
| COLLEGAMENTI - FITTINGS | | | | |
|  | Boccole per K24 gasolio | Socket for K24 diesel version | | |
| F17126000 | Manicotto 1in BSP (kit nr. 20 pezzi) | Socket 1in BSP (kit nr. 20 pcs) | | 78,00 |
|  | Gomiti | Elbows | | |
| F07805000 | Gomito M/F 3/4in BSP | Elbow M/F 3/4in BSP | | 3,23 |
| F07806000 | Gomito F/F 3/4in BSP | Elbow F/F 3/4in BSP | | 3,11 |
| F07988000 | Gomito M/F 1in BSP ottone nichelato | Elbow M/F 1in BSP Nickeled brass | | 8,69 |
| F08609000 | Gomito F/F 1in BSP ottone nichelato | Elbow F/F 1in BSP Nickeled brass | | 9,54 |
|  | Portagomma | Hosetails | | |
| F0643700A | Portagomma 3/4in x 20 (kit nr. 20 pezzi) | Hosetail 3/4in x 20 (kit nr. 20 pcs) | | 73,70 |
| F0775700A | Portagomma 1in x 20 (kit nr. 20 pezzi) | Hosetail 1in x 20 (kit nr. 20 pcs) | | 71,50 |
| F0776400A | Portagomma 1in x 25 (kit nr. 20 pezzi) | Hosetail 1in x 25 (kit nr. 20 pcs) | | 85,00 |
| F0776800B | Portagomma 3/4in x 25 (kit nr. 20 pezzi) | Hosetail 3/4in x 25 (kit nr. 20 pcs) | | 77,00 |
| F0826700A | Portagomma 1/2in x 20 | Hosetail 1/2in x 20 | | 3,10 |
|  | Nipples | Nipples | | |
| F07765000 | Vite doppia M/M 1in x 1in | Nipple M/M 1in x 1in | | 3,30 |
| F07766000 | Vite doppia M/M 3/4in x 3/4in | Nipple M/M 3/4in x 3/4in | | 2,13 |
|  | Riduzioni | Reducing sockets | | |
| F07441000 | Riduzione M/F 3/4 in x 1/2in | Reducing socket M/F 3/4in x 1/2in | | 2,44 |
| F07760000 | Riduzione M/F 1in x 3/4in | Reducing socket M/F 1in x 3/4in | | 3,60 |
| F07762000 | Riduzione M/M 1in x 3/4in | Reducing socket M/M 1in x 3/4in | | 4,61 |
| F07889000 | Riduzione M/F 3/4in x 1in | Reducing socket M/F 3/4in x 1in | | 6,07 |
| F08913000 | Riduzione M/M 1in x 1 1/2in | Reducing socket M/M 1in x 1 1/2in | | 7,36 |
|  | Valvole di fondo | Foot valves | | |
| F00609000 | Valvola di fondo diam. 25 con filtro di sovrappressione | Foot valve Diam. 25 with filter built-in safety | | 19,40 |
| F00612000 | Valvola di fondo diam. 20 con filtro di sovrappressione | Foot valve Diam. 20 with filter built-in safety | | 19,40 |
| F15749000 | Valvola di linea completa 1in (Kit nr. 12 pezzi) con valvola di sovrappressione | In-line foot valve 1in (Kit nr. 12 pcs) with built-in safety valve | | 132,00 |
|  | F07978000 Valvola di ritegno 1in | Foot valve 1in | | 13,00 |
| F08153000 | Valvola di fondo 3/4in | Foot valve 3/4in | | 8,16 |
| F09170000 | Valvola di sovrappressione 1in | Foot valve 1in with built-in safety valve | | 14,98 |
|  | Valvole Vantage | Vantage valve | | |
| F1239905A | Valvola Vantage 1in BSP (kit nr. 12 pezzi) | Vantage valve 1in BSP (kit nr. 12 pezzi) | | 314,00 |
| F1239908A | Valvola Vantage 3\4in BSP (kit nr. 12 pezzi) | Vantage valve 3/4in BSP (kit nr. 12 pezzi) | | 314,00 |
|  | Swivels | Rotating hose connectors | | |
| 000623000 | Swivel 34.1 MM | Swivel 34.1 MM | | 21,00 |
| 00062400A | Swivel 34.34 MF | Swivel 34.34 MF | | 14,50 |
| F0062000A | Swivel 34.1 MF | Swivel 34.1 MF | | 15,50 |
| F0062200A | Swivel 1.1 MF | Swivel 1.1 MF | | 18,00 |
| F0845600A | Swivel 12.12 MF | Swivel 12.12 MF | | 7,31 |
|  | F14567000 Swivel 90° 1" M/F | Swivel 90° 1" M/F | | 21,64 |
|  | Accessori | Accessories | | |
| R11806000 | Kit supporto pistola unificato | Kit Nozzle Holder | | 20,83 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

| COD. | MODELLO | MODEL | VOLT/HZ | EURO |
|---|-----------|--------------------------|---------------------|-------|
| CONNESSIONI FLANGIATE - FLANGED CONNECTIONS | | | | |
|  | R12229000 | Tubo flangiato 130 mm | Flanged tube 130 mm | 37,08 |
|  | R1222800A | Tubo flangiato 300 mm | Flanged tube 300 mm | 40,45 |
|  | R12172000 | Tubo flangiato 341 mm | Flanged tube 341 mm | 40,79 |
|  | R13251000 | Tubo flangiato 205 mm | Flanged tube 205 mm | 38,09 |
| | R10824000 | Kit collettore flangiato | Kit flanged elbow | 10,11 |

| COD. | MODELLO | MODEL | VOLT/HZ | EURO |
|---|-----------|--|--|------|
| DUMBOX | | | | |
|  | F0091600A | Caraffa in polietilene - 1 lt (nr. 48 pz per scatola) | Oil container - 1 lt (nr. 48 pcs for box) | 5,10 |
| | F00917000 | Caraffa in polietilene - 2 lt (nr. 24 pz per scatola) | Oil container - 2 lt (nr. 24 pcs for box) | 5,60 |
| | F00920000 | Caraffa in polietilene - 5 lt (nr. 24 pz per scatola) | Oil container - 5 lt (nr. 24 pcs for box) | 9,60 |
| | F0093000A | Imbuto diam. 180 mm (nr. 24 pz per scatola) | Funnel 180 mm (nr. 24 pcs for box) | 6,35 |
| | F0093100A | Imbuto diam. 220 mm (nr. 50 pz per scatola) | Funnel 220 mm (nr. 50 pcs for box) | 7,15 |

| COD. | MODELLO | MODEL | VOLT/HZ | EURO |
|------------------------------------|------------------|-----------------------------|-----------------------------|----------------|
| SELF SERVICE MC FOR AdBlue® | | | | |
| NEW | F00744000 | Self Service MC for AdBlue® | Self Service MC for AdBlue® | 230/50 |
| | | | | 1800,00 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

Dotazioni:

- Art. F00744000 - Colonna in metallo h=1387 mm, elettropompa 230/50, tubo erogazione, conta litri, pistola automatica SB325, sistema di gestione dei fluidi "MC" (80 utenti), quadro elettrico di comando, filtro 3D, lettore chiave.

Equipments:

- Art. F00744000 - Steel cabinet h=1387 mm, heavy duty 230/50 AC membrane pump, hose, SB325 automatic nozzle, fuel monitoring system "MC" (80 users), flow meter, power box, 3D filter, i-button data system.

PIUSIBOX FOR AdBlue®

| | | | | | | |
|---|------------|------------------|----------------------|----------------------|----|----------------|
|  | NEW | F00204060 | PIUSIBOX for AdBlue® | PIUSIBOX for AdBlue® | 24 | 1070,00 |
| | | | | | | |

Dotazioni:

- Art. F00204060 - Contenitore rigido in plastica con ruote. Elettropompa 24V DC, 6 mt cavo + pinze, interruttore on/off. Tubo di mandata 6 m. Tubo di aspirazione 2 m. Filtro 3D. Connettore SEC. Guanti, pistola aut. SB325 con sistema misfilosa.

Equipments:

- Art. F00204060 - Wheeled plastic box. Heavy duty 2V DC membrane pump, mt. 6 cables + clips, on/off switch. Delivery hose 6 m. Suction hose 2 m. 3D filter. SEC coupling. Gloves, SB325 aut. nozzle with misfitting device.

SOLUZIONI PER AdBlue® - AdBlue® SOLUTIONS

| | | | | |
|---|---|---|--------|----------------|
|  | Erogatori | Dispensers | | |
| NEW F00101000 | PIUSI THREE25 + contalitri K24 +pistola SB325+SEC | PIUSI THREE25 + K24 meter +SB325 nozzle+SEC | 230/50 | 1000,00 |
| NEW F00101010 | PIUSI THREE25 + pistola SB325 METER+SEC | PIUSI THREE25 SB325 nozzle METER+SEC | 230/50 | 1000,00 |
| NEW F00101020 | PIUSI THREE25 + contalitri K24+ pistola SB325+EXT | PIUSI THREE25 +K24 meter + SB325 nozzle+EXT | 230/50 | 1000,00 |
| NEW F00101030 | PIUSI THREE25 + pistola SB325 METER+EXT | PIUSI THREE25 + SB325 nozzle METER+EXT | 230/50 | 1000,00 |
| NEW F00611D10 | Cartuccia filtro PIUSI 3D | PIUSI 3D filter cartridge | | 100,00 |

Dotazioni:

- Art. F00101000 - Lamiera inox di supporto con porta pistola integrato. Elettropompa. Gruppo contalitri K24. Pistola automatica SB325. Tubo mandata 6 m. Tubo di aspiraz. 1,5 m. Portagomma e fascette. Connnett. SEC. Filtro. Bending Protection.
 - Art. F00101010 - Lamiera inox di supporto con porta pistola integrato. Elettropompa. Pistola automatica SB325M con contalitri. Tubo di mandata 6 m. Tubo di aspirazione 1,5 m. Portagomma e fascette. Connettore SEC. Filtro. Bending Protection.
 - Art. F00101020 - Lamiera inox di supporto con porta pistola integrato. Elettropompa. Gruppo contalitri K24. Pistola automatica SB325. Tubo mandata 6 m. Tubo di aspiraz. esterno. Portagomma e fascette. Connnett. SEC. Filtro. Bending Protection.
 - Art. F00101030 - Lamiera inox di supporto con porta pistola integrato. Elettropompa. Pistola automatica SB325M con contalitri. Tubo di mandata 6 m. Tubo di aspirazione esterno. Portagomma e fascette. Connettore SEC. Filtro. Bending Protection.

Equipments:

- Art. F00101000 - Stainless steel base with nozzle holder integrated. Heavy duty membran pump. Meter K24. Automatic nozzle SB325. Delivery hose 6 m. Suction hose 1,5 m. Hose tail and clamps. SEC coupling. Filter. Bending Protection.
 - Art. F00101010 - Stainless steel base with nozzle holder integrated. Heavy duty membran pump. Automatic nozzle SB325M with meter. Delivery hose 6 m. Suction hose 1,5 m. Hose tail and clamps. SEC coupling. Filter. Bending Protection.
 - Art. F00101020 - Stainless steel base with nozzle holder integrated. Heavy duty membran pump. Meter K24. Automatic nozzle SB325. Delivery hose 6 m. External suction hose. Hose tail and clamps. SEC coupling. Filter. Bending Protection.
 - Art. F00101030 - Stainless steel base with nozzle holder integrated. Heavy duty membran pump. Automatic nozzle SB325M with meter. Delivery hose 6 m. External suction hose. Hose tail and clamps. SEC coupling. Filter. Bending Protection.

| COD. | MODELLO | MODEL | VOLT/HZ | EURO |
|---|--|------------------------------|---|-----------------|
| SOLUZIONI PER AdBlue® - AdBlue® SOLUTIONS | | | | |
|  | Erogatori | Dispensers | | |
| F00201C9B | SuzzaraBlue PRO + SB 325* | SuzzaraBlue PRO + SB 325* | 230/50 | 803,00 |
| F00201E8B | SuzzaraBlue BASIC + SB 325* | SuzzaraBlue BASIC + SB 325* | 230/50 | 660,00 |
| F00201B1B | SuzzaraBlue PRO * | SuzzaraBlue PRO * | 230/50 | 886,00 |
| F00201B2B | SuzzaraBlue BASIC * | SuzzaraBlue BASIC * | 230/50 | 548,00 |
|  | F00201A8B SuzzaBlue 12V PRO | SuzzaBlue 12V PRO | 12 | 886,00 |
|  | F00201A9B SuzzaBlue 12V BASIC | SuzzaBlue 12V BASIC | 12 | 548,00 |
| | * Disponibili versioni con tubo esterno | | * Version with external suction hose available | |
|  | F0020196B SuzzaBlue BOX K24 | SuzzaBlue BOX K24 | 230/50 | 1.040,00 |
| | F00201AAA SuzzaBlue Kit 12V | SuzzaBlue Kit 12V | 12V | 378,00 |
|  | F00201C7A SuzzaBlue Kit 230V | SuzzaBlue Kit 230V | 230V | 378,00 |
|  | F0020135E SuzzaBlue DRUM | SuzzaBlue DRUM | 230/50 | 530,00 |
| | F00201D5C SuzzaBlue DRUM + SB325 | SuzzaBlue DRUM + SB325 | 230V | 660,00 |
| | F00201E5C SuzzaBlue DRUM + SB325 meter | SuzzaBlue DRUM + SB325 meter | 230V | 803,00 |

Dotazioni:

- Art. F00201B1B - Lamiera inox di supporto con portapistola. Elettropompa. Gruppo contalitri K24. Pistola automatica inox. Tubo mandata 6 m. Tubo di aspiraz. 1,5 m. Portagomma e fascette. Connnett. SEC
- Art. F00201B2B - Lamiera inox di supporto. Elettropompa. Pistola manuale. Tubo di mandata 6 m. Tubo di aspirazione 1,1 m. Portagomma e fascette. Connettore SEC
- Art. F00201A8B - Lamiera inox di supporto con portapistola. Elettropompa 12V con cavo 2 mt+pinze. Gruppo contalitri K24. Pistola aut. inox. Tubo mandata 6 m. Tubo aspiraz. 1,5 m. Portagomma e fascette.
- Art. F00201A9B - Lamiera inox di supporto. Elettropompa 12V con cavo 2 mt+pinze. Pistola manuale. Tubo di mandata 6 m. Tubo di aspirazione 1,1 m. Portagomma e fascette
- Art. F0020196B - Struttura metallica con portello anteriore munito di serratura, pompa a membrana, gruppo contalitri K24, pistola automatica inox, tubo mandata 6 mt.
- Art. F0020135E - Lamiera inox di supporto per fusto, elettropompa, pistola manuale, tubo di mandata (4 m), tubo di aspirazione.
- Art. F00201AAA + F00201C7A - Elettropompa, pistola manuale, tubo di mandata (6 m), tubo di aspirazione in pvc 1,5 m con valvola di fondo.

Equipments:

- Art. F00201B1B - Stainless steel base with nozzle holder. Heavy duty membrana pump. Meter K24. Automatic stainless steel nozzle. Delivery hose 6 m. Suction hose 1,5 m. Hose tail and clamps. SEC coupling.
- Art. F00201B2B - Stainless steel base. Heavy duty membrane pump. Manual nozzle. Delivery hose 6 m. Suction hose 1,1 m. Hose tail and clamps. SEC coupling.
- Art. F00201A8B - Stainless steel base with nozzle holder. Heavy duty membrana pump 12V w/cable 2mt with pliers. Meter K24. Automatic stainless steel nozzle. Delivery hose 6 m. Suction hose 1,5 m. Hose tail and clamps.
- Art. F00201A9B - Stainless steel base. Heavy duty membrana pump 12V w/cable 2mt with pliers. Manual nozzle. Delivery hose 6 m. Suction hose 1,1 m. Hose tail and clamps.
- Art. F0020196B - Metal box with lit lock, membrane pump, K 24 meter, automatic inox nozzle, Delivery hose 6 mt.
- Art. F0020135E - Stainless steel base for drum, pump, manual nozzle, delivery hose (4 m), suction hose.
- Art. F00201AAA + F00201C7A - Membrane pump, delivery hose 6 m, suction hose 1,5 m pvc with foot valve, manual nozzle.

| SOLUZIONI PER AdBlue® - AdBlue® SOLUTIONS | | | | |
|---|---|--|--------|---------------|
| | Pompe AdBlue® | Heavy duty pumps | | |
|  | NEW F00203090 Pompa a membrana 230/50HZ 2MT. CAVO | diaphragm pump 230V/50HZ w/CABLE | 230/50 | 250,00 |
|  | NEW F00204080 pompa a membrana 12V DC | membrane pump 12V DC | 12V | 250,00 |
|  | NEW F00204090 pompa a membrana 24V DC | membrane pump 24V DC | 24V | 250,00 |
|  | F0033205A Pompe a mano | Hand pumps | | |
| | Pompa a mano Rotativa Urea | Rotative handpump Urea | | 66,40 |
| | Pompa mano Urea+3MT+Adatt. MAU/GREIF | Handpump Urea +3M+Adapt.MAUSER/GREIF | | 105,00 |
| | Pompa a mano a Pistone a leva con tubo aspirazione "Made in EU" | Piston lever handpump with dip tube "Made in EU" | | 58,00 |
| | Pompa a mano a Pistone a leva con tubo aspirazione/mandata "Made in EU" | Piston lever handpump with dip tube and delivery hose "Made in EU" | | 90,00 |
|  | F15517000 SuzzaBlue Gravity Kit | SuzzaBlue Gravity Kit | | 111,30 |

Dotazioni:

- Art. F0033205A - Pompa manuale senza adattatori e senza tubo di mandata
- Art. F0033208A - Pompa manuale con 3 metri di tubo mandata e spout inox, adattatori per fusto Mauser/Greif.
- Art. F00332090 - Pompa manuale a leva a pistone con tubo telescopico in aspirazione
- Art. F00332100 - Pompa manuale a leva a pistone con tubo telescopico in aspirazione, tubo mandata e adattatori per fusto Mauser/Greif.
- Art. F15517000 - Pistola manuale, tubo 3 mt e adattatore IBC.

Equipments:

- Art. F0033205A - Hand Pump without adapters and without delivery hose.
- Art. F0033208A - Hand Pump with mt 3 delivery hose and spout stainless steel, adapters for Mauser/Greif tank.
- Art. F00332090 - Piston Lever Hand Pump with dip tube
- Art. F00332100 - Piston Lever Hand Pump with dip tube, delivery hose and adapters for Mauser/Greif Tank.
- Art. F15517000 - Manual nozzle, delivery hose 3 mt and IBC adapter.

| COD. | MODELLO | MODEL | VOLT/HZ | EURO |
|---|--|--|---|---------------|
| SOLUZIONI PER AdBlue® - AdBlue® SOLUTIONS | | | | |
|  | Contalitri | Meters | | |
| F0040710A | K24 contalitri a turbina M\MF 1in GAS Urea | K24 turbine meter M\MF 1in GAS Urea | | 143,10 |
|  | F00617010 | Pistola automatica SB325 (con contalitri) | Automatic nozzle SB325 (with meter) | 410,00 |
| | | | | |
|  | Contalitri pulser | Pulse meters | | |
| F0040721B | K24 contalitri pulser M\MF 1in BSP Urea | K24 pulser M\MF 1in BSP Urea | | 106,00 |
| F0042000A | Turbinox in-line pulser 1in x 1in | Turbinox in-line pulser 1in x 1in | | 185,50 |
| F0049503B | Display remoto con emettitore di impulsi 100 p/l | Remote display with puls out 100 p/l Urea | | 243,80 |
|  | Pistole | Nozzles | | |
| F14761000 | Pistola manuale con portagomma | Manual nozzle w/hosetail | | 48,31 |
|  | F0061903B | Pistola automatica A60 inox con swivel | Automatic nozzle A60 s. steel with swivel | 292,56 |
| | | | | |
|  | F00617000 | Pistola automatica SB325 | Automatic nozzle SB325 | 250,00 |
| | F18400000 | Piusi Magnetic Adapter | Piusi Magnetic Adapter | 20,00 |
| | F19174000 | Kit trasformazione SB325 misf. mag. | Kit trasformazione SB325 misf. mag. | 78,00 |
| | R19172000 | Kit ricambio spout SB325 + misfilling | Kit ricambio spout SB325 + misfilling | 58,00 |
| | R19173000 | Kit ricambio spout SB325 | Kit ricambio spout SB325 | 28,00 |
| | F15165000 | Sistema protezione dagli errori di rifornimento - ELAFIX - | Misfuelling device - ELAFIX - | 37,00 |

Dotazioni:

- Art. F00617000 – Pistola automatica con spout inox intercambiabile
- Art. F00617010 – Pistola automatica con contalitri elettronico integrato. Spout inox intercambiabile
- Art. R19172000 - Ricambio spout con sistema misfilling
- Art. R19173000 - Ricambio spout
- Art. F19174000 - Ricambio spout con sistema misfilling + adattatore magnetico


Equipments:

- Art. F00617000 – Automatic nozzle with replaceable stainless steel spout.
- Art. F00617010 – Automatic nozzle with built-in meter. Replaceable stainless steel spout.
- Art. R19172000 - Kit stainless steel spout with misfilling system
- Art. R19173000 - Kit stainless steel spout
- Art. F19174000 – Kit stainless steel spout with misfilling system + magnetic adaptor

| SOLUZIONI PER AdBlue® - AdBlue® SOLUTIONS | | | | |
|---|---|--|--------|-----------------|
| | Sistemi di controllo | Control system | | |
|  | MC box | MC box | | |
| F1398006B | Kit MC box Urea 120 utenti | Kit MC box Urea 120 users | 230/50 | 1.315,67 |
| F14144040 | Kit software* + Chiavi magnetiche + Adattatore USB | Kit software* + Keys + USB adaptor | | 486,00 |
| F1271000C | Kit software* + Convertitore USB | USB Converter + Software* | | 470,23 |
| R15904000 | Kit N° 10 chiavi utente colore Giallo | Kit N° 10 User Keys color Yellow | | 128,00 |
| R12496000 | Chiave gestore colore Rosso | Manager Key color Red | | 53,10 |
| R09278000 | Convertitore RS 232/485 con Adattatore | RS 232/485 Converter with adaptor | | 224,16 |
|  | Ocio | Ocio | | |
| F00755140 | Indicatore di livello RS out Urea | Level indicator RS out Urea | 230/50 | 381,60 |
| F00755S1A | Ocio Desk Singletank (PC interfaccia + software* per 1 serbatoio) | Ocio Desk Singletank (PC interface + software* for 1 tank) | | 424,00 |
| F00755S0C | Ocio Desk Multitank 4 (PC interfaccia + software* per 4 serbatoi) | Ocio Desk Multitank 4 (PC interface + software* for 4 tanks) | | 742,00 |
| F00755S2A | Ocio Desk Multitank 8 (PC interfaccia + software* per 8 serbatoi) | Ocio Desk Multitank 8 (PC interface + software* for 8 tanks) | | 980,50 |
| F00755S3A | Ocio Desk Multitank 12 (PC interfaccia + software* per 12 serbatoi) | Ocio Desk Multitank 12 (PC interface + software* for 12 tanks) | | 1.219,00 |
| F00755G50 | Ocio GSM Quad Band SMS | Ocio GSM Quad Band SMS | | 906,30 |
| F00755G20 | Espansione Ocio GSM da 2 A 4 serbatoi | Expansion Ocio GSM tanks 2 - 4 | | 212,00 |
| F00755G40 | Espansione Ocio GSM da 5 A 8 serbatoi | Expansion Ocio GSM tanks 5 - 8 | | 318,00 |
| F00755SB0 | Kit Wi-Fi Ocio Desk single tank* | Kit Wi-Fi Ocio Desk single tank* | | 605,00 |

* Programma ceduto in licenza d'uso regolamentata dal relativo contratto e delle norme sulla repressione della pirateria informatica (vedi condizioni generali di vendita, sezione licenza d'uso).

* Program given out exclusively by means of the user licence to be used in accordance with the relevant agreement and informatic anti-piracy regulations (see general sales conditions section software license).

| COD. | MODELLO | MODEL | VOLT/HZ | EURO |
|---|---|--|---------|---------------|
| SOLUZIONI PER AdBlue® - AdBlue® SOLUTIONS | | | | |
|  | Arrotolatori senza tubo | Hose Reels without hose | | |
| F0075006A | Arrotolatore per AdBlue® Small | AdBlue® hose reel (without hose) | | 316,00 |
|  | Arrotolatori con tubo | Hose Reels with hose | | |
| F0075007B | Arrotolatore per AdBlue® con tubo 8 mt Small | AdBlue® hose reel with 8 mt hose | | 378,00 |
| F0075011A | Arrotolatore per AdBlue® con tubo 15 mt Big | AdBlue® hose reel with 15 mt hose | | 522,00 |
|  | Accessori | Accessories | | |
| F16279000 | Supporto girev. arrotol. Big | Rotating support plate Big | | 47,00 |
| F16298000 | Staffa fissa arrotolatore Big | Fix support plate Big | | 28,00 |
|  | Supporto girevole arrotolatore Small | Rotating support plate Small | | 47,00 |
| F17316000 | Staffa fissa arrotolatore Small | Fix support plate Small | | 24,00 |
|  | F17275000 Kit base arrotolatore per serbatoio IBC | Kit plate hosereel for IBC tank | | 90,00 |
|  | Carrello | Troll | | |
| R12068010 | Kit carrello SuzzaraBlue TROLL | SuzzaraBlue TROLLEY kit | | 313,00 |
|  | Tubi | Hoses | | |
| F14125050 | Tubo mandata EPDM D. 19 - 80 mt | Delivery hose EPDM D. 19 - 80 mt | | 464,00 |
| F14250000 | Tubo mandata EPDM D. 19 - 4 mt | Delivery hose EPDM D. 19 - 4 mt | | 31,20 |
| F14125020 | Tubo mandata EPDM D. 19 - 6 mt | Delivery hose EPDM D. 19 - 6 mt | | 46,80 |
| F14125030 | Tubo mandata EPDM D. 19 - 8 mt | Delivery hose EPDM D. 19 - 8 mt | | 62,40 |
| F14125040 | Tubo mandata EPDM D. 19 - 10 mt | Delivery hose EPDM D. 19 - 10 mt | | 78,00 |
|  | F13800000 Fascetta 23-35-12 AISI 304 inox (Kit nr. 10 pz) | Clamp 23-35-12 AISI 304 inox (Kit nr. 10 pcs) | | 40,00 |
|  | F15515010 Kit aspirazione esterno 0,3 mt Fusto IBC + valvola di linea | Kit Bottom Connection | | 37,00 |
|  | F15515000 Kit aspirazione esterno 1,4 mt Fusto IBC + valvola di linea | External suction hose IBC tank with foot valve | | 60,00 |
|  | F14146000 Kit aspirazione tubo EPDM 1,5 mt + valvola di fondo | Kit Suction hose EPDM 1,5 mt with foot valve | | 51,69 |
|  | F15883000 Kit aspirazione tubo EPDM 1,1 mt attacco SEC | Kit Suction hose EPDM 1,1 mt with SEC | | 47,00 |
|  | F15606000 Kit aspirazione rigido SuzzaraBlue Drum | Kit rigid suction hose SuzzaraBlue Drum | | 51,04 |
|  | Accessori | Accessories | | |
| R15452000 | Connettore Sec + Portagomma 90° | Easy coupling SEC with hosetail 90° | | 25,44 |
|  | F00611D10 Cartuccia filtro Piusi 3D | Piusi 3D filter cartridge | | 100,00 |
|  | NEW F00611D00 Kit filtro completo Piusi 3D | Kit Piusi 3D filter + housing | | 122,00 |
|  | F1891000A Connettore rapido PDC AdBlue® | PDC PIUSI DEF coupler | | 75,00 |
|  | F15236000 Adattatore MF 2in Fusto Greif | Adapter MF 2in - Tank Greif | | 3,18 |
|  | R1512800A Adattatore M/F 2in S70x6 Fusto Mauser | Adapter M/F 2in - S70x6 - Tank Mauser | | 4,18 |
|  | F15776000 Attacco Girevole M-F 1in Plastica per Pistola manuale | Swivel M-F 1in GAS Plastic for manual nozzle | | 10,18 |
|  | F16475000 Adattatore K24 per Pistola automatica | Connector K24 for automatic nozzle | | 23,40 |
|  | F14132000 Swivel Inox 3/4in M per Tubo D.19 Mm | Swivel St. steel 3/4in M for hose d.19 mm | | 21,35 |
| | F16073000 Manicotto Inox 1in BSP (Kit Nr. 20 Pz) | Socket SS 1in BSP (Kit nr. 20 pcs) | | 155,00 |
| | F16074000 Manicotto Inox 1in NPT (Kit Nr. 20 Pz) | Socket SS 1in NPT (Kit nr. 20 pcs) | | 86,00 |
| | F16458000 Manic. Inox 1in BSP x 1In NPT (Kit 20 Pz) | Socket SS 1in BSP x 1in NPT (Kit 20 pcs) | | 86,00 |
| | F15484000 Portagomma D.19 90° Ghiera per K24 | Hosetail D.19 90° with ring nut for K24 | | 6,47 |
| | F15485000 Portagomma D.19 90° Ghiera e Nipplo | Hosetail D.19 90° with ring nut and nipple | | 10,49 |
| | F15522000 Portagomma Diritto Ø20 1G Plastica | Hosetail Straight Ø20 1G Plastic | | 5,09 |
| | F16435000 Portagomma con Ghiera 1In X 20 | Hosetail with ring nut 1in x 20 | | 4,00 |
| | F16433000 Raccordo 90° con nr. 2 Ghiere 1in | Connector 90° with nr. 2 ring nut 1in | | 6,50 |
| | F16434000 Raccordo Diritto con nr. 2 Ghiere 1in | Straight Connector with nr. 2 ring nut 1in | | 5,85 |
| | F16497000 Manicotto di protezione per tubo da 3/4" | Rubber protector for hose 3/4" | | 3,04 |

| COD. | DESCRIZIONE | DESCRIPTION | PRICE | PAGE |
|---------------------------------------|---|---|---------|------|
| INDICE PER CODICE - INDEX CODE | | | | |
| 000214000 | ST E 80/M | ST E 80/M | 365,73 | 9 |
| 000216000 | ST E 120/M | ST E 120/M | 471,91 | 9 |
| 000244000 | ST E 80/M A80 | ST E 80/M A80 | 453,03 | 9 |
| 000248000 | ST VISCOMAT 70/M | ST VISCOMAT 70/M | 371,64 | 9 |
| 000252000 | ST E 120/M A120 | ST E 120/M A120 | 542,12 | 9 |
| 000256000 | ST VISCOMAT 70/M K33 | ST VISCOMAT 70/M K33 | 502,59 | 9 |
| 000263100 | VISCOTROLL 70 | VISCOTROLL 70 | 577,53 | 20 |
| 000263110 | VISCOTROLL 70/K33 | VISCOTROLL 70/K33 | 770,97 | 20 |
| 000266P00 | ST PANTHER 56/M | ST PANTHER 56/M | 228,88 | 9 |
| 000270000 | DRUM VISCOMAT 70 M. | DRUM VISCOMAT 70 M. | 329,16 | 10 |
| 000270010 | DRUM VISCOMAT 70 M. K33 | DRUM VISCOMAT 70 M. K33 | 458,94 | 10 |
| 000271P00 | DRUM 56 | DRUM 56 | 257,67 | 10 |
| 000272P00 | DRUM 56 K33 | DRUM 56 K33 | 388,64 | 10 |
| 000273P00 | DRUM 56 A60 | DRUM 56 A60 | 324,92 | 10 |
| 000274P00 | DRUM 56 K33 A60 | DRUM 56 K33 A60 | 454,70 | 10 |
| 000286P00 | ST PANTHER 56/M A60 | ST PANTHER 56/M A60 | 296,12 | 9 |
| 000303000 | VISCOMAT 90 T 400V/50HZ | VISCOMAT 90 T 400V/50HZ | 319,00 | 14 |
| 000305000 | E 80/M + INT. FLANGE D.80 | E 80/M + INT. FLANGE D.80 | 261,92 | 13 |
| 000326000 | E 120/M + INT. FLANGE D.80 | E 120/M + INT. FLANGE D.80 | 350,39 | 13 |
| 000390000 | ST E 80/M K33 | ST E 80/M K33 | 495,51 | 9 |
| 000392000 | ST E 80/M K33 A80 | ST E 80/M K33 A80 | 582,81 | 9 |
| 000395000 | ST E 120/M K33 | ST E 120/M K33 | 602,86 | 9 |
| 000397000 | ST E 120/M K33 A120 | ST E 120/M K33 A120 | 673,07 | 9 |
| 00044007A | PULSE METER 400 G MONOC. WINDSCREEN | K400 PULSER WINDSCREEN METER | 212,36 | 17 |
| 000452000 | K200 PULSER - 1/4in BSP | K200 PULSER - 1/4in BSP | 129,78 | 17 |
| 000452030 | K200 PULSER HP | METER K200 PULSER HP | 153,37 | 17 |
| 000473000 | K600/4 PULS/MONOC 1 1/2in GAS | K600/4 PULS/SINGLE CHANNEL 1 1/2in GAS | 300,00 | 17 |
| 000483020 | CONTALITRI K400 C L/GAS WINDSCREEN | METER K400 C L/GAS WINDSCREEN | 244,21 | 16 |
| 00049700A | CONTALITRI K600/4 LITRI 1 1/2in GAS | K600/4 METER L 1 1/2in GAS | 350,00 | 16 |
| 00050300A | DEPUROIL/M | DEPUROIL/M | 528,54 | 19 |
| 000550000 | CONTALITRI K33 VER.A | K33 METER VER.A | 129,78 | 16 |
| 000560000 | CONTALITRI K44 VER.A | K44 METER VER.A | 176,97 | 16 |
| 00056500A | CONTALITRI K44/PULSER VER.D | K44/PULSER METER | 353,93 | 16 |
| 00057500C | CUBE 56/33 | CUBE 56/33 | 510,85 | 5 |
| 000623000 | SWIVEL 34.1 M | SWIVEL 34.1 M | 21,00 | 24 |
| 00062400A | SWIVEL 34.34 | SWIVEL 34.34 | 14,50 | 24 |
| 00065001A | SELF 3000 1in BSP UNLEADED SPOUT | SELF 3000 1in GAS UNLEADED SPOUT | 36,75 | 17 |
| 00065003A | SELF 3000 1in BSP UNLEADED SPOUT S/P | SELF 3000 1in GAS UNLEADED SPOUT W/O LOC | 36,75 | 4 |
| 000669000 | ESTREMITA' CON SNODO | FLEX SPOUT | 33,52 | 18 |
| 000732000 | PANTHER 72 230V/50HZ | PANTHER 72 230V/50HZ | 179,33 | 13 |
| 000934000 | ESTREMITA RIGIDA CON MNDN HF | RIGID SPOUT WITH MNDN HF | 35,51 | 18 |
| 000935000 | ESTREMITA FLESSIBILE MNDN HF | FLEX SPOUT WITH MNDN HF | 41,23 | 18 |
| 000938000 | ESTREMITA RIGIDA CON MNDN LF | RIGID SPOUT WITH MNDN LF | 23,53 | 18 |
| 00933100A | CASSETTA METALLICA PER STAZIONI | METAL BOX | 224,72 | 10 |
| F00101000 | PIUSI THREE25 + contalitri K24 +pistola SB325+SEC | PIUSI THREE25 + K24 meter +SB325 nozzle+SEC | 1000,00 | 26 |
| F00101010 | PIUSI THREE25 + pistola SB325 METER+SEC | PIUSI THREE25 SB325 nozzle METER+SEC | 1000,00 | 26 |
| F00101020 | PIUSI THREE25 + contalitri K24+ pistola SB325+EXT | PIUSI THREE25 +K24 meter + SB325 nozzle+EXT | 1000,00 | 26 |
| F00101030 | PIUSI THREE25 + pistola SB325 METER+EXT | PIUSI THREE25 + SB325 nozzle METER+EXT | 1000,00 | 26 |
| F0020135E | SUZZARABLUE DRUM 230V / 50Hz | SUZZARABLUE 230V / 50HZ DRUM | 530,00 | 27 |
| F0020196B | SUZZARABLUE BOX K24 | SUZZARABLUE BOX K24 | 1040,00 | 27 |
| F00201A8B | SUZZARABLUE PRO K24 12 V | SUZZARABLUE PRO K24 12 V | 886,00 | 27 |
| F00201A9B | SUZZARABLUE BASIC 12 V | SUZZARABLUE BASIC 12 V | 548,00 | 27 |
| F00201AAA | SUZZARA BLUE KIT 12V | SUZZARA BLUE KIT 12V | 378,00 | 27 |
| F00201B1B | SUZZARABLUE PRO 230V/50Hz K24 SIDE W/SEC | SUZZARABLUE PRO 230V/50Hz K24 SIDE W/SEC | 886,00 | 27 |
| F00201B2B | SUZZARA BLUE BASIC 230V/50Hz SIDE W/SEC | SUZZARA BLUE BASIC 230V/50Hz SIDE W/SEC | 548,00 | 27 |
| F00201C7A | SUZZARA BLUE KIT 230 V | SUZZARA BLUE KIT 230 V | 378,00 | 27 |
| F00201C9B | SUZZARABLUE PRO 230V/50Hz SB325 W/SEC | SUZZARABLUE PRO 230V/50Hz SB325 W/SEC | 803,00 | 27 |
| F00201D5C | SUZZARABLUE DRUM 230V/50Hz+SB325 | SUZZARABLUE 230V / 50HZ DRUM+SB325 | 660,00 | 27 |

| COD. | DESCRIZIONE | DESCRIPTION | PRICE | PAGE |
|---------------------------------------|--|---|---------|------|
| INDICE PER CODICE - INDEX CODE | | | | |
| F00201E5C | SUZZARABLUE DRUM + SB325 METER | SUZZARABLUE DRUM + SB325 METER | 803,00 | 27 |
| F00201E8B | SUZZARA BLUE BASIC 230V/50Hz SB325 W/SEC | SUZZARA BLUE BASIC 230V/50Hz SB325 W/SEC | 660,00 | 27 |
| F00202000 | PICO 230V PISTOLA MANUALE TUBO 4MT | PICO 230V MANUAL NOZZLE 4MT HOSE | 182,00 | 12 |
| F00202010 | PICO 230V PISTOLA AUTOMATICA TUBO 4MT | PICO 230V AUTOMATIC NOZZLE 4MT HOSE | 232,00 | 12 |
| F00202020 | PICO 230V MANNOZZLE 4MT HOS K24 METER | PICO 230V MANNOZZLE 4MT HOS K24 METER | 317,00 | 12 |
| F00202030 | PICO 230V AUTNOZZLE 4MT HOS K24 METER | PICO 230V AUTNOZZLE 4MT HOS K24 METER | 367,00 | 12 |
| F00202040 | PICO 12V PISTOLA MANUALE TUBO 4MT | PICO 12V MANUAL NOZZLE 4MT HOSE | 201,00 | 12 |
| F00202050 | PICO 12V PISTOLA AUTOMATICA TUBO 4MT | PICO 12V AUTOMATIC NOZZLE 4MT HOSE | 251,00 | 12 |
| F00202060 | PICO 12V MANNOZZLE 4MT HOS K24 METER | PICO 12V MANNOZZLE 4MT HOS K24 METER | 336,00 | 12 |
| F00202070 | PICO 12V AUTNOZZLE 4MT HOS K24 METER | PICO 12V AUTNOZZLE 4MT HOS K24 METER | 386,00 | 12 |
| F00203090 | POMPA A MEMBRANA 230/50HZ 2MT. CAVO | DIAPHRAGM PUMP 230V/50HZ w/CABLE | 250,00 | 27 |
| F00204060 | PIUSIBOX for AdBlue® | PIUSIBOX for AdBlue® | 1070,00 | 26 |
| F00204080 | POMPA A MEMBRANA 12V DC | MEMBRANE PUMP 12V DC | 250,00 | 27 |
| F00204090 | POMPA A MEMBRANA 24V DC | MEMBRANE PUMP 24V DC | 250,00 | 27 |
| F00208A00 | PIUSI MA 130 - POMPA PNEUMATICA A MEMBRANA | PIUSI MA 130 - AIR OPERATED MEMBRANE PUMP | 710,00 | 15 |
| F00208A10 | PIUSI MA 180 - POMPA PNEUMATICA A MEMBRANA | PIUSI MA 180 - AIR OPERATED MEMBRANE PUMP | 908,00 | 15 |
| F00208A20 | PIUSI MA 190 - POMPA PNEUMATICA A MEMBRANA | PIUSI MA 190 - AIR OPERATED MEMBRANE PUMP | 1875,00 | 15 |
| F00208P00 | PIUSI MP 130 - POMPA PNEUMATICA A MEMBRANA | PIUSI MP 130 - AIR OPERATED MEMBRANE PUMP | 690,00 | 15 |
| F00208P10 | PIUSI MA 140 - POMPA PNEUMATICA A MEMBRANA | PIUSI MA 140 - AIR OPERATED MEMBRANE PUMP | 710,00 | 15 |
| F00208P20 | PIUSI MP 140 - POMPA PNEUMATICA A MEMBRANA | PIUSI MP 140 - AIR OPERATED MEMBRANE PUMP | 750,00 | 15 |
| F00208P30 | PIUSI MP 180 - POMPA PNEUMATICA A MEMBRANA | PIUSI MP 180 - AIR OPERATED MEMBRANE PUMP | 985,00 | 15 |
| F00208P40 | PIUSI MP 190 - POMPA PNEUMATICA A MEMBRANA | PIUSI MP 190 - AIR OPERATED MEMBRANE PUMP | 1400,00 | 15 |
| F00212000 | PIUSI PITSTOP 45 12V /14 MT | PIUSI PITSTOP 45 12V /14 MT | 1130,00 | 11 |
| F00213000 | PIUSI PITSTOP 45 24V /14 MT | PIUSI PITSTOP 45 24V /14 MT | 1130,00 | 11 |
| F0022201A | DRUM BI-PUMP 12V | DRUM BI-PUMP 12V | 443,50 | 10 |
| F0022203A | DRUM BI-PUMP 12V A120 | DRUM BI-PUMP 12V A120 | 513,71 | 10 |
| F0022205A | DRUM BI-PUMP 12V K33 | DRUM BI-PUMP 12V K33 | 573,28 | 10 |
| F0022207A | DRUM BI-PUMP 12V K33 A120 | DRUM BI-PUMP 12V K33 A120 | 643,48 | 10 |
| F0022300C | CARRY 3000 12V | CARRY 3000 12V | 146,00 | 12 |
| F00223260 | CARRY 3000 12V LINEA - 3/4 BSP | CARRY 3000/12V - 3/4 BSP | 146,00 | 12 |
| F0022400C | CARRY 3000 24V | CARRY 3000 24V | 146,00 | 12 |
| F00224240 | CARRY 3000 24V LINEA - 3/4 BSP | CARRY 3000/24V - 3/4 BSP | 146,00 | 12 |
| F0022500C | BATTERY KIT 3000/12V | BATTERY KIT 3000/12V | 186,50 | 12 |
| F00225410 | BATTERY KIT 3000 12V BO 3/4"SELF2000 1"F | BATTERY KIT 3000 12V BO 3/4"SELF2000 1"F | 186,50 | 12 |
| F0022600C | BATTERY KIT 3000/24V | BATTERY KIT 3000/24V | 186,50 | 12 |
| F00226380 | BATTERY KIT 3000 24V BO 3/4"SELF2000 1"F | BATTERY KIT 3000 24V BO 3/4"SELF2000 1"F | 186,50 | 12 |
| F0023100A | PIUSI BOX 12V BASIC | PIUSI BOX BASIC 12V | 260,00 | 12 |
| F0023101A | PIUSI BOX 12V PRO | PIUSI BOX PRO 12V | 310,00 | 12 |
| F0023200A | PIUSI BOX 24V BASIC | PIUSI BOX BASIC 24V | 260,00 | 12 |
| F0023201A | PIUSI BOX 24V PRO | PIUSI BOX PRO 24V | 310,00 | 12 |
| F0026100D | DRUM VISCOMAT 200/2 230V/50-60Hz | DRUM VISCOMAT 200/2 230V/50-60Hz | 331,46 | 10 |
| F0026200D | DRUM VISC 200/2 230V/50-60Hz K400 | DRUM VISC 200/2 230V/50-60Hz K400 | 511,24 | 10 |
| F0026300D | VISCOTROLL 200/2 -BY PASS REG. | VISCOTROLL 200/2 -BY PASS REG. | 664,45 | 20 |
| F0026301D | VISCOTROLL 200/2 K400 -BY PASS REG. | VISCOTROLL 200/2 K400 -BY PASS REG. | 835,27 | 20 |
| F0026302D | VISCOTROLL 200/2 PST REG | VISCOTROLL 200/2 PST REG | 895,48 | 20 |
| F0026303D | VISCOTROLL 200/2 PST K400 REG | VISCOTROLL 200/2 PST K400 REG | 1060,61 | 20 |
| F00263200 | VISCOTROLL 120/1 12V PST | VISCOTROLL 120/1 12V PST | 1350,46 | 20 |
| F00263210 | VISCOTROLL 120/1 12V K400 PST | VISCOTROLL 120/1 12V K400 PST | 1359,56 | 20 |
| F00265F0A | ST PANTHER 72 K33/F/6MT/PA60 4MT + ASP | ST PANTHER 72 K33/F/6MT/PA60/ASP 4MT | 612,00 | 9 |
| F00265F3A | ST Panther 72 K33 A60 Filtro CC,con tubo aspir. | ST Panther 72 K33 A60 CC Filter with suction hose | 577,00 | 9 |
| F00265F40 | ST PANTHER 72 K33/F/6MT/PA60 4MT NO ASP | ST PANTHER 72 K33/F/6MT/PA60 4MT NO ASP | 490,00 | 9 |
| F00265R70 | ST Panther 72 K24 A80 Filtro CC, senza tubo aspir. | ST Panther 72 K24 A80 CC Filter, Without suction hose | 540,00 | 9 |
| F00265S20 | ST Panther 72 K24 A60 6mt, senza tubo aspir. | ST Panther 72 K24 A80 CC Filter,without suction hose | 513,00 | 9 |
| F00287P0A | ST PANTHER 56/M K33 A60 | ST P56/M K33 A60 | 425,90 | 9 |
| F0030200D | VISCOMAT 200/2 M 230 50/60 +FLOWMAT -NW- | VISCOMAT 200/2 M 230 50/60 +FLOWMAT -NW- | 486,52 | 14 |
| F0030204D | VISCOMAT 230/3 M 230 50/60 +FLOWMAT -NW- | VISCOMAT 230/3 M 230 50/60 + FLOWMAT-NW- | 551,69 | 14 |
| F0030206D | VISCOMAT 350/2 M 230 50/60 +FLOWMAT -NW- | VISCOMAT 350/2 M 230/50 + FLOWMAT -NW- | 551,69 | 14 |
| F00303M00 | VISCOMAT 90 M 230V - 50/60 Hz | VISCOMAT 90 M 230V/50Hz | 334,00 | 14 |

| COD. | DESCRIZIONE | DESCRIPTION | PRICE | PAGE |
|---------------------------------------|---|---|----------------|------|
| INDICE PER CODICE - INDEX CODE | | | | |
| F0030401D | VISCOMAT 350/2 M 230V/50HZ REG. | VISCOMAT 350/2 M 230V/50HZ REG. | 340,45 | 14 |
| F0030403D | VISCOMAT 200/2 M 230V/50-60HZ REG. | VISCOMAT 200/2 M 230V/50-60HZ REG. | 274,16 | 14 |
| F0030405D | VISCOMAT 200/2 T 400V/50HZ REG. | VISCOMAT 200/2 T 400V/50HZ+PIEDI REG. | 274,16 | 14 |
| F0030430D | VISCOMAT 230/3 M 230V/50HZ REG. | VISCOMAT 230/3 M 230V/50HZ REG. | 340,45 | 14 |
| F00304T1D | VISCOMAT 350/2 T 400V/50HZ REG. | VISCOMAT 350/2 T 400V/50HZ REG. | 340,45 | 14 |
| F00304T4D | VISCOMAT 230/3 T 400V/50HZ REG. | VISCOMAT 230/3 T 400V/50HZ REG. | 340,45 | 14 |
| F0030900A | VISCOMAT 120/1 12V DC | VISCOMAT 120/1 12V DC | 240,45 | 14 |
| F0030901A | VISCOMAT 60/2 12V DC | VISCOMAT 60/2 12V DC | 240,45 | 14 |
| F0030902A | VISCOMAT 60/1 12V DC | VISCOMAT 60/1 12V DC | 216,85 | 14 |
| F00309060 | BATTERY KIT VISCOMAT 60/2 12V | BATTERY KIT VISCOMAT 60/2 12V | 307,40 | 12 |
| F0031000A | VISCOMAT 120/1 24V DC | VISCOMAT 120/1 24V DC | 240,45 | 14 |
| F0031001A | VISCOMAT 60/2 24V DC | VISCOMAT 60/2 24V DC | 240,45 | 14 |
| F0031002A | VISCOMAT 60/1 24V DC | VISCOMAT 60/1 24V DC | 216,85 | 14 |
| F00310070 | BATTERY KIT VISCOMAT 60/2 24V | BATTERY KIT VISCOMAT 60/2 24V | 307,40 | 12 |
| F00311000 | VISCOMAT 120/1 12V PST | VISCOMAT 120/1 12V PST | 365,70 | 14 |
| F00311010 | VISCOMAT 120/1 24V PST | VISCOMAT 120/1 24V PST | 365,70 | 14 |
| F00315000 | GRUPPO ST 200 230V 50HZ | ST200 230V 50HZ | 1060,00 | 11 |
| F0031600A | H P PM GPI PISTONE | H P PM GPI PISTON | 346,00 | 16 |
| F00318000 | GRUPPO ST 200 24V | GRUPPO ST 200 24V | 1060,00 | 11 |
| F00321000 | POMPA E300 | E300 PUMP | 600,00 | 13 |
| F0033190A | VISCOMAT 70 OLIO/T 400V / 50-60 HZ | OIL VISCOMAT 70 T 400V / 50-60 HZ | 295,00 | 14 |
| F0033200A | H P ROTATIVA 50 L/MIN ALLUMINIO | ALUMINIUM ROTATIVE HAND PUMP | 48,60 | 16 |
| F0033201A | POMPA A MANO ROTATIVA GHISA | ROTATIVE CAST IRON HAND PUMP | 32,40 | 16 |
| F0033205A | POMPA A MANO ROTATIVA POLIPROP.UREA | POLYPROPYLENE ROTATIVE HAND PUMP UREA | 66,40 | 27 |
| F0033208A | POMPA MANO UREA+3MT+ADATT MAUNGRE | HANDPUMP UREA+3M+ADAPT.MAUSER/GREIF | 105,00 | 27 |
| F00332090 | PISTON HAND PUMP W/ SUCT "MADE IN EU" | PISTON HAND PUMP W/ SUCT "MADE IN EU" | 58,00 | 27 |
| F00332100 | PISTON-PUMP W/SUCTION /DEL "MADE IN EU" | PISTON-PUMP W/SUCTION /DEL "MADE IN EU" | 90,00 | 27 |
| F0033490A | OIL VISCOMAT 70 230V 50/60HZ | OIL VISCOMAT 70 230V 50/60HZ | 298,00 | 14 |
| F0034000B | PANTHER DC 12V | PANTHER DC 12V | 152,81 | 13 |
| F0034003B | BATTERY KIT PANTHER DC 12V | BATTERY KIT PANTHER DC 12V | 248,32 | 12 |
| F0034004B | CARRY PANTHER DC 12V | CARRY PANTHER DC 12V | 207,87 | 12 |
| F0034100C | PANTHER DC 24/12V | PANTHER DC 24/12V | 215,20 | 13 |
| F0034103C | BATTERY KIT PANTHER DC 24/12V | BATTERY KIT PANTHER DC 24/12V | 302,25 | 12 |
| F0034104C | CARRY PANTHER DC 24/12V | CARRY PANTHER DC 24/12V | 261,80 | 12 |
| F00342000 | BP3000 12V | BP3000 12V | 112,00 | 13 |
| F00347000 | BP3000 24V | BP3000 24V | 112,00 | 13 |
| F0034900A | POMPA A MANO A LEVA | PISTON HAND PUMP 25 l/m' | 27,00 | 16 |
| F0035100A | H P PISTONE 35 L/MIN | H P PISTONE 35 L/MIN | 40,00 | 16 |
| F0035200A | INGRASSATORE 500cc / 16oz | GREASE GUN 500cc / 16oz | 18,05 | 16 |
| F0035201A | INGRASSATORE 800cc / 28oz | GREASE GUN 800cc / 28oz | 20,65 | 16 |
| F0035202A | INGRASSATORE 1000cc / 35oz | GREASE GUN 1000cc / 35oz | 23,67 | 16 |
| F00357500 | BP3000 12V LINEA - 3/4 BSP | BP3000 12V- 3/4 BSP | 112,00 | 13 |
| F00358500 | BP3000 24V LINEA - 3/4 BSP | BP3000 24V- 3/4 BSP | 112,00 | 13 |
| F0036301A | BI-PUMP 12V C/INT C/CAVO 2MT | BI-PUMP 12V W/SWITCH W/CABLE 2MT | 351,49 | 13 |
| F0036302A | BI-PUMP 12V C/INT C/CAVO 4MT | BI-PUMP 12V W/SWITCH W/CABLE 4MT | 358,57 | 13 |
| F0036303A | BI-PUMP 24V C/INT C/CAVO 2MT | BI-PUMP 24V W/SWITCH W/CABLE 2MT | 351,49 | 13 |
| F0036304A | BI-PUMP 24V C/INT C/CAVO 4MT | BI-PUMP 24V W/SWITCH W/CABLE 4MT | 358,57 | 13 |
| F0036321A | BI-PUMP 12/24V S/INT S/CAVO | BI-PUMP 12/24V W/SWITCH WO\CABLE | 303,12 | 13 |
| F00363A0A | BI-PUMP 12V C/INT S/CAVO | BI-PUMP 12V W/SWITCH WO\CABLE | 326,71 | 13 |
| F00363B0A | BI-PUMP 24V C/INT S/CAVO | BI-PUMP 24V W/SWITCH WO\CABLE | 326,71 | 13 |
| F00365010 | ST CASSETTA P72/M K33 F ACCESS | ST BOX P72 K33 W/WCAPTOR W/ACCESS85 | 1250,00 | 10 |
| F00365020 | ST CASSETTA P56/M K33 F BASIC | ST BOX P56 K33 W/WCAPTOR BASIC | 880,00 | 10 |
| F00365060 | ST CASSETTA P72/M K33 A60 WC BASIC | ST BOX P72/M K33 A60 WC BASIC | 914,00 | 10 |
| F00371000 | EX50 12V ATEX | EX50 12V ATEX | 330,00 | 4 |
| F00372000 | DRUM EX50 12V ATEX /AUTO/F/4MT/ | DRUM EX50 12V ATEX /AUTO/F/4MT/ | 473,00 | 4 |
| F00372010 | DRUM EX50 12V ATEX /AUTO/F/4MT/ | DRUM EX50 12V ATEX /AUTO/F/4MT/ | 543,00 | 4 |
| F00372020 | GRUPPO DRUM EX50 12V ATEX | KIT DRUM EX50 12V ATEX | 352,00 | 4 |
| F00372030 | DRUM EX50 12V ATEX /MAN/F/4MT/CAVO | DRUM EX50 12V ATEX /MAN/F/4MT/CABLE | 510,00 | 4 |

| COD. | DESCRIZIONE | DESCRIPTION | PRICE | PAGE |
|---------------------------------------|---|--|---------|------|
| INDICE PER CODICE - INDEX CODE | | | | |
| F00372040 | DRUM EX50 12V ATEX /AUTO/F/4MT/CAVO | DRUM EX50 12V ATEX /AUTO/F/4MT/CABLE | 580,00 | 4 |
| F0037300A | EX50 230V ATEX | EX50 230V ATEX | 353,00 | 4 |
| F0037400A | DRUM EX50 230V ATEX /MAN/F/4MT | DRUM EX50 230V ATEX /MAN/F/4MT | 496,00 | 4 |
| F0037401A | DRUM EX50 230V ATEX /AUTO/F/4MT | DRUM EX50 230V ATEX /AUTO/F/4MT | 566,00 | 4 |
| F0037402A | GRUPPO DRUM EX50 + PORTAPISTOLA+ATTACCO 2' | KIT DRUM EX50 230V ATEX | 375,00 | 4 |
| F0037500A | DRUM EX50 K33 12V DC ATEX /MAN/F/4M | DRUM EX50 K33 12V DC ATEX /MAN/F/4M | 683,00 | 4 |
| F0037501A | DRUM EX50 K33 12V DC ATEX /AUTO/F/4M | DRUM EX50 K33 12V DC ATEX /AUTO/F/4M | 753,00 | 4 |
| F0037502A | DRUM EX50 12V ATEX /MAN/F/4MT/K33/CAVO | DRUM EX50 12V ATEX /MAN/F/4MT/K33/CABLE | 720,00 | 4 |
| F0037503A | DRUM EX50 12V ATEX /AUTO/F/4MT/K33/CAVO | DRUM EX50 12V ATEX /AUTO/F/4MT/K33/CABLE | 790,00 | 4 |
| F0037600B | DRUM EX50 230V ATEX /MAN/F/4MT/K33 | DRUM EX50 230V ATEX /MAN/F/4MT/K33 | 706,00 | 4 |
| F0037601B | DRUM EX50 230V ATEX /AUTO/F/4MT/K33 | DRUM EX50 230V ATEX /AUTO/F/4MT/K33 | 776,00 | 4 |
| F00377000 | ST EX 50 K33/AUT 230/50-60 | ST EX 50 K33/AUT 230/50-60 | 700,00 | 4 |
| F00385P0A | ST PANTHER 56/M K33 | ST PANTHER 56/M K33 | 358,65 | 9 |
| F00386F0A | ST PANTHER 56 K33/F/6MT/PA60 4MT + ASP | ST PANTHER 56 K33/F/6MT/PA60/ASP 4MT | 577,00 | 9 |
| F00386F60 | ST PANTHER 56 K33/F/6MT/PA60 | ST PANTHER 56 K33/F/6MT/PA60 | 455,00 | 9 |
| F00386R70 | ST Panther 56 K33 A60 Filtro CC,senza tubo aspir. | ST Panther 56 K33 A60 CC Filter,without suction hose | 462,00 | 9 |
| F00395F0A | ST E120 K33/F/6MT/PA120/ASP 4 MT | ST E120 K33/F/6MT/PA120/ASP 4 MT | 829,00 | 9 |
| F00395F60 | ST E120 K33/F/6MT/PA120 4 MT NO ASP | ST E120 K33/F/6MT/PA120 4 MT NO ASP | 707,00 | 9 |
| F0040710A | K24 METER MMF LITER WHITE 1inBSP | K24 METER MMF LITER WHITE 1inBSP | 143,10 | 28 |
| F0040721B | K24 PULSER MMF LITER WHITE 1inBSP | K24 PULSER MMF LITER WHITE 1inBSP | 106,00 | 28 |
| F00408100 | K24-A M/F 1" BSP | K24-A M/F 1" BSP | 153,00 | 16 |
| F00408X00 | K24-A M/F 1" BSP ATEX/IECEX | K24-A M/F 1" BSP ATEX/IECEX | 285,00 | 4 |
| F00408Y00 | K24-A PULSE M/F 1" BSP ATEX/IECEX | K24-A PULSE M/F 1" BSP ATEX/IECEX | 114,00 | 4 |
| F0042000A | TURBINOX IN-LINE PULSE METER 1in x 1in M | TURBINOX IN-LINE PULSE METER 1in x 1in | 185,50 | 28 |
| F0043000A | GREASTER - Gr/Kg | GREASTER - Gr/Kg | 364,56 | 18 |
| F0043011A | GREASTER DI LINEA GR/KG1/8"BSP | IN LINE K200 GREASE METER GR/KG1/8"BSP | 259,55 | 16 |
| F0043012A | K200 METER mL/L | K200 METER mL/L | 259,55 | 16 |
| F0043100A | GREASTER Gr/Kg -Z- SWIVEL SPOUT RIGIDO | GREASTER Gr/Kg -Z- SWIVEL RIGID SPOUT | 394,04 | 18 |
| F00440200 | PULSE METER K400 GAS MONOCANALE | K400 BSP PULSER | 94,38 | 17 |
| F00472A00 | K600/3 PULSER 1in GAS ver.GASOLIO | K600/3 PULSER 1in GAS DIESEL METER | 200,00 | 17 |
| F00472A20 | K600/2-3 PULSER 3/4in GAS ver.OLIO | K600/2-3 PULSER 3/4in GAS OIL VERSION | 224,00 | 17 |
| F00484000 | CONTALITRI K400 L/BSP | K400 METER L/BSP | 169,89 | 16 |
| F00486150 | NEXT 2 METER 3/4" BSP | NEXT 2 METER 3/4" BSP | 195,00 | 16 |
| F00490020 | CONTALITRI K40 MECCANICO LITRI | K40 MECHANICAL METER LITER | 169,89 | 16 |
| F00491000 | CONTALITRI K600 B/3 1" BSP VERSIONE GASOLIO | K600 B/3 METER 1" BSP DIESEL VERSION | 320,00 | 16 |
| F00491010 | CONTALITRI OLIO K600 B/3 3/4" BSP VERSIONE OLIO | K600 B/3 METER 3/4" BSP OIL VERSION | 320,00 | 16 |
| F00492000 | CONTALITRI K600 B/3 1" BSP PULSE OUT VERSIONE GASOLIO | K600 B/3 METER 1" BSP PULSE OUT DIESEL VERSION | 370,00 | 16 |
| F00492010 | CONTALITRI OLIO K600 B/3 3/4" BSP PULSE OUT VERSIONE OLIO | K600 B/3 METER 3/4" BSP PULSE OUT OIL VERSION | 370,00 | 16 |
| F0049501A | DISPLAY REMOTO PULS OUT UNIVERSALE | REMOTE DISPLAY PULS OUT UNIVERSAL | 286,20 | 17 |
| F0049502A | DISPLAY REMOTO PULS IN UNIVERSALE | REMOTE DISPLAY PULS IN UNIVERSAL | 309,11 | 17 |
| F0049503B | DISPLAY REMOTO PULS OUT 100 UREA | REMOTE DISPLAY Puls OUT 100 UREA | 243,80 | 28 |
| F00496A00 | CONTALITRI K600/3 METER 1in G GASOLIO | K600/3 ELECTRONIC METER 1 in G DIESEL | 250,00 | 16 |
| F00496A20 | CONTALITRI K600/3 METER 3/4in G verOLIO | K600/3 ELECTRONIC METER 3/4 in GAS OIL | 270,00 | 16 |
| F0049800A | K700 Pulser 2in BSP | K700 Pulser 2in BSP | 825,00 | 17 |
| F0049900A | K900 CONTALITRI 3in BSP | K900 METER 3in BSP | 1850,00 | 16 |
| F0049902A | K900 CONTALITRI PULSER 3in BSP | K900 METER PULSER 3in BSP | 1900,00 | 17 |
| F0050000B | CAMBIAOLIO 230 V - 50/60 Hz | CAMBIAOLIO 230 V - 50/60 Hz | 427,08 | 19 |
| F00500B00 | VACUBOX 230V/50HZ | VACUBOX 230V/50Hz | 630,00 | 19 |
| F00506000 | FILTROLL DIESEL 230V 50/60HZ | FILTROLL DIESEL 230V 50/60HZ | 890,00 | 19 |
| F00506010 | FILTROLL OIL/DIESEL 230/50 | FILTROLL OIL/DIESEL 230/50 | 1010,00 | 19 |
| F0050606A | FILTROLL 12V GASOLIO | FILTROLL 12V DIESEL | 890,00 | 19 |
| F00540000 | CONTALITRI MECCANICO K700M LT/GAS VER.A | MECHANICAL METER K700M LT/GAS VER.A | 750,00 | 16 |
| F0057000A | CONTALITRI K33 VER.A ATEX | K33 METER VER.A ATEX | 200,00 | 4 |
| F0057001A | CONTALITRI K33 VER.B ATEX | K33 METER VER.B ATEX | 200,00 | 4 |
| F0057002A | CONTALITRI K33 VER.C ATEX | K33 METER VER.C ATEX | 200,00 | 4 |
| F0057003A | CONTALITRI K33 VER.D ATEX | K33 METER VER.D ATEX | 200,00 | 4 |
| F0057201B | KIT MCBOX 80,K600 NEW,KEYS,PCSW IB-PIUSI | KIT MCBOX 80,K600 NEW,KEYS,PCSW IB-PIUSI | 1595,51 | 7 |
| F0057600C | CUBE 56/K33 DC 12V | CUBE 56/33 DC 12V | 511,24 | 5 |

| COD. | DESCRIZIONE | DESCRIPTION | PRICE | PAGE |
|---------------------------------------|---|---|----------------|-----------|
| INDICE PER CODICE - INDEX CODE | | | | |
| F0057700C | CUBE 70/K33 DC 24V | CUBE 70/33 DC 24V | 547,19 | 5 |
| F0059100A | CUBE 70/33 | CUBE 70/33 DISPENSER | 618,20 | 5 |
| F00592000 | CUBE 90/44 | CUBE 90/44 | 726,00 | 5 |
| F0059400C | CUBE 70 MC IB-PIUSI | CUBE 70 MC IB-PIUSI | 1415,74 | 5 |
| F0059413B | CUBE 70 MC DC 12V IB-PIUSI 50 UTENTI | CUBE 70 MC DC 12V IB-PIUSI 50 USERS | 1431,00 | 5 |
| F0059414B | CUBE 70 MC DC 24V IB-PIUSI 50 UTENTI | CUBE 70 MC DC 24V IB-PIUSI 50 USERS | 1485,06 | 5 |
| F0059415B | CUBE 70 MC 120 UTENTI IB-PIUSI | CUBE 70 MC 120 USER IB-PIUSI | 1855,00 | 5 |
| F00594220 | CUBE 70 MC DC 12V 120 UTENTI | CUBE 70 MC DC 12V 120 USERS | 1870,26 | 5 |
| F0059500A | CUBE 70 MC PRESET 230V | CUBE 70 MC PRESET 230V | 1311,00 | 5 |
| F00595500 | CUBE 70 MC LITE 20 UTENTI | CUBE 70 MC LITE 20 USERS | 1189,00 | 5 |
| F00596000 | CUBE 70 MC 2.0 | CUBE 70 MC 2.0 | 2000,00 | 8 |
| F00596100 | CUBE 90 MC 2.0 | CUBE 90 MC 2.0 | 2110,00 | 8 |
| F00597010 | MCBOX LAN 2.0 | MCBOX LAN 2.0 | 1700,00 | 8 |
| F00597020 | MCBOX WIFI 2.0 | MCBOX WIFI 2.0 | 1850,00 | 8 |
| F00602020 | PISTOLA A60 1in F UNLEADED VERDE | A60 NOZZLE 1in F UNLEADED VERDE | 69,00 | 17 |
| F00602030 | PISTOLA AUTOMATIC 60 RAPSOIL 1n F. | AUTOMATIC NOZZLE 60 RAPSOIL 1n F. | 75,00 | 17 |
| F00603060 | PISTOLA AUTOMATIC 60 1in F NERA | AUTOMATIC NOZZLE A60 | 69,00 | 17 |
| F00604030 | PISTOLA AUTOMATIC 80 1in F NERA | AUTOMATIC NOZZLE 80 1in F BLACK | 97,00 | 17 |
| F0060502A | TUBO GAS.ø20 PARKER 80 m | DIESEL HOSE ø20 PARKER 80 mt | 442,00 | 22 |
| F0060602A | TUBO GAS.ø25 PARKER 40m | DIESEL HOSE ø25 PARKER 40m | 368,00 | 22 |
| F00609000 | VALVOLA DI FONDO DIAM.25 | FOOT VALVE DIAM.25 | 19,40 | 24 |
| F00610020 | PISTOLA AUTOMATIC 120 1in F NERA | AUTOMATIC NOZZLE 120 1in F BLACK | 97,00 | 17 |
| F00611000 | CARTUCCIA 10 MICRON FILTRO 3/4in | CARTRIDGE 10 MICRON FILTER 3/4in | 16,50 | 23 |
| F00611010 | WATER CAPTOR CARTDRIGE 70 L\MIN (12pcs) | WATER CAPTOR CARTDRIGE 70 L\MIN (12pcs) | 407,40 | 23 |
| F00611020 | WATER CAPTOR CARTDRIGE 150 L\MIN (6pcs) | WATER CAPTOR CARTDRIGE 150 L\MIN (6pcs) | 508,86 | 23 |
| F00611030 | CARTUCCIA CLEAR CAPTOR 5 MICRO (6pcs) | CLEAR CAPTOR CARTRIDGE 5 MICRON (6pcs) | 109,00 | 23 |
| F00611040 | CARTUCCIA CLEAR CAPTOR WAT\ABS (6pcs) | CLEAR CAPTOR CARTRIDGE WAT\ABS (6pcs) | 178,50 | 23 |
| F00611060 | CARTUCCIA METALLICA CLEAR CAPTOR | METALIC CARTRIDGE | 28,30 | 23 |
| F00611A00 | WATER CAPTOR FILTER 70L/MIN / 2 CART | WATER CAPTOR FILTER 70L/MIN / 2 CART | 88,00 | 23 |
| F00611A10 | WATER CAPTOR FILTER 150L/MIN / 1 CART | WATER CAPTOR FILTER 150L/MIN / 1 CART | 109,00 | 23 |
| F00611B00 | CLEAR CAPTOR FILTER 5 MICRO / 2 CARTDRIGE | CLEAR CAPTOR FILTER 5 MICRO / 2 CARTDRIGE | 95,00 | 23 |
| F00611B10 | CLEAR CAPTOR FILTER WATER ABS./2 CARTD | CLEAR CAPTOR FILTER WATER ABS./2 CARTD | 119,00 | 23 |
| F00611B60 | CLEAR CAPTOR STRAINER | CLEAR CAPTOR STRAINER | 113,00 | 23 |
| F00611C00 | BIO FUEL FILTER 70 L/MIN / 2 CART | BIO FUEL FILTER 70 L/MIN / 2 CART | 201,00 | 23 |
| F00611C10 | BIO FUEL FILTER 100 L/MIN / 1 CART+GUARN. | BIO FUEL FILTER 100 L/MIN / 1 CART+ORING | 160,00 | 23 |
| F00611D00 | KIT FILTRO COMPLETO PIUSI 3D | 3D FILTER + HOUSING | 122,00 | 29 |
| F00611D10 | CARTUCCIA FILTRO PIUSI 3D | PIUSI 3D FILTER CARTRIDGE | 100,00 | 29 |
| F00612000 | VALVOLA DI FONDO DIAM.20 | FOOT VALVE DIAM.20 | 19,40 | 24 |
| F00613020 | PISTOLA AUTOMATIC 60 1in ATEX | AUTOMATIC NOZZLE 60 1in ATEX | 105,00 | 4 |
| F00613A00 | AUTOMATIC NOZZLE A60 EN 13012 SWIVEL | AUTOMATIC NOZZLE A60 EN 13012 SWIVEL | 80,00 | 17 |
| F00617000 | PISTOLA AUTOMATICA SB325 | AUTOMATIC NOZZLE SB325 | 250,00 | 28 |
| F00617010 | PISTOLA AUTOMATICA SB325 METER | AUTOMATIC NOZZLE SB325 METER | 410,00 | 28 |
| F0061903B | PISTOLA AUTOM. A60 INOX C/SWIVEL | AUTOMATIC NOZZLE A60 SS w/ SWIVEL | 292,56 | 28 |
| F0062000A | SWIVEL 34.1 | SWIVEL 34.1 | 15,50 | 24 |
| F0062200A | SWIVEL 1.1 | SWIVEL 1.1 | 18,00 | 24 |
| F0063000A | PISTOLA IN PLASTICA 1in C/SWIWEL NERA | PLASTIC NOZZLE 1in C/SWIWEL BLACK | 12,15 | 17 |
| F0063001A | PISTOLA IN PLASTICA 1IN BIANCA | PLASTIC NOZZLE 1in | 20,65 | 17 |
| F00636000 | ATTACCO RAPIDO 1in GAS | HQC 1IN GAS | 45,00 | 22 |
| F00640000 | Pistol-ONE w/o Spout BSP | Pistol-ONE w/o Spout BSP | 122,00 | 19 |
| F00640010 | Pistol-ONE w/RIGID Spout BSP | Pistol-ONE w/RIGID Spout BSP | 165,00 | 19 |
| F00640020 | Pistol-ONE w/FLEXIBLE Spout BSP | Pistol-ONE w/FLEXIBLE Spout BSP | 175,00 | 19 |
| F00641130 | SELF 2000 PIUSI F1in GAS | SELF 2000 PIUSI F1" BSP | 20,90 | 17 |
| F0065000A | SELF 3000 1in BSP LEADED SPOUT | SELF 3000 1in GAS LEADED SPOUT | 24,60 | 17 |
| F00665000 | ESTREMITA' RIGIDA A/P | RIGID SPOUT W/AUTOMATIC ANTI-DRIPT VALVE | 19,29 | 18 |
| F00666000 | ESTREMITA' FLESSIBILE A/P | FLEX SPOUT W/AUTOMATIC ANTI-DRIPT VALVE | 25,60 | 18 |
| F0067000A | ESTREMITA' RIGIDA B/P | RIGID EXTENSION B/P | 16,85 | 18 |
| F0067002A | ESTREMITA' RIGIDA CORTE B/P | RIGID EXTENSION B/P | 15,23 | 18 |
| F0067100A | ESTREMITA' FLESSIBILE B/P | FLEXIBLE EXTENSION B/P | 22,92 | 18 |

| COD. | DESCRIZIONE | DESCRIPTION | PRICE | PAGE |
|---------------------------------------|--|--|---------|------|
| INDICE PER CODICE - INDEX CODE | | | | |
| F0068700C | PISTOLA K500 LT/BSP NW | PRESET METER K500 | 530,90 | 18 |
| F00687200 | PISTOLA K500 LT/BSP ESTR. RIG. B/P NW | PRESET METER K500 RIG. B/P NW | 514,00 | 18 |
| F00687210 | PISTOLA K500 LT/BSP ESTR. FLEX B/P NW | PRESET METER K500 ESTR. FLEX B/P NW | 520,00 | 18 |
| F00702000 | ACCESS 85 | ACCESS 85 | 160,00 | 11 |
| F00702010 | ACCESS 85 W/KEYS | ACCESS 85 W/KEYS | 220,00 | 11 |
| F00730000 | PANTHER 56 230V/50HZ PIUSI | PANTHER 56 230V/50HZ PIUSI | 146,07 | 13 |
| F0073701B | SELF SERVICE 70 K44 F 230/50 | SELF SERVICE 70 K44 F 230/50 | 1333,15 | 6 |
| F00737B0B | SELF SERVICE TANK 70 K44 230V/50HZ | SELF SERVICE TANK 70 K44 230V/50HZ | 1150,57 | 6 |
| F00737B2B | SELF SERVICE TANK 70 K44PUL 230V/50HZ | SELF SERVICE TANK 70 K44PUL 230V/50HZ | 1327,53 | 6 |
| F0073801C | SELF SERVICE 70 MC 230/50 IB-PIUSI | SELF SERVICE 70 MC F 230/50 IB-PIUSI | 1839,33 | 6 |
| F00738060 | SELF SERVICE 70 MC 7mt PRINTER 230/50-IB | SELF SERVICE 70 MC 7mt PRINTER 230/50-IB | 2376,41 | 6 |
| F00738B0C | SELF SERVICE TANK 70 MC 230V IB-PIUSI | SELF SERVICE TANK 70 MC 230V IB-PIUSI | 1666,30 | 6 |
| F0073900B | SELF SERVICE 70 FM 230V/50HZ IB-PIUSI | SELF SERVICE 70 FM 230V/50HZ IB-PIUSI | 3146,08 | 6 |
| F00739B0B | SELF SERVICE TANK 70 FM 230V IB-PIUSI | SELF SERVICE TANK 70 FM 230V IB-PIUSI | 2973,05 | 6 |
| F0074001B | SELF SERVICE 100 K44 F 230/50 | SELF SERVICE 100 K44 F 230/50 | 1692,99 | 6 |
| F0074002A | SELF SERVICE 100 K44 PULS 230V/50HZ | SELF SERVICE 100 K44 PULS 230V/50HZ | 1698,88 | 6 |
| F00740B0B | SELF SERVICE TANK 100 K44 230V/50HZ | SELF SERVICE TANK 100 K44 230V/50HZ | 1410,12 | 6 |
| F0074101C | SELF SERVICE 100 MC 230/50 IB-PIUSI | SELF SERVICE 100 MC F 230/50 IB-PIUSI | 2205,63 | 6 |
| F00741B0C | SELF SERVICE TANK 100 MC 230V IB-PIUSI | SELF SERVICE TANK 100 MC 230V IB-PIUSI | 1995,51 | 6 |
| F0074200B | SELF SERVICE 100 FM 230V/50HZ IB-PIUSI | SELF SERVICE 100 FM 230V/50HZ IB-PIUSI | 3512,37 | 6 |
| F00742B0B | SELF SERVICE TANK 100 FM 230V IB-PIUSI | SELF SERVICE TANK 100 FM 230V IB-PIUSI | 3302,26 | 6 |
| F00743010 | SELF SERVICE 100 FM 2.0 230V 50Hz | SELF SERVICE 100 FM 2.0 230V 50Hz | 4200,00 | 8 |
| F00743020 | SELF SERVICE 100 MC 2.0 230V 50Hz§ | SELF SERVICE 100 MC 2.0 230V 50Hz§ | 2650,00 | 8 |
| F00744000 | SELF SERVICE MC ADBLUE 230/50 IB-PIUSI | SELF SERVICE MC ADBLUE 230/50 IB-PIUSI | 1800,00 | 26 |
| F0075000A | ARROTON.NUDO TUBO ¾"BSP GASOLIO/ BIG | HOSE REELS (BARE) FOR HOSE ¾"BSP BIG | 353,00 | 20 |
| F0075001A | ARROTON.NUDO TUBO 1"BSP GASOLIO/BIG | HOSE REELS (BARE) FOR HOSE 1"BSP BIG | 372,00 | 20 |
| F0075002A | ARROTON.TUBO D25 8mt 1"BSP GASOLIO/BIG | HOSE REELS WITH HOSE 8mt 1"BSP BIG | 491,00 | 20 |
| F0075003A | ARROTON. TUBO D25 10mt 1"BSP GASOLIO/BIG | HOSE REELS WITH HOSE 10mt 1"BSP BIG | 513,00 | 20 |
| F0075004A | ARROTON. TUBO D20 10mt 1"BSP GASOLIO/BIG - 1" in BSP | HOSE REEL WITH HOSE 10mt 1"BSP BIG - 1" in BSP | 454,00 | 20 |
| F0075006A | ARROTON.NUDO TUBO ¾"BSP UREA/SMALL | HOSE REELS (BARE) FOR HOSE ¾"BSP UREA SMALL | 316,00 | 29 |
| F0075007B | ARROTON.TUBO D20 8mt ¾" UREA/SMALL | HOSE REELS WITH HOSE 8mt ¾" FOR UREA SMALL | 378,00 | 29 |
| F0075008A | ARROTON.NUDO TUBO ¾"BSP GASOLIC/SMALL | HOSE REELS (BARE) FOR HOSE ¾"BSP SMALL | 279,00 | 20 |
| F0075009A | ARROTON.TUBO D20 8mt 1"BSP GASOLIO/SMALL | HOSE REELS WITH HOSE 8mt 1"BSP SMALL | 369,00 | 20 |
| F0075010A | ARROTON. TUBO D20 14m 1"BSP GASOL/BIG | HOSE REELS WITH HOSE ¾" 14mt 1"BSP BIG | 484,00 | 20 |
| F0075011A | ARROTON. TUBO D.20 15mt ¾" UREA/BIG | HOSE REELS WITH HOSE 15mt ¾" FOR UREA BIG | 522,00 | 29 |
| F0075012A | ARROTON. TUBO D20 10mt 1"BSP GASOLIO/BIG - 3/4" in BSP | HOSE REEL WITH HOSE 10mt 1"BSP BIG - 3/4" in BSP | 448,00 | 20 |
| F0075013A | ARROTON. TUBO D.20 10mt ¾" BSP BENZINA/BIG | HOSE REELS WITH HOSE 10mt ¾" BSP GASOLINE/BIG | 458,00 | 20 |
| F0075018B | ARROTON.NUDO TUBO D25 15mt 1"BSP GASOLIO/XL | HOSE REELS BARE HOSE 15mt 1"BSP/XL | 570,00 | 20 |
| F0075019A | ARROTON.CON TUBO D25 15mt 1"BSP GASOLIO/XL | HOSE REELS WITH HOSE 15mt 1"BSP/XL | 766,00 | 20 |
| F0075023A | ARROTON.TUBO D25 10m 1"BSP HEAVY DUTY** GASOLIO/BIG | HOSE REELS WITH HOSE 1"x10mt 1"BSP HEAVY DUTY ** | 531,00 | 20 |
| F0075024A | ARROTON.TUBO D20 10m 1"BSP HEAVY DUTY** GASOLIO/BIG | HOSE REELS WITH HOSE ¾"x10mt 1"BSP HEAVY DUTY** | 472,00 | 20 |
| F0075025A | ARROTON.TUBO D25 15m 1"BSP HEAVY DUTY** GASOLIO/XL | HOSE REELS BARE HOSE 1"x15mt 1"BSP HEAVY DUTY** | 588,00 | 20 |
| F0075026A | ARROTON. NUDO TUBO D25 15m 1"BSP HEAVY DUTY** GASOLIO/XL | HOSE REELS BARE HOSE 1"x15mt 1"BSP HEAVY DUTY** | 784,00 | 20 |
| F0075510D | LEVEL IND.OCIO LV230V 50/60HZ RS OUT-NW- | LEVEL IND.OCIO LV230V 50/60HZ RS OUT-NW- | 328,60 | 7 |
| F00755140 | LEVEL IND.OCIO LV230V 50/60HZ RS OUT URE | LEVEL IND.OCIO LV230V 50/60HZ RS OUT URE | 381,60 | 28 |
| F00755210 | LEVEL IND. OCIO WIFI 2.0 | LEVEL IND. OCIO WIFI 2.0 | 1000,00 | 8 |
| F00755220 | LEVEL IND. OCIO 2.0 RS485 | LEVEL IND. OCIO 2.0 RS485 | 400,00 | 8 |
| F00755260 | LEVEL IND. OCIO MC 2.0 | LEVEL IND. OCIO MC 2.0 | 850,00 | 8 |
| F00755G20 | ESPANSIONE OCIO GSM DA 2 A 4 TANK | EXPANSION OCIO GSM 2 - 4 TANKS | 212,00 | 7 |
| F00755G40 | ESPANSIONE OCIO GSM DA 5 A 8 TANK | EXPANSION OCIO GSM 5 - 8 TANKS | 318,00 | 7 |
| F00755G50 | OCIO GSM QUAD BAND- SMS | OCIO GSM QUAD BAND- SMS | 906,30 | 7 |
| F00755S0C | OCIO DESK MULTITANK 4 | OCIO DESK MULTITANK 4 | 742,00 | 7 |
| F00755S1A | OCIO DESK SINGLE TANK | OCIO DESK SINGLE TANK | 424,00 | 7 |
| F00755S2A | OCIO DESK MULTITANK 8 | OCIO DESK MULTITANK 8 | 980,50 | 7 |
| F00755S3A | OCIO DESK MULTITANK 12 | OCIO DESK MULTITANK 12 | 1219,00 | 7 |
| F00755SB0 | PW-WIFI - Kit WiFi OCIO DESK SINGLE TANK | PW-WIFI - Kit WiFi OCIO DESK SINGLE TANK | 605,00 | 7 |
| F00772000 | SSM 2.0 CLIENT Software | SSM 2.0 CLIENT Software | 300,00 | 8 |
| F00772010 | SSM 2.0 STANDARD Software | SSM 2.0 STANDARD Software | 800,00 | 8 |

| COD. | DESCRIZIONE | DESCRIPTION | PRICE | PAGE |
|---------------------------------------|--|---|----------------|-----------|
| INDICE PER CODICE - INDEX CODE | | | | |
| F00772020 | SSM 2.0 PROFESSIONAL Software | SSM 2.0 PROFESSIONAL Software | 1200,00 | 8 |
| F00772030 | SSM 2.0 ENTERPRISE Software | SSM 2.0 ENTERPRISE Software | 1600,00 | 8 |
| F00772040 | SSM 2.0 ULTIMATE Software | SSM 2.0 ULTIMATE Software | 2200,00 | 8 |
| F00772200 | SSM 2.0 CLIENT - WEB EDITION Software | SSM 2.0 CLIENT - WEB EDITION Software | 250,00 | 8 |
| F00772210 | SSM 2.0 STANDARD - WEB EDITION Software | SSM 2.0 STANDARD - WEB EDITION Software | 750,00 | 8 |
| F00772220 | SSM 2.0 PROFESSIONAL-WEB EDITIONSoftware | SSM 2.0 PROFESSIONAL-WEB EDITIONSoftware | 1150,00 | 8 |
| F00772230 | SSM 2.0 ENTERPRISE -WEB EDITION Software | SSM 2.0 ENTERPRISE -WEB EDITION Software | 1550,00 | 8 |
| F00772240 | SSM 2.0 ULTIMATE - WEB EDITION Software | SSM 2.0 ULTIMATE - WEB EDITION Software | 2150,00 | 8 |
| F0091600A | CARAFFA IN POLIETILENE 1 LT. | OIL CONTAINER 1 LT | 5,10 | 25 |
| F00917000 | CARAFFA IN POLIETILENE 2 LT. | OIL CONTAINER 2 LT | 5,60 | 25 |
| F00920000 | CARAFFA IN POLIETILENE 5 LT. | OIL CONTAINER 5 LT | 9,60 | 25 |
| F0093000A | IMBUTO IN POLIETILENE DIAM. 180 | FUNNEL 180 | 6,35 | 25 |
| F0093100A | IMBUTO IN POLIETILENE DIAM. 220 | FUNNEL 220 | 7,15 | 25 |
| F00939000 | ESTREMITA' FLESSIBILE MNDN LF | FLEX SPOUT WITH MNDN LF | 30,95 | 18 |
| F0096600A | Impugnatura Easyoil FF 1/2in X1/2in BSP Nera | Handgrip Easyoil FF 1/2in x 1/2in BSP Black | 22,24 | 18 |
| F00966130 | EASY OIL + SWIVEL + E.R. + VA | EASYOIL+SW+RIGID SPOUT+VA | 51,22 | 18 |
| F00966140 | EASY OIL + SWIVEL + E.F. + VA | EASY OIL + SWIVEL + E.F. + VA | 57,71 | 18 |
| F00966150 | EASY OIL + SWIVEL + E.ROT. + VA | EASY OIL + SWIVEL + E.ROT. + VA | 67,56 | 18 |
| F00973020 | K40 L/GAS + EASY OIL + SW + EF BP | K40 L/GAS + EASY OIL + SW + EF B\P | 234,78 | 18 |
| F00973030 | K40 L/GAS + EASY OIL + SW + ER BP | K40 L/GAS + EASY OIL + SW + ER B\P | 228,88 | 18 |
| F00974010 | NEXT/2 Pistol-ONE w/RIGID Spout BSP | NEXT/2 Pistol-ONE w/RIGID Spout BSP | 360,00 | 18 |
| F00974020 | NEXT/2 Pistol-ONE w/FLEXIBLE Spout BSP | NEXT/2 Pistol-ONE w/FLEXIBLE Spout BSP | 370,00 | 18 |
| F00976W0A | K400 WINDSCREEN + PISTOLA + ER + SW | K400 WINDSCREEN+NOZZLE+RS+SW | 303,37 | 18 |
| F00976W10 | PISTOLA WINDSCREEN + ER + SW | WINDSCREEN NOZZLE+RS+SW | 59,16 | 17 |
| F00984000 | K400 L/BSP N + EO+SW+ER+PROT | K400 L/BSP N + EO+SW+ER+PROT | 228,88 | 18 |
| F00984010 | K400 L/BSP N + EO+SW+EF+PROT | K400 L/BSP N + EO+SW+EF+PROT | 234,78 | 18 |
| F0643700A | PORTAGOMMA 3/4in x 20 + OR - 20pcs - | HOSETAIL 3/4in x 20 + OR - 20pcs - | 73,70 | 24 |
| F07441000 | RIDUZIONE M/F 3/4 inGx1/2in G ART.241 ZN | REDUCING SOCKET M/F 3/4 inGx1/2in G | 2,44 | 24 |
| F0775700A | PORTAGOMMA 1in x 20 GAS + OR - 20pcs - | HOSETAIL 1in x 20 GAS + OR - 20pcs - | 71,50 | 24 |
| F07760000 | RIDUZIONE M/F 1in x3/4in ART.241 ZN | ADAPTER M/F 1in x3/4in ART.241 ZN | 3,60 | 24 |
| F07762000 | VITE DOPPIA M/M 1in Gx3/4in G | REDUCING SOCKET 1in Gx3/4in G | 4,61 | 24 |
| F0776400A | PORTAGOMMA 1in x 25 + OR - 20pcs - | HOSE TAIL 1in x 25 + OR - 20pcs - | 85,00 | 24 |
| F07765000 | VITE DOPPIA M/M 1in Gx1in G | REDUCING SOCKET 1in Gx1in G | 3,30 | 24 |
| F07766000 | VITE DOPPIA M/M 3/4 FIL. | REDUCING SOCKET M/M 3/4 | 2,13 | 24 |
| F0776800B | PORTAGOMMA 3/4"x25 - 20pcs - | HOSE TAIL 3/4"x25 - 20pcs - | 77,00 | 24 |
| F0777200A | FILTRO 70l/min CON TESTATA 1in GAS | FILTER 70l/min WITH HEAD 1in GAS | 29,50 | 23 |
| F07805000 | GOMITO M/F 3/4 | ELBOW M/F 3/4 | 3,23 | 24 |
| F07806000 | GOMITO F/F 3/4 | ELBOW F/F 3/4 | 3,11 | 24 |
| F07889000 | RIDUZIONE M/F 3/4 in X1in ART.246 ZN | ADAPTER M/F 3/4 in X1in ART.246 ZN | 6,07 | 24 |
| F07978000 | VALVOLA DI RITEGNO 1in GAS | VALVOLA DI RITEGNO 1in GAS | 13,00 | 24 |
| F07979000 | FILTRO INOX PER VALVOLA 1in G | INOX FILTER for VALVE 1in G | 2,42 | 23 |
| F07988000 | GOMITO M/F 1inc G OTTONE NICHELATO | ELBOW M/F 1" GAS NICKELED BRASS | 8,69 | 24 |
| F08153000 | VALVOLA DI FONDO 3/4in G SENZA FILTRO | FOOT VALVE 3/4 G NO FILTER | 8,16 | 24 |
| F08173000 | SIGILLANTE OLEODINAMICO | SEALING LIQUID | 22,55 | 22 |
| F0826700A | PORTAGOMMA 1/2in x 20 GAS | HOSETAIL 1/2in x 20 GAS | 3,10 | 24 |
| F0845600A | SWIVEL 12.12 | SWIVEL 12.12 | 7,31 | 24 |
| F08609000 | GOMITO F/F 1in G OTTONE NICHELATO | ELBOW F/F 1in G NICKELED BRASS | 9,54 | 24 |
| F08858000 | TUBO GAS.o25 L=6m 1"x1" | DIESEL HOSE o25 L=6m CRIMPED 1"x1" | 79,40 | 22 |
| F08913000 | VITE DOPPIA M/M 1in Gx1 1/2 in G | NIPPLE M/M 1in Gx1 1/2 in G | 7,36 | 24 |
| F08934000 | TUBO ESTENSIBILE PER ASPIRAZIONE | EXTENSIBLE SUCTION PIPE | 7,69 | 22 |
| F08934010 | KIT ASPIRAZIONE 1800 MM TELESCOPICO | TELESCOPIC STEEL PIPE 1800 MM | 90,00 | 22 |
| F08934020 | TUBO TELESCOPICO ACCIAIO 1100 MM | TELESCOPIC STEEL PIPE 1100 MM | 26,00 | 22 |
| F08945000 | TUBO GAS.o20 L=4m 1"x1" | DIESEL HOSE o20 L=4m CRIMPED 1"x1" | 57,14 | 22 |
| F08950000 | FILTRO DI LINEA 1.1 F/F FLANGIATO | LINE FILTRO 1.1 F/F FLANGED | 16,85 | 23 |
| F08976000 | TUBO GAS.o20 L=4m 1"x1" | DIESEL HOSE o20 L=4m CRIMPED 1"x1" | 42,30 | 22 |
| F08977000 | TUBO GAS.o25 L=4m 1"x1" | DIESEL HOSE o25 L=4m CRIMPED 1"x1" | 61,00 | 22 |
| F0914900A | FILTRO CON TESTATA 1in G | FILTER WITH HEAD 1in G | 61,00 | 23 |
| F09149020 | FILTRO 5 MICRON CON TESTATA 1in G | FILTER 5 MICRON WITH HEAD 1in G | 67,00 | 23 |

| COD. | DESCRIZIONE | DESCRIPTION | PRICE | PAGE |
|---------------------------------------|--|--|---------|------|
| INDICE PER CODICE - INDEX CODE | | | | |
| F09170000 | VALVOLA DI SOVRAPRESSIONE | HIGHER PRESSURE VALVE | 14,98 | 24 |
| F09359000 | CARTUCCIA 10 MICRON FILTRO 1in -1 1/4in | CARTRIDGE 10 MICRON FILTER 1in -1 1/4in | 33,60 | 23 |
| F09359010 | CARTUCCIA 5 MICRON FILTRO 1in -1 1/4in | CARTRIDGE 5 MICRON FILTER 1in -1 1/4in | 43,00 | 23 |
| F09659000 | PROTEZIONE SWIVEL - NERA | SWIVEL PROTECTION - BLACK | 3,04 | 18 |
| F09949000 | FILTRO INOX DIAM 11.8x80 | INOX DIAM 11.8x80 FILTER | 2,44 | 18 |
| F10571000 | FILTRO PER VALVOLA 3/4in | VALVE FILTER 3/4in | 2,19 | 23 |
| F10767000 | SERRAFILETTI UNIVERS. BLU LOXEAL 55.03 | UNIVERSAL SEALING PASTE BLU LOXEAL 55.03 | 46,01 | 22 |
| F1113100B | TUBO PVC SPIR.TRAS.ø25 L=60m | TRAS. PVC HOSE ø25 L=60m | 330,00 | 22 |
| F1113200A | TUBO PVC SPIR.TRAS.ø25 L=1.6m 1"x1"+VF | TRAS. PVC HOSE Ø25 L=1.6M CRIMPED 1"X1" | 42,70 | 22 |
| F11638010 | TUBO PVC SPIR.TRASP.ø25 L=4M 1"X1" + VF | PVC SPIR.TRASP.ø25 L=4M 1"X1" + VF | 68,00 | 22 |
| F1175200B | DISPLAY REMOTO PULS OUT K600/3 LT SEL | REMOTE DISPLAY PULS OUT K600/3 LT SEL | 201,40 | 17 |
| F1175300B | DISPLAY REMOTO PULS OUT K600/4 LT SEL | REMOTE DISPLAY PULS OUT K600/4 LT SEL | 201,40 | 17 |
| F1175400B | DISPLAY REMOTO PULS OUT K700/LT SEL | REMOTE DISPLAY PULS OUT K700/LT SEL | 201,40 | 17 |
| F11774010 | KIT SONDE VACUBOX 8x6 / 6X4 X 1000 | KIT PROBES VACUBOX 8x6 / 6X4 X 1000 | 46,00 | 19 |
| F12120010 | TUBO ASP.ø25 L=60m (PLUTONE) | SUCTION HOSE Ø25 L=60M | 1112,40 | 22 |
| F12262010 | KIT LETTORE CHIAVI 2.0 | KIT KEY READER 2.0 | 105,00 | 8 |
| F12278000 | SERRAFILETTI UNIVERS. VERDE LOXEAL 85.21 | UNIVERS.SEALING PASTE VERDE LOXEAL 85.21 | 46,01 | 22 |
| F1239905A | VANTAGE VALVE 1in GAS - 12 PCS - | VANTAGE VALVE 1in GAS - 12 PCS - | 314,00 | 24 |
| F1239908A | VANTAGE VALVE 3/4in GAS - 12 PCS - | VANTAGE VALVE 3/4in GAS - 12 PCS - | 314,00 | 24 |
| F1270800C | KIT PIEDISTALLO CUBE -NERO OPACO- | KIT PEDESTAL CUBE BLACK | 220,00 | 5 |
| F1271000C | KIT PC INTERFACE USB SELF SERVICE/CUBE | KIT PC INTERFACE USB SELF SERVICE/CUBE | 470,23 | 5 |
| F12710040 | PW-WIFI + CD SOFTWARE | PW-WIFI + CD SOFTWARE | 650,00 | 7 |
| F12710050 | PW-LAN + CD SOFTWARE | PW-LAN + CD SOFTWARE | 500,00 | 7 |
| F12710090 | PW STATION WIFI | PW STATION WIFI | 350,00 | 7 |
| F12710120 | PW WIFI 2.0 | PW WIFI 2.0 | 550,00 | 8 |
| F12939000 | KIT PER OLIO | KIT OIL | 32,70 | 7 |
| F13249000 | PISTOLA AUTOMATICA 280 LPM BSP | AUTOMATIC NOZZLE 280 LPM | 375,00 | 17 |
| F13292000 | PW14 - USB converter | PW14 - USB converter | 202,25 | 5 |
| F13800000 | FASCETTA 20-32-12 AISI304 INOX (10 pz) | KIT Nr.10 pcs CLAMPS 25-35-12 SS AISI304 | 40,00 | 29 |
| F1398000C | KIT MC BOX 230V 80 USER 50/60HZ IB-PIUSI | KIT MC BOX 230V 80 USER 50/60HZ IB-PIUSI | 876,41 | 7 |
| F1398001B | KIT MC BOX 12V 120 USER IB-PIUSI | MC BOX 12V 120 USER IB-PIUSI | 1315,67 | 7 |
| F1398002B | KIT MC BOX 24V 120 USER IB-PIUSI | KIT MC BOX 24V 120 USER IB-PIUSI | 1315,67 | 7 |
| F1398005B | KIT MC BOX 230V 120 USER IB-PIUSI | KIT MC BOX 230V 120 USER IB-PIUSI | 1315,67 | 7 |
| F1398006B | KIT MC BOX UREA 120 USER IB-PIUSI | KIT MC BOX UREA 120 USER IB-PIUSI | 1315,67 | 28 |
| F1398010A | MC BOX PRESET 85-260V 50/60 Hz | MC BOX PRESET 230V | 771,00 | 7 |
| F13981000 | MC BOX LITE | MC BOX LITE | 650,00 | 7 |
| F14125020 | TUBO PER ADBLUE 3/4, MT.6 BOX | ADBLUE HOSE 3/4, MT.6 BOX | 46,80 | 29 |
| F14125030 | TUBO PER ADBLUE 3/4, MT.8 BOX | ADBLUE HOSE 3/4, MT.8 BOX | 62,40 | 29 |
| F14125040 | TUBO PER ADBLUE 3/4,MT.10 BOX | ADBLUE HOSE 3/4, MT.10 BOX | 78,00 | 29 |
| F14125050 | TUBO PER ADBLUE 3/4 ROTOL 80mt. | EPDM HOSE UREA 3/4 Roll 80 mt | 464,00 | 29 |
| F14132000 | SWIVEL INOX 3/4" M X tubo 19 mm | SWIVEL Stainless Steel 3/4" M X Hose19 mm | 21,35 | 29 |
| F14144040 | KIT SOFTW. PER SELF SERV\CUBE + CHIAVI MAGNETICHE + ADATTATORE USB | KIT SOFTW. FOR SELF SERV\CUBE + KEYS + USB ADAPTOR | 486,00 | 5 |
| F14146000 | KIT ASPIR.TUBO PVC NERO SPIR.1,5m C\VF | KIT SUCTION HOSE EPDM 1.5MT W/FOOT VALVE | 51,69 | 29 |
| F14250000 | TUBO PER ADBLUE 3/4, MT.4 | 3/4 EPDM HOSE , 4 MT LONG | 31,20 | 29 |
| F14528000 | TESTATA FILTRO PRESSOFUSA 1"G 1"G 3/4"G | FILTER HEAD 1"G 1"G 3/4"G | 13,00 | 23 |
| F14567000 | SWIVEL 45° 1" M/F | SWIVEL 45° 1" M/F | 21,64 | 24 |
| F14640000 | TESTATA FILTRO PRESS 1"inx1"in UNF | FILTER HEAD 1"inx1"in UNF | 13,00 | 23 |
| F14761000 | PISTOLA MANUALE SUZZARA BLU C\PG S\PUL | MANUAL NOZZLE UREA w/HOSETAIL w/out LOCK | 48,31 | 28 |
| F15165000 | ELAFIX 40 MAGNETIC ADAPTOR | ELAFIX 40 MAGNETIC ADAPTOR | 37,00 | 28 |
| F15236000 | ADATTATORE M/F 2in UREA | ADAPTER M\F 2in ADBLUE | 3,18 | 29 |
| F15484000 | PORTAGOMMA D.19 90° C/GHIERA PER K24 | HOSETAIL D.19 90° W/RING NUT FOR K24 | 6,47 | 29 |
| F15485000 | PORTAGOMMA D.19 90° C/GHIERA E NIPPLE | HOSETAIL D.19 90° W/RING NUT AND NIPPLE | 10,49 | 29 |
| F15515000 | KIT ASP.EXT.FUSTO IBC + VALVOLA DI LINEA | EXT SUCTION HOSE IBC TANK W/FOOT VALVE | 60,00 | 29 |
| F15515010 | KIT BOTTOM CONNECTION | KIT BOTTOM CONNECTION | 37,00 | 29 |
| F15517000 | SUZZARA BLUE GRAVITY KIT | SUZZARA BLUE GRAVITY KIT | 111,30 | 27 |
| F15522000 | PORTAGOMMA DIRITTO ø20 1G PLASTICA | HOSETAIL STRAIGHT ø20 1G PLASTIC | 5,09 | 29 |
| F15606000 | KIT ASPIRAZ RIGIDO SUZZ BLUE DRUM | KIT RIGID SUCTION HOSE SUZZARA BLUE DRUM | 51,04 | 29 |

| COD. | DESCRIZIONE | DESCRIPTION | PRICE | PAGE |
|---------------------------------------|--|--|----------------|-----------|
| INDICE PER CODICE - INDEX CODE | | | | |
| F15743000 | TESTATA FILTRO 70/100LT | FILTER HEAD 70/100LT | 23,90 | 23 |
| F15744000 | TESTATA FILTRO A BICCHIERE | CLEAR CAPTOR FILTER HEAD | 32,20 | 23 |
| F15749000 | VALVOLA DI LINEA COMPLETA 1in GAS -12pcs | FOOT VALVE 1in GAS -12pcs | 132,00 | 24 |
| F15776000 | ATTACCO GIR. M-F 1in GAS PLASTICA P/MAN | SWIVEL M-F 1in GAS PLASTIC MANUAL NOZZLE | 10,18 | 29 |
| F15883000 | KIT ASP. TUBO EPDM 1,1 MT C/ATTACCO SEC | KIT SUCTION HOSE EPDM 1,1 MT w/ SEC | 47,00 | 29 |
| F16004010 | ESTREMITA' FLESS PISTOL-ONE | FLEX SPOUT PISTOL-ONE | 51,00 | 19 |
| F16005010 | ESTREMITA' RIGIDA PISTOL-ONE | RIGID SPOUT PISTOL-ONE | 41,00 | 19 |
| F1601100A | COPERCHIO CON Interruttore BP3000 | ELECTRICAL BOX WITH SWITCH BP3000 | 5,60 | 13 |
| F16073000 | MANICOTTO INOX 1"G+GUARN.PIANA (20pcs) | STAINLESS STEEL SOCKET 1"(20 pcs)BSP/BSP | 155,00 | 29 |
| F16074000 | MANICOTTO INOX 1"NPT(20pcs) | KIT 20 pcs SOCKET 1"NPT Stainless Steel | 86,00 | 29 |
| F16172000 | KIT N.2 PORTAGOMMA 3/4 DRITTO NEW BP | LP 3/4 STRAIGHT HOSE TAIL KIT (2 pcs.)-N | 8,55 | 13 |
| F16173000 | KIT N.1 PORTAGOMMA 3/4 90° NEW BP | LP 3/4 90° HOSE TAIL KIT (1 pcs.)-NEW | 9,15 | 13 |
| F16178000 | KIT N.1 COLLETTORE 90° NEW BP | LP 90° FLANGED ELBOW-NEW | 8,10 | 13 |
| F16279000 | SUPPORTO GIREVOLE ARROTOLATORE BIG | BIG HOSE REEL ROTATING SUPPORT | 47,00 | 20 |
| F16293000 | KIT MORSET.+CAVO ALIMENT. 2MT BP3000 12V | KIT TERMINAL BOX+2MT CABLE W\CLAMP 12V | 14,50 | 13 |
| F16294000 | KIT MORSET.+CAVO ALIMENT. 2MT BP3000 24V | KIT TERMINAL BOX+2MT CABLE W\CLAMP 24V | 14,50 | 13 |
| F16295000 | KIT MORSET.+CAVO ALIMENT. 4MT BP3000 12V | KIT TERMINAL BOX+4MT CABLE W\CLAMP 12V | 21,08 | 13 |
| F16296000 | KIT MORSET.+CAVO ALIMENT. 4MT BP3000 24V | KIT TERMINAL BOX+4MT CABLE W\CLAMP 24V | 19,70 | 13 |
| F16298000 | STAFFA FISSA ARROTOLATORE BIG | BIG HOSE REEL FIXED BASE | 28,00 | 20 |
| F16367000 | TUBO COLLEGAMENTO ARROTROLATORE | DIESEL JUNCTION HOSE ø25 L=1m CRIMPED 1"x1" | 38,00 | 20 |
| F1640400A | KIT ASPIRAZIONE TUBO 4MT VF | SUCTION KIT 4MT VF | 122,00 | 22 |
| F16433000 | RACCORDO 90° 2\GHIERE 1in | PIPE FITTING 90° 2 / 1in RING | 6,50 | 29 |
| F16434000 | RACCORDO DIRITTO 2\GHIERE 1in | STRAIGHT CONNECTION WITH 2 NUT 1inch | 5,85 | 29 |
| F16435000 | PORTAGOMMA CON GHIERA 1in x 20 | HOSE TAIL with RING NUT 1in x 20 | 4,00 | 29 |
| F16458000 | MANICOTTO INOX 1"Gx1"NPT+GUARN.(20pcs) | S/S SLEEVE 1"Gx1"NPT+O-RING (20 pcs.) | 86,00 | 29 |
| F16475000 | ADATTATORE K24 PER PISTOLA AUTOMATICA | CONNECTOR K24 AUTOMATIC NOZZLE | 23,40 | 29 |
| F16497000 | KIT PROTEZIONE TUBO 3/4" | RUBBER PROTECTOR HOSE 3/4" | 3,04 | 29 |
| F16586000 | KIT ACCESSORI PER DRUM 3000 | DRUM 3000 KIT | 51,36 | 10 |
| F16631000 | KIT ADATTATORE DRUM 3000 K33/FILTRO | KIT DRUM 3000 K33 / FILTER / ADAPTER | 66,00 | 10 |
| F16770000 | KIT N.1 COLLETTORE 90° S/FLANGIA NEW BP | KIT N.1 ELBOW 90° WITHOUT FLANGE | 8,67 | 13 |
| F16799000 | KIT RACCORDO BP3000-VANTAGE 1"G-F | FLANGED ADAPTER BP3000-VANTAGE 1"G-F | 5,00 | 13 |
| F16860000 | KIT RUOTE \ MANIGLIA ST200 | KIT WHEELS \ HANDLE ST200 | 78,00 | 11 |
| F17121000 | SONDA DI LIVELLO PER ACCESS 85 | LEVEL PROBE FOR ACCESS 85 | 65,00 | 11 |
| F17124000 | KIT N.2 PORTAGOMMA D.25 DRITTO NEW BP | STRAIGHT HOSE TAIL 1" BP3000 | 9,50 | 13 |
| F17126000 | MANICOTTO ZN 1"G+GUARN.PIANA (20pz) | SOCKET 1" (20 PCS) | 78,00 | 24 |
| F17163000 | ATTACCO 2" BSP DRUM CON VALVOLA | 2" BSP DRUM CONNECTOR WITH VALVE | 38,00 | 22 |
| F17163010 | ATTACCO 2" BSP DRUM CON VALVOLA 1" BSP F | 2" BSP DRUM CONNECTOR W/ VALVE 1" BSP F | 46,50 | 22 |
| F17190000 | ATTACCO 2" BSP DRUM SENZA VALVOLA | 2" BSP DRUM CONNECTOR W/O VALVE | 29,00 | 22 |
| F17262000 | KIT PORTAGOMMA D.25 90° NEW BP | HOSE TAIL D.25 90° NEW BP | 9,70 | 13 |
| F17275000 | KIT BASE ARROTOLATORE SERBATTOIO IBC | KIT PLATE HOSE REEL TANK IBC | 90,00 | 29 |
| F17313000 | KIT RACCORDO BP3000 / VANTAGE 1inG - M | FLANGED ADAPTER BP3000 / VANTAGE 1inG - | 7,20 | 13 |
| F17314000 | KIT RACCORDO BP3000 / VANTAGE 3/4inG - F | FLANGED ADAPTER BP3000 / VANTAGE 3/4inG -F | 8,50 | 13 |
| F17316000 | STAFFA FISSA ARROTOLATORE SMALL | SLIM HOSE REEL FIXED BASE | 24,00 | 20 |
| F17317000 | SUPPORTO GIREVOLE ARROTOLATORE SMALL | SLIM HOSE REEL ROTATING SUPPORT | 47,00 | 20 |
| F1815100A | TUBO BENZINA D.20 L=4m 1'x1'-PARKER | GASOLINE HOSE D.20 L=4m 1'x1'-PARKER | 58,85 | 4 |
| F18400000 | ADATTATORE MAGNETICO | MAGNETIC ADAPTOR | 20,00 | 28 |
| F18624000 | PRESSACAVO EXD1/2NPT ATEXIECEX | CABLE GLAND Exd1/2NPT ATEXIECEX | 17,50 | 4 |
| F18626000 | KIT 4 m cavo + pressacavo ATEXIECEX EX50 12V | KIT 4 m Cable+Cable Gland ATEXIECEX EX50 12V | 39,59 | 4 |
| F18798000 | KIT TUBO 1 1/2" CON CAM-LOCK 10 MT | HOSE KIT 1 1/2" WITH CAM-LOCK 10 MT | 350,00 | 11 |
| F18799000 | KIT TUBO 1 1/2" CON CAM-LOCK 20 MT | HOSE KIT 1 1/2" WITH CAM-LOCK 20 MT | 645,00 | 11 |
| F1891000A | CONNETTORE RAPIDO PDC UREA | PDC PIUSI DEF COUPLER | 75,00 | 29 |
| F19174000 | KIT TRASFORMAZIONE SB325 CON MAGNETE | KIT REPLACE SPOUT SB325 WITH MAGNET | 78,00 | 28 |
| F19225000 | KIT UPGRADE SELF SERVICE MC 2.0-LAN | KIT UPGRADE SELF SERVICE MC 2.0-LAN | 1150,00 | 8 |
| F19226000 | KIT UPGRADE SELF SERVICE FM 2.0-LAN | KIT UPGRADE SELF SERVICE FM 2.0-LAN | 2650,00 | 8 |
| HA20151200A | ARROTOLATORE APERTO 20B W/ 1/2" 15MT WAT/AIR | REEL OPEN 20B W/ 1/2" 15MT WAT/AIR | 400,00 | 21 |
| HA201512ALA | ARROTOLATORE APERTO 20B W/ 1/2" 15MT A/WS | REEL OPEN 20B W/ 1/2" 15MT A/WS | 457,00 | 21 |
| HA20153800A | ARROTOLATORE APERTO 20B W/ 3/8" 15MT WAT/AIR | REEL OPEN 20B W/ 3/8" 15MT WAT/AIR | 372,00 | 21 |
| HA40151400A | ARROTOLATORE APERTO 400B W/ 1/4" 15MT G. | REEL OPEN 400B W/ 1/4" 15MT G. | 418,00 | 21 |

| COD. | DESCRIZIONE | DESCRIPTION | PRICE | PAGE |
|---------------------------------------|---|--|--------|------|
| INDICE PER CODICE - INDEX CODE | | | | |
| HA40153800A | ARROTOLATORE APERTO 400B W/ 3/8" 15MT G. | REEL OPEN 400B W/ 3/8" 15MT G. | 457,00 | 21 |
| HA60101000A | ARROTOLATORE APERTO 60B W/ 1" 10MT OIL | REEL OPEN 60B W/ 1" 10MT OIL | 770,00 | 21 |
| HA60101200A | ARROTOLATORE APERTO 60B W/ 1/2" 10MT OIL | REEL OPEN 60B W/ 1/2" 10MT OIL | 372,00 | 21 |
| HA60151200A | ARROTOLATORE APERTO 60B W/ 1/2" 15MT OIL | REEL OPEN 60B W/ 1/2" 15MT OIL | 411,00 | 21 |
| HA60153400A | ARROTOLATORE APERTO 60B W/ 3/4" 15MT OIL | REEL OPEN 60B W/ 3/4" 15MT OIL | 745,00 | 21 |
| HA60201200A | ARROTOLATORE APERTO 60B W/ 1/2" 20MT OIL | REEL OPEN 60B W/ 1/2" 20MT OIL | 527,00 | 21 |
| HC20121400A | ARROTOLATORE CHIUSO 20B W/ 10X14 12MT WAT/AIR | REEL CLOSED 20B W/ 10X14 12MT WAT/AIR | 218,00 | 21 |
| HC20151200A | ARROTOLATORE CHIUSO 20B W/ 8X12 15MT WAT/AIR | REEL CLOSED 20B W/ 8X12 15MT WAT/AIR | 199,00 | 21 |
| HC40123800A | ARROTOLATORE CHIUSO 400B W/ 3/8 12MT G. | REEL CLOSED 400B W/ 3/8" 12MT G. | 446,00 | 21 |
| HC60121200A | ARROTOLATORE CHIUSO 60B W/ 1/2" 12MT OIL | REEL CLOSED 60B W/ 1/2" 12MT OIL | 398,00 | 21 |
| HN40151400A | ARROTOLATORE APERTO 400B WO 1/4" MAX 15M G. | REEL OPEN 400B WO 1/4" MAX 15M G. | 282,00 | 21 |
| HN40153800A | ARROTOLATORE APERTO 400B WO 3/8" MAX 15M G. | REEL OPEN 400B WO 3/8" MAX 15M G. | 282,00 | 21 |
| HN60151200A | ARROTOLATORE APERTO 60B W/O 1/2" MAX 15M OIL | REEL OPEN 60B W/O 1/2" MAX 15M OIL | 267,00 | 21 |
| HN60153800A | ARROTOLATORE APERTO 60B W/O 3/8" MAX 15M OIL | REEL OPEN 60B W/O 3/8" MAX 15M OIL | 265,00 | 21 |
| HN60201200A | ARROTOLATORE APERTO 60B W/O 1/2" MAX 20M OIL | REEL OPEN 60B W/O 1/2" MAX 20M OIL | 345,00 | 21 |
| NMT400000 | POMPA AMALFI 1 | AMALFI 1 PUMP | 160,00 | 13 |
| NMT400001 | POMPA AMALFI 2 | AMALFI 2 PUMP | 160,00 | 13 |
| NMT400003 | POMPA AMALFI 5 | AMALFI 5 PUMP | 230,00 | 13 |
| NMT450000A | POMPA GARDA 1 12V | GARDA 1 12V PUMP | 181,00 | 13 |
| NMT450001A | POMPA GARDA 1 24V | GARDA 1 24V PUMP | 181,00 | 13 |
| NMT450002A | POMPA GARDA 2 12V | GARDA 2 12V PUMP | 204,00 | 13 |
| NMT450003A | POMPA GARDA 2 24V | GARDA 2 24V PUMP | 204,00 | 13 |
| NMT450006 | POMPA GARDA 5 | GARDA 5 PUMP | 250,00 | 13 |
| NMT460000A | KIT GARDA 2 12V | KIT GARDA 2 12V | 220,00 | 13 |
| NMT460001A | KIT GARDA 2 24V | KIT GARDA 2 24V | 220,00 | 13 |
| R08308000 | KIT TUBO ASPIRAZIONE CON VALVOLA | KIT SUCTION HOSE W/VALVE-CAMBIAOLIO | 21,35 | 19 |
| R08309000 | KIT SONDE PER CAMBIAOLIO | KIT PROBES CAMBIAOLIO | 54,10 | 19 |
| R08930000 | KIT ATTACCO RAPIDO 2in x 1in COMPLETO | KIT QUICK COUPLING 2in x 1in | 35,00 | 22 |
| R09160000 | KIT ATTACCO RAPIDO 2in x 3/4in COMPLETO | QUICK COUPLING 2in x 3/4in | 35,00 | 22 |
| R09278000 | CONVERTITORE RS 232/485 + ADAPT. | CONVERTER RS 232/485 + ADAPT. | 224,16 | 28 |
| R10824000 | KIT COLLETTORE FLANGIATO + VITI + OR | KIT FLANGED + ELBOW + OR + SCREW | 10,11 | 25 |
| R11806000 | KIT SUPPORTO PISTOLA UNIFICATO | UNIVERSAL KIT NOZZLE SUPPORT | 20,83 | 24 |
| R12068010 | KIT CARRELLO SUZZARABLUE | SUZZARABLUE TROLLEY KIT | 313,00 | 29 |
| R12172000 | FLANGED TUBE 341mm | FLANGED TUBE 341mm | 40,79 | 25 |
| R1222800A | FLANGED TUBE 300mm | FLANGED TUBE 300mm | 40,45 | 25 |
| R12229000 | FLANGED TUBE 130mm | FLANGED TUBE 130mm | 37,08 | 25 |
| R12496000 | MANAGER KEY ROSSA | RED MANAGER KEY | 53,10 | 5 |
| R12737000 | KIT STAFFE A MURO CUBE | WALL KIT CUBE | 33,71 | 5 |
| R12738000 | KIT LUCCHETTO CUBE MC | KIT LOCK CUBE MC | 12,36 | 5 |
| R13251000 | KIT TUBO RACC+FLANG. SELF.S. TANK FM+MC | KIT CRIMPED FLANGED S.S.TANK FM+MC | 38,09 | 25 |
| R14861000 | CARTUCCIA BIODIESEL WATER SEP.70 L/M(\$) | CARTRIDGE BIODIESEL WATER SEP.70 L/M | 94,00 | 23 |
| R14862000 | CARTUCCIA BIODIESEL WAT.SEP 100 L/M (\$) | CARTRIDGE BIODIESEL WAT.SEP 100 L/M | 134,00 | 23 |
| R1512800A | ADATTATORE M/F 2" - S70x6 UREA | ADAPTER M/F 2" - S70x6 ADBLUE | 4,18 | 29 |
| R15452000 | CONNETTORE SEC + PORTAGOMMA 90° | SEC + HOSETAIL 90° | 25,44 | 29 |
| R15904000 | USER KEY GIALLA (N. 10PZ) IB-PIUSI | KIT Nr. 10 pcs USER KEY YELLOW | 128,00 | 5 |
| R17256000 | KIT PER K24 PIUSI BOX | K24 ASSEMBLY KIT FOR PIUSIBOX | 18,80 | 12 |
| R17299000 | VEHICLE KEY BLUE (N. 10PZ) IB-PIUSI | KIT Nr. 10 pcs VEHICLE KEY BLUE | 117,98 | 8 |
| R19172000 | KIT RICAMBIO SPOUT SB325 CON MAGNETE | KIT REPLACE SPOUT SB325 WITH MISFILLING | 58,00 | 28 |
| R19173000 | KIT RICAMBIO SPOUT SB325 SENZA MAGNETE | KIT REPLACE SPOUT SB325 WITHOUT MISFILLING | 28,00 | 28 |
| R19172000 | KIT RICAMBIO SPOUT SB325 CON MAGNETE | KIT REPLACE SPOUT SB325 WITH MISFILLING | 58,00 | 28 |
| R19173000 | KIT RICAMBIO SPOUT SB325 SENZA MAGNETE | KIT REPLACE SPOUT SB325 WITHOUT MISFILLING | 28,00 | 28 |

CONDIZIONI GENERALI DI VENDITA rev.01

Il presente documento contiene le condizioni generali di vendita (d'ora in avanti "Condizioni Generali") della soc. PIUSI S.p.a., con sede legale in Via Pacinotti 16/A, z.i., Rangavino, 46029, Suzzara (Mantova), Italia (di seguito per brevità "Venditore").

1. Oggetto

1.1 Le Condizioni Generali qui di seguito riportate regolano tutti i contratti di vendita da stipularsi tra il Venditore e il compratore destinatario della presente offerta (di seguito per brevità definito "Compratore") aventi ad oggetto i prodotti del Venditore (qui di seguito e per brevità definiti "Prodotti").

1.2 Deroghe o modifiche alle presenti Condizioni Generali saranno valide solo se espressamente accettate per iscritto dal Venditore ed avranno valore solo per le vendite a cui si riferiscono.

1.3 Pertanto, ogni disposizione, introdotta dal Compratore nell'ordine trasmesso al Venditore o in altro documento, che sia in contrasto o in aggiunta alle presenti Condizioni Generali, sarà considerata nulla e priva di effetto a meno che non venga esplicitamente accettata per iscritto dal Venditore.

2. Perfezionamento e Conclusione del Contratto

2.1 L'offerta del Venditore si intende valida per un periodo di trenta (30) giorni a decorrere dalla data della stessa, salvo eventuale diversa indicazione in essa contenuta circa il periodo di validità. Pertanto, il Venditore non sarà tenuto a prendere in considerazione eventuali ordini di acquisto pervenuti successivamente alla scadenza di tale termine.

2.2 L'ordine che il Compratore trasmette al Venditore a seguito dell'offerta dovrà contenere l'identificazione precisa dei Prodotti, delle quantità richieste ed ogni altro elemento essenziale per la conclusione del contratto di vendita, nonché l'espresso riferimento all'offerta medesima.

2.3 Il contratto di vendita si intende concluso quando il Compratore riceve la conferma scritta del proprio ordine da parte del Venditore. Detta conferma scritta potrà essere inviata anche via e-mail o fax. Nessun ordine sarà vincolante a meno che, e fintantoché, non venga accettato dal Venditore con conferma d'ordine scritta.

2.4 Eventuali agenti ed intermediari non impegnano in alcun modo il Venditore e qualsiasi ordine ricevuto dai suddetti agenti e intermediari si intende subordinato alla conferma d'ordine scritta da parte del Venditore.

3. Prodotti; Istruzioni

3.1 Le informazioni sui Prodotti contenute in cataloghi, listini, dépliant, siti web o altri documenti analoghi hanno valore puramente indicativo e non vincolano il Venditore se non sono esplicitamente richiamate nel contratto di vendita.

3.2 Il Venditore si riserva di cancellare alcuni Prodotti dai listini o di aggiungerne di nuovi.

3.3 Il Compratore è tenuta a fornire al Venditore tutte le informazioni ed i materiali che il Venditore dovesse ragionevolmente richiedergli al fine di fornire i Prodotti.

3.4 Il Venditore mette a disposizione le versioni originali dei manuali contenenti le istruzioni d'uso e manutenzione dei Prodotti.

Il Compratore, ove intenda commercializzare o comunque introdurre o mettere in servizio i Prodotti in Paesi con lingue ufficiali diverse da quelle messe a disposizione dal Venditore, si impegna ad effettuare a propria cura e spese la traduzione del manuale d'uso e manutenzione nelle lingue ufficiali dei Paesi in questione, facendo accompagnare le traduzioni dalle istruzioni originali come previsto dalla normativa comunitaria vigente.

4. Riserva di Proprietà

4.1 Le parti esplicitamente convengono che la vendita è effettuata con riserva di proprietà sui Prodotti a favore del Venditore e, quindi, il Compratore ne acquisirà la proprietà soltanto all'atto del pagamento integrale del prezzo complessivo concordato, oltre agli oneri accessori, ma ne assume i rischi dal momento della consegna come da art. 1523 del Codice Civile.

5. Prezzi

5.1 I prezzi di vendita sono quelli indicati nel listino in vigore al momento dell'offerta e sono calcolati "Ex Works" ("Franco Fabbrica") – sede del Venditore – imposta sul valore aggiunto esclusa; potranno altresì includere eventuali altri oneri e costi (ad es. costi di trasporto) se indicati in fattura. Salvo differente precisazione i prezzi indicati nei listini dei prezzi e nei cataloghi si intendono riferiti a "merce nuda" ovvero priva di alcun imballaggio.

5.2 Ferme restando le disposizioni precedenti di cui al punto 5.1, il Venditore si riserva la facoltà di modificare a propria discrezione il prezzo dei Prodotti con il varie dei costi delle materie prime, della manodopera e/o di altre componenti di costo connesse con il ciclo produttivo posto in essere dalla stessa.

6. Ordini

Il Venditore accetta solo ordini che abbiano un valore minimo di almeno 250,00 Euro.

7. Condizioni di pagamento

7.1 Le condizioni di pagamento sono indicate, di volta in volta, nella conferma d'ordine del Venditore inviata al Compratore per il singolo contratto di vendita.

7.2 Salvo patto contrario, tutti i pagamenti devono essere inviati al Venditore mediante bonifico bancario o assegno provenienti esclusivamente da conti correnti intestati al soggetto destinatario della fattura presso la banca indicata dal Venditore. I pagamenti potranno essere effettuati ad un incaricato soltanto se debitamente autorizzato, munito di mandato scritto che lo autorizzi a riscuotere l'ammontare dovuto per conto del Venditore nel rispetto della normativa in vigore.

7.3 E' inteso che eventuali reclami o contestazioni non danno diritto al Compratore di sospendere o comunque ritardare i pagamenti dei Prodotti oggetto di contestazione, né, tanto meno, di altre fatture.

7.4 In caso di mancato pagamento, in tutto o in parte, del prezzo di vendita ad una delle scadenze stabilite, il Venditore si riserva il diritto di porre a carico del Compratore, senza necessità di costituzione in mora, gli interessi moratori ai sensi del Decreto Legislativo n. 231 del 9 ottobre 2002 e successive modifiche, fino alla data dell'effettivo pagamento, fermo restando qualsiasi altro rimedio previsto a favore del Venditore dalle presenti Condizioni Generali e/o dalla legge.

7.5 Il mancato o parziale pagamento, anche di una sola fattura, attribuisce al Venditore la facoltà di sospendere ordini arretrati (back orders) o nuove consegne.

Qualora il mancato o parziale pagamento si protragga per un periodo di 30 (trenta) giorni dalla scadenza stabilita è attribuita al Venditore la facoltà di risolvere immediatamente il contratto di vendita fermo restando il diritto di ottenere il risarcimento del danno ivi incluso il rimborso delle spese legali connesse all'azione di recupero del credito, anche in via stragiudiziale.

8. Consegnna dei Prodotti

8.1 Salvo diverso accordo, documentato nella conferma d'ordine del Venditore, la consegna dei prodotti al Compratore avviene "Ex Works" Incoterms® ("Franco Fabbrica") presso la sede del Venditore.

8.2 I termini di consegna indicati dal Venditore o concordati tra le parti sono stabiliti a favore del Venditore ed hanno carattere indicativo, per cui eventuali ritardi non potranno dar luogo ad alcuna pretesa di risarcimento o di annullamento dell'ordine da parte del Compratore. Eventuali clausole penali per il ritardo nelle consegne non avranno alcuna efficacia nei confronti del Venditore. I termini di consegna si intendono decorrere dalla data della conferma d'ordine. Il Venditore si riserva il diritto di effettuare consegne parziali, nel momento e nella misura in cui singole parti del prodotto siano pronte per la consegna.

GENERAL CONDITIONS OF SALE rev.01

This document includes the general conditions of sale (hereinafter: "General Conditions") of PIUSI S.p.a., with registered offices at Via Pacinotti, 16/A, z.i. Rangavino, I-46029 Suzzara (Mantova, Italy) (hereinafter: "Seller").

1. Purpose

1.1 These General Conditions shall govern all contracts between Seller and the customer which is the intended addressee of this quotation (hereinafter: "Customer") for the sale of Seller's products (hereinafter: "Products").

1.2 No changes to these General Conditions are valid unless agreed upon by Seller in writing, and any such approved changes shall only apply to the individual sale contract they expressly refer to.

1.3 Therefore, any provision introduced by Customer in a purchase order or in a different document, which is in conflict with or in addition to these General Conditions, shall be deemed null and void unless Seller expressly accepts it in writing.

2. Contract Formation

2.1 Seller's quotations are valid for thirty (30) days as of quotation date, unless it is indicated otherwise in the same quotation. Therefore, Seller may disregard any purchase orders received after the above term.

2.2 All orders placed with Seller following a quotation, must include a precise description of the Products, quantities ordered and any other details required for the sale contract, as well as an express reference to the quotation.

2.3 A sale contract is formed upon receipt by Customer of Seller's written acceptance of the order. Such acceptance may be communicated also by e-mail or facsimile. No orders shall be binding unless and until accepted by Seller in writing.

2.4 Any orders collected by Seller's agents or middlemen are not binding and are subject to the Seller's written confirmation.

3. Products; Instructions

3.1 All Products' information contained in the Seller's catalogues, lists, leaflets, web sites, or any other similar documents are not binding upon the Seller, unless an express reference to them is included in the sale contract.

3.2 The Seller may at any time delete any Products from the lists or modify any Products.

3.3 The Customer shall provide the Seller with any information as reasonably requested by the Seller in order to supply the Products.

3.4 The Seller shall provide original instructions for the use and maintenance of the Products. Whenever the Customer intends to distribute, import or install Products in countries whose official languages are different from those of the Seller's original instructions, the Seller shall translate such instructions in the official languages of the countries in question at the Customer's sole care and costs; and Customer shall provide such translations together with the original instructions as stated by the EU then-applicable rules.

4. Retention of title

4.1 The parties hereby expressly agree that sales are made on a retention of title basis. Therefore, the Purchaser shall acquire ownership on the Product purchased only when payment of the price is received in full by the Seller. However, the Purchaser assumes any risks connected with the Product from the time of delivery, according to article 1523 of the Italian Civil Code.

5. Prices

5.1 Sale prices shall be as shown in the price list in force on the quotation date, and shall be calculated "Ex Works" Seller's headquarters. Sale prices are exclusive of V.A.T.. They may include those other duties or taxes upon the sale contract (e.g. transportation costs) as specified in the invoice. Unless otherwise indicated, prices shown in lists and catalogues are intended for goods only, exclusive of packaging.

5.2 Without prejudice of Section 5.1 above, Product prices may be changed by the Seller at its sole discretion as a consequence of changes in cost of raw materials, labor costs and/or other production costs.

6. Orders

Seller may not accept orders for less than € 250,00.

7. Payment terms

7.1 Payment terms are specified in the order confirmation as sent by the Seller from time to time for each sale contract.

7.2 Unless agreed otherwise, all payments must be made by bank transfer or cheque originating from bank accounts of the addressee of Seller's invoice. Payments shall be made to the Seller's bank account as specified by the Seller. Payments may be made to persons acting on the Seller's behalf, only if such persons have been duly authorized in writing by Seller to collect the amount due in accordance with the laws in force.

7.3 Any claims concerning Products shall not entitle Customer to suspend or delay payments for the same or other supplies.

7.4 In case of payment delays, Seller reserves the right to charge Customer with interest without the need to formally place Customer in default. Interest shall be calculated in accordance with the Italian Legislative Decree no.231 of 9 October 2002 and subsequent modifications, until the amounts due are actually paid, without prejudice to any further right or remedy the Seller may have according to these General Conditions and/or the applicable laws.

7.5 If payments are omitted or delayed, even on a single invoice, Seller may suspend processing back orders or new supplies.

Payment delays exceeding 30 (thirty) days of the due date, shall entitle Seller to immediately terminate the sale contract without prejudice to the Seller's right to claim damages, which damages shall include, but shall not be limited to, reimbursement of the attorney's and/or court fees borne by the Seller in connection with a credit collection action, including out of court collection attempts.

8. Product Delivery

8.1 Unless otherwise agreed and shown in the Seller's order confirmation, Products are delivered "Ex Works" ICC Incoterms® at the Seller's place of business.

8.2 Delivery dates, whether indicated by Seller or agreed upon, shall be considered as estimates only. Therefore, any delay in delivery shall not entitle the Customer to cancel an order nor claim damages from the Seller. Penalty clauses for delayed deliveries shall have no effect towards Seller. Delivery terms shall start from the order confirmation date. The Seller reserves the right to effect partial deliveries, as and when the parts are ready for dispatch.

8.3 In any case, the Seller shall have no liability whatsoever if delivery terms are exceeded due to a force majeure event according to Article 11 hereto, or by Customer's actions or omissions (including, but not limited to, failure to provide Seller with the necessary requirements for the supply of Products).

8.4 The Customer may, in writing, ask the Seller to appoint a carrier or a forwarder to collect the Products on the Customer's behalf. If the Seller accepts, any such carrier or forwarder shall be considered as appointed directly by the Customer. As a consequence, the Customer shall be entirely responsible for any risks and expenses in connection therewith.

8.5 Whatever the delivery term agreed upon, all risks related to the Products shall pass to the Customer on delivery of the Products to the first carrier. All such risks shall also pass to the Customer in case the Customer delays in collecting the Products when ready for collection, and the

CONDIZIONI GENERALI DI VENDITA rev.01

8.3 I suddetti termini di consegna sono in ogni caso superati dal sopravvenire di eventuali cause di forza maggiore (per le quali si rinvia all'art. 11) o da atti od omissioni del Compratore (quali, a titolo esemplificativo ma non esaustivo, la mancata comunicazione di indicazioni necessarie per la fornitura dei prodotti).

8.4 Qualora il Compratore richieda al Venditore di incaricare del ritiro e del trasporto un vettore o spedizioniere, dovrà farlo per iscritto e, qualora il Venditore accetti, il vettore o spedizioniere si intenderà come incaricato direttamente dal Compratore con rischi e spese a suo carico.

8.5 Dal momento della consegna dei Prodotti al primo trasportatore, a prescindere dal termine di resa concordato, come anche nel caso in cui il Compratore ritardi nel ritirare i Prodotti posti a sua disposizione dal Venditore, tutti i rischi relativi ai Prodotti si trasferiscono al Compratore, sul quale restano, altresì, a carico le spese di magazzinaggio, custodia ed assicurazione o quant'altro.

9. Reclami alla consegna

Il Compratore è tenuto ad ispezionare con cura i Prodotti consegnati al più presto dopo la ricezione degli stessi. Eventuali reclami relativi all'imballaggio, alla quantità, numero o caratteristiche esteriori dei Prodotti (vizi apparenti), dovranno essere notificati al Venditore mediante lettera raccomandata A/R, a pena di decadenza, entro 8 (otto) giorni dalla data di ricevimento dei Prodotti sotto pena di decadenza dalla garanzia. Contestualmente, le parti difettose debbono essere restituite con spese di trasporto ed assicurazione a carico del Compratore. Il Compratore dovrà specificare il reclamo in una nota separata e dovrà menzionare la fattura del Venditore (indicando data e numero della fattura) cui le parti restituite si riferiscono. L'omessa tempestiva notifica del difetto e restituzione della parte difettosa, comporteranno decadenza del Compratore da ogni azione volta a far valere i suddetti difetti.

10. Garanzia

10.1 Il Venditore garantisce che i Prodotti venduti hanno le qualità essenziali per l'uso a cui sono destinati secondo le specifiche tecniche del Prodotto e la conferma d'ordine e sono conformi alla legge italiana nonché alla normativa UE eventualmente applicabile. Il Compratore assume interamente su di sé ogni e qualsiasi responsabilità in merito all'accertamento della conformità del Prodotto alla normativa legale e regolamentare del Paese nel quale il Prodotto stesso debba essere da lui rivenduto e/o dove debba essere utilizzato, obbligandosi a manlevare e tenere indenne il Venditore da ogni e qualsivoglia danno e passività derivanti dall'eventuale mancanza di conformità del Prodotto a dette normative.

10.2 Il Venditore presta garanzia per vizi e difetti eventuali dei Prodotti, per il periodo di 24 (ventiquattro) mesi dalla consegna dei Prodotti "Ex Works" (Franco Fabbrica) (sede del Venditore).

10.3 La suddetta garanzia copre tutti i difetti che compaiano nel Prodotto a seguito di un uso normale dello stesso, derivanti esclusivamente da difetti nei materiali o nella manodopera.

10.4 La garanzia si intende unicamente a favore del Compratore e non può essere estesa ad eventuali acquirenti successivi dei Prodotti, né a terzi in generale.

10.5 Per la validità della garanzia prestata dal Venditore, al fine di ottemperare alle norme comunitarie e/o nazionali applicabili ai Prodotti e per tutto il periodo d'uso dei Prodotti medesimi, il Compratore deve attenersi scrupolosamente alle indicazioni contenute nelle istruzioni d'uso e manutenzione fornite dal Venditore nonché deve garantire una formazione adeguata del suo personale, o terzi se da Compratori incaricati, affinché detto personale svolga le operazioni di installazione, montaggio, smontaggio e riparazione dei Prodotti in modo tale da non arrecare danni a cose e/o persone ed operi in conformità alle normative comunitarie e quelle eventualmente più dettagliate presenti nello stato in cui vengono messi in servizio i Prodotti. Sempre per la validità della garanzia prestata dal Venditore, al fine di ottemperare alle norme comunitarie e/o nazionali applicabili ai Prodotti, il Compratore, per i prodotti con certificazione ATEX, IECEX, UL CLASSIFIED, UL LISTED, destinati all'impiego in zone a rischio esplosione, deve dotarsi di una struttura organizzativa/aziendale atta a garantire la loro tracciabilità. La garanzia non si applica se il Compratore non è in regola con i pagamenti, se non ha installato i Prodotti in piena conformità alle istruzioni presenti sul manuale d'uso e manutenzione del prodotto, se ha apportato modifiche o se ha manomesso o danneggiato i Prodotti o li ha utilizzati per scopi diversi dalla loro normale destinazione d'uso, così come in tutte le ipotesi di danno o di mancato funzionamento scaturenti da colpa o negligenza del Compratore, dei suoi dipendenti e ausiliari o di terzi in genere, ivi compresa l'errata installazione, manutenzione o riparazione. Il Compratore deve altresì garantire, per i motivi di cui sopra, che il proprio personale, o terzi dallo stesso delegati, abbiano le conoscenze tecniche necessarie in merito alle caratteristiche essenziali dei dispositivi di protezione che possono essere montati nei Prodotti per evitare danni a cose e/o persone e, segnatamente, per evitare l'insorgere di rischi derivanti dall'uso dei Prodotti o, se sorti, tempestivamente circoscriverli ed eliminarli. Il Compratore, in ogni caso, si impegna a tenere indenne e manlevare da eventuali richieste di danni e/o sanzioni amministrative il Venditore, qualora quest'ultime derivino dalla violazione da parte del Compratore degli obblighi sullo stesso gravanti, così come enunciati nel presente articolo.

10.6 La garanzia del Venditore non copre eventuali danni dovuti a parti soggette ad usura. La garanzia del Venditore non copre nemmeno eventuali danni dovuti ad errato magazzinaggio nei casi di Prodotti in tutto o in parte tenuti in magazzino dal Compratore prima dell'installazione, dell'uso o della rivendita agli acquirenti finali.

10.7 Fermo restando quanto disciplinato dall'art. 9 delle presenti Condizioni Generali (Reclami alla consegna) il Compratore è tenuto a denunciare al Venditore per iscritto la presenza di eventuali vizi riscontrati nel Prodotto entro 8 (otto) giorni dalla scoperta e, in ogni caso, non oltre il periodo di garanzia di cui all'art.10.2.

10.8 Tale denuncia deve essere effettuata con lettera raccomandata A/R anticipata via fax. Qualsiasi denuncia dei difetti dovrà specificare con precisione il difetto riscontrato ed i Prodotti cui esso si riferisce. E' esclusa ogni diversa forma di denuncia soprattutto a mezzo telefono o a mezzo agente o rappresentante.

10.9 In mancanza di tempestiva denuncia come sopra, il Compratore si intenderà decaduto da qualsiasi diritto ed azione per far valere la garanzia del Venditore in base alle presenti Condizioni Generali e/o alla legge.

10.10 Il materiale difettoso, previa autorizzazione, dovrà essere recapitato a cura del Compratore presso la sede del Venditore per i necessari controlli. Tutti i Prodotti inviati per riparazione o sostituzione del prodotto in garanzia dovranno pervenire al Venditore con trasporto prepagato a carico del Compratore e dovranno essere spediti al seguente indirizzo: PIUSI S.p.A., z.i. Rangavino - Via Pinfari 2A/2B, 46029 Suzzara, (MN), Italy.

Il materiale inviato senza previa autorizzazione da parte del Venditore e/o con trasporto non prepagato non sarà ritirato.

Le parti difettose diverranno di proprietà del Venditore a seguito della sostituzione.

Nel caso di un eventuale reso di merce nuova e ancora in produzione, si precisa che il reso stesso potrà avvenire solo con il trasporto prepagato e solo con autorizzazione scritta da parte del Venditore.

10.11 Qualora il controllo presso la sede del Venditore dimostri l'esistenza del difetto denunciato, il Venditore, a suo insindacabile giudizio, potrà sostituire il Prodotto difettoso o, in alternativa, eliminare i vizi. L'eventuale sostituzione del Prodotto difettoso avverrà "Ex Works" (Franco Fabbrica). Il Venditore si riserva il diritto di valutare un eventuale accredito che comunque non potrà mai essere superiore al 70% del valore originariamente fatturato.

10.12 La garanzia concessa in base al presente articolo è da intendersi esclusiva e sostituisce ogni e qualsiasi altra forma eventuale di garanzia, sia essa prevista da norme di legge o da consuetudini commerciali.

GENERAL CONDITIONS OF SALE rev.01

Customer shall also bear any and all charges of storage, care and insurance, or others applicable.

9. Complaints on faulty delivery

The Customer shall carefully inspect any Products delivered as soon as practicable after receipt thereof. Any complaints relating to packaging, quantity, number or external features of Products (apparent defects), must be notified to the Seller by registered mail with return receipt, and the defective parts must be returned in their original packing, insurance and carriage prepaid, no later than eight (8) days as from receipt of the Products. The Customer shall specify the claim in a separate note and shall mention the Seller's invoice (by invoice date and number) to which the returned parts pertain. Failure to timely notify the defect and to return the faulty parts, will result in forfeiture of the Customer's rights to claim the above defects.

10. Product Warranty

10.1 Seller hereby warrants that Products are suitable for the intended use according to the technical specifications and the order confirmation terms, and comply with the Italian laws and EU regulations where applicable. The Customer shall be fully responsible for the Product's compliance with any legal and regulatory requirements applicable in the country where the Customer is to resell the Product and/or in the country where the Product is to be used. The Customer shall indemnify and hold the Seller harmless from and against any and all damages and losses arising out from the Product's failure to comply with such legal and regulatory requirements.

10.2 Seller's warranty for Product defects is of 24 (twenty four) months as of the "Ex Works" delivery date.

10.3 Seller's Product warranty is for any defects in materials or workmanship appearing in Products used in normal conditions.

10.4 Seller's warranty is only intended for Customer and may not be extended to any other customers or third parties.

10.5 As a condition for Customer to invoke Seller's warranty, and in order to comply with the applicable Italian and EU regulations, Customer shall for the whole period of use of the Products, carefully follow the instructions contained in the user and maintenance manuals as supplied by Seller. Further, Customer shall appropriately instruct its own personnel or third parties appointed by the Customer, to the installation, assembling, disassembling and repair of Products in such a way to avoid damages to persons or objects, making sure that such personnel always work in compliance with EU regulations including the implementing regulations in force in the countries where Products are used. As an additional condition for the validity of Seller's warranty, and to comply with the applicable Italian and EU product regulations, Customer shall, in relation to Products with ATEX, IECEX, UL CLASSIFIED, UL LISTED certifications, which are intended for use in zones at risk of explosion, maintain an appropriate organizational structure in order to ensure the traceability of such products. Seller's warranty shall not apply if Customer is not up-to-date with payments, or has not installed Products in full compliance with the user and maintenance manuals, or has modified or damaged Products, or has used them for purposes different from their normal destination, as well as in any other cases where damages or improper functioning are caused by fault or negligence of Customer, its personnel or third parties, including but not limited to improper installation, maintenance, repairs. Customer must also ensure, for the above purposes, that its own personnel, and/or third parties appointed by it, have the necessary technical knowledge with regard to the essential features of protection devices which can be installed on the Products in order to prevent damages occurring to persons or objects, particularly in order to prevent, reduce or eliminate damages connected with the use of Products. In any case, Customer shall indemnify and hold Seller harmless from and against any claims for damages and/or fines or sanctions from any authorities, arising from violations by Customer of its duties arising hereunder.

10.6 Seller's warranty does not cover any damages occurring to parts subject to wear and tear, or caused by improper storage whenever Products are in whole or in part stored by Customer before installation, use or resale to the final customers.

10.7 Without prejudice to Article 9 of these General Conditions (Complaints on faulty delivery), the Customer shall notify any Product's defects within 8 (eight) days from the date of discovery and, in any case, not beyond the warranty term as per Article 10.2.

10.8 Any claim must be made by facsimile confirmed by registered mail with return receipt. Also, any claim must specify the type of defect discovered and the Product(s) it refers to. Any other form of notification, e.g. by telephone or through an agent, shall not be valid.

10.9 Failing such timely notification, any Customer's rights to enforce any Seller's warranties under these General Conditions or the applicable laws shall be forfeited.

10.10 The Customer shall, after obtaining Seller's return authorization, ship the defective Product(s) to the Seller for inspection. Shipping costs for said authorized returns shall be borne by the Customer. Address for shipping is: PIUSI S.p.A., z.i. Rangavino – Via Pinfari 2A/2B, 46029 Suzzara, (MN), Italy.

Any materials shipped without Seller's prior authorization and/or without pre-payment of shipping costs, shall not be collected.

The defective parts shall become the Seller's property after their replacement.

If goods to be returned are new and still in production, return is subject to both pre-payment of shipping expenses and Seller's prior written authorization.

10.11 If testing at the Seller's warehouse proves the existence of the claimed defects, the Seller shall, in its sole judgment, either replace the defective Product(s) or correct the defects. Any replaced Product(s) shall be delivered "Ex Works". Seller may at its sole discretion credit an amount not exceeding 70% of the originally invoiced price.

10.12 The Seller's warranty under this article is the sole warranty to the Customer and replaces any other kind of warranties, provided for by laws and by commercial customs.

10.13 Any liability of the Seller for damages whatsoever arising from the Products, regardless of the type of damages (direct, indirect, consequential or else) and the type of liability (for contract, negligence, tort, strict liability or else) is hereby expressly excluded except in cases of Seller's fraud or gross negligence.

10.14 The Customer may not suspend or delay payments for any reason, nor claim damages or reduction of the Products' price. The Customer may not offset any payment due to the Seller with any sums that the Customer reckons it should receive for any reason.

11. Force Majeure

11.1 In any case, Seller shall not be responsible or liable to Customer for breach of these General Conditions or a sale contract, if compliance is impossible or extremely burdensome because of unforeseen events not attributable to Seller, including but not limited to: fire, flood, earthquake, explosions, accidents, war, riots, sabotage, epidemics, quarantine restrictions, strikes, transport blocks, shortage of energy, raw materials or machinery for producing Products, natural events or acts of any public authority.

11.2 Whenever a force majeure event prevents or delays delivery of Products to Customer or the performance of any other Seller's duties for a term exceeding six (6) consecutive months, Seller shall be entitled to terminate the sale contract without any liability towards Customer, without prejudice to Articles 1463 and following, and Article 1467 and following, of the Civil Code.

12. Acceptance and conditions

12.1 Purchase orders may be accepted only in writing, including by electronic form.

12.2 Issuance of a purchase order shall mean acceptance of these general sale conditions, and waiver of any Customer's terms and conditions.



Segue alla pagina successiva >>>

See next page >>>



Fluid Handling
Innovation

CONDIZIONI GENERALI DI VENDITA rev.01

- 10.13** Di conseguenza, è espressamente esclusa qualsiasi responsabilità del Venditore, contrattuale e/o extracontrattuale, per danni diretti o indiretti derivanti dai Prodotti forniti, fatti salvi esclusivamente i casi di dolo o colpa grave.
- 10.14** E' altresì espressamente esclusa qualsiasi facoltà del Compratore di sospendere o ritardare pagamenti in caso di reclami, nonché di operare autonomamente riduzioni di prezzo e/o compensazioni tra gli importi dovuti dal Compratore medesimo a titolo di prezzo dei Prodotti e somme che quest'ultimo ritenga a lui dovute a qualsiasi titolo.

11. Forza Maggiore

- 11.1** In ogni caso, il Venditore non sarà responsabile nei confronti del Compratore per l'inadempimento di qualsivoglia clausola delle presenti Condizioni Generali e/o del contratto di vendita, qualora l'adempimento sia reso impossibile o eccessivamente oneroso a causa di eventi imprevedibili ad esso non imputabili. Tra tali eventi sono da considerarsi inclusi, a titolo esemplificativo ma non limitativo, i seguenti: incendi, inondazioni, terremoti, esplosioni, incidenti, guerre, rivolte, insurrezioni, sabotaggi, epidemie, restrizioni per quarantena, scioperi, mancanza di mano d'opera, blocchi di trasporto, carenza di energia, mancanza di materie prime o di macchinari per la produzione dei Prodotti, eventi naturali ed atti di qualsiasi pubblica autorità, anche straniera.
- 11.2** Qualora una causa di forza maggiore impedisca o ritardi la consegna dei Prodotti al Compratore o l'esecuzione di una qualsiasi altra obbligazione del Venditore per un periodo superiore a sei (6) mesi consecutivi, il Venditore avrà la facoltà di risolvere il contratto di vendita senza alcuna responsabilità di sorta nei confronti del Compratore, fatte salve le previsioni di legge di cui agli artt. 1463 e ss. e 1467 e ss. c.c.

12. Accettazione e condizioni

- 12.1** Gli ordini verranno accettati solo in forma scritta, anche se in formato elettronico.
- 12.2** L'emissione dell'ordine sancisce l'accettazione delle precedenti condizioni generali di vendita confermate dalla parte acquirente che rinuncia ad eventuali proprie condizioni generali di acquisto considerate singolarmente o nel loro complesso.

13. Segni Distintivi dei Prodotti

- 13.1** Il Compratore si impegna a non cancellare o rimuovere i marchi e gli altri segni distintivi o di identificazione apposti sui Prodotti.
- 13.2** Rimane inteso che, né con le presenti Condizioni Generali, né con i singoli contratti di vendita, vengono concessi al Compratore diritti di sorta (a titolo di licenza o a qualsiasi altro titolo) sui segni distintivi del Venditore. Qualsiasi utilizzo da parte del Compratore di segni distintivi del Venditore è da ritenersi vietato, salvo preventiva autorizzazione scritta in tal senso da parte del Venditore.
- 13.3** Il Compratore dovrà astenersi dal porre in essere qualsiasi comportamento che possa creare confusione negli utilizzatori o comunque sminuire il valore del marchio Piusi: a titolo esemplificativo ma non esauritivo, il Compratore non potrà vendere e pubblicizzare Prodotti a marchio Piusi in abbinamento a prodotti e marchi di terzi senza previa autorizzazione scritta del Venditore, autorizzazione che potrà essere concessa o negata ad esclusiva discrezione del Venditore.

14. Risoluzione del contratto di vendita

- 14.1** Il Venditore ha diritto di risolvere immediatamente il contratto di vendita concluso sulla base delle presenti Condizioni Generali, oltre che nei casi espressamente previsti dalle presenti Condizioni e dalla normativa applicabile, qualora intervenga qualsiasi modifica nelle condizioni economiche del Compratore che ne comprometta la capacità di soddisfare le proprie obbligazioni o nel caso in cui il Compratore sia posto, a titolo d'esempio, in liquidazione, sia sottoposto a fallimento o ad altre procedure concorsuali.
- 14.2** In tal caso il Venditore avrà diritto di chiedere l'intero pagamento in un'unica soluzione di quanto ancora dovuto dal Compratore nei limiti consentiti dalla legge.

15. Diritti di proprietà industriale ed intellettuale

- Il Venditore è e rimane l'esclusivo titolare di tutti i diritti di proprietà industriale ed intellettuale connessi con i Prodotti forniti, ivi incluse loro singole parti e la documentazione. E' fatto assoluto divieto al Compratore di produrre e/o commercializzare e/o pubblicizzare prodotti di terzi che costituiscano imitazioni dei Prodotti Piusi. In caso di violazione, il Venditore avrà la facoltà di interrompere con effetto immediato qualsiasi fornitura al Compratore, fatti salvi ogni ulteriore diritto ed azione.

16. Autonomia

- Qualora una qualsiasi clausola delle presenti Condizioni Generali sia considerata invalida o inefficace, tale invalidità o inefficacia non comprometterà la validità delle altre clausole che continueranno ad avere piena efficacia.

17. Legge Applicabile

- Le presenti Condizioni Generali, nonché qualsiasi contratto di vendita concluso tra il Venditore ed il Compratore, saranno regolati ed interpretati in conformità alla legge italiana.

18. Incoterms®

- L'uso del termine "Ex Works" (Franco Fabbra) nelle presenti Condizioni Generali, così come qualsiasi eventuale diverso termine di resa concordato tra Venditore e Compratore, sarà interpretato in conformità agli INCOTERMS® della Camera di Commercio Internazionale (CCI) in vigore alla data della conclusione del contratto di vendita.

19. Giurisdizione e Foro Competente

- 19.1** Per ogni e qualsiasi controversia derivante dalle presenti Condizioni Generali e dai contratti di vendita conclusi sulla base delle stesse, la giurisdizione esclusiva sarà quella italiana e la competenza apparirà in via esclusiva al Foro di Mantova.

- 19.2** In espressa deroga all'art. 18.1, si conviene espressamente la facoltà del Venditore, in alternativa a quanto sopra ed a propria esclusiva discrezione, di convenire il Compratore dinanzi al Foro competente presso la sede d'affari di quest'ultimo.

20. Conferimento e trattamento di dati personali

- Il D.Lgs. n. 196 del 30/06/2003 prevede la tutela delle persone e di altri soggetti rispetto al trattamento dei dati personali. Il trattamento è improntato ai principi di correttezza, liceità, trasparenza e tutela della riservatezza di colui che conferisce i propri dati personali.

Ai sensi dell'art. 13 D.Lgs. 196/2003 con riferimento ai dati personali comuni e sensibili che si intendono fare oggetto di trattamento, si forniscono le seguenti informazioni:

- a) Finalità del trattamento: archivio contabilità, archivio commerciale, archivio ufficio tecnico.
I dati vengono raccolti e trattati per provvedere agli adempimenti contabili, fiscali, commerciali e tecnici obbligatori connessi all'attività economica del Venditore ed ai rapporti contrattuali da questo intrapresi.
- b) Modalità di trattamento: gestione manuale ed informatizzata.
- c) Conferimento dei dati: obbligatorio per permettere il regolare flusso di dati contabili, fiscali e tecnici; l'eventuale rifiuto potrebbe comportare la mancata o parziale esecuzione del contratto.
- d) Comunicazione e diffusione: i dati potranno essere comunicati dal Venditore ad eventuali altri soggetti esterni per lo svolgimento delle attività tecniche, commerciali, adempimenti fiscali, gestione di incassi e pagamenti derivanti dall'esecuzione dei contratti e ad altri soggetti secondo la legge.
- e) L'interessato gode dei diritti di cui all'art. 7 del D.Lgs. 196/2003.
- f) Titolare del trattamento dei dati è la società Piusi S.p.A., Via Pacinotti 16/A, z.i., Rangavino, 46029, Suzara (Mantova), Italia.
- g) Il responsabile del trattamento è indicato nel DPS aziendale in vigore.
- La sottoscrizione dell'ordine autorizza anche il trattamento dei dati personali per lo svolgimento dei rapporti contrattuali in riferimento all'informatica ricevuta.

GENERAL CONDITIONS OF SALE rev.01

13. Trademarks

- 13.1** The Customer undertakes not to cancel, remove or damage any of the trademarks, logos or names placed upon the Products.
- 13.2** Nothing contained in these General Conditions or in the sale contract shall be construed as granting Customer any rights, whether by license or otherwise, upon the Seller's trademarks. Any use of the Seller's trademarks by Customer is therefore excluded, unless with the Seller's prior written consent.

- 13.3** The Customer shall refrain from taking any action which may cause confusion to the users or anyway diminish the Piusi trademark's value and reputation. The Customer may not sell or advertise Products bearing the Piusi trademark in conjunction with third parties' products and trademarks without the Seller's prior written consent, and such consent may be freely granted or denied by the Seller in its sole discretion.

14. Termination of the sale contract

- 14.1** Without prejudice to other provisions of these General Conditions and the applicable laws, Seller shall be entitled to terminate immediately the sale contract, (i) if a change in the Customer's financial conditions occurs, in such a way that, in the Seller's judgment, payments due to Seller are at risk, or (ii) if the Customer files a petition in bankruptcy, or is adjudicated bankrupt, or takes advantage of the insolvency laws of any jurisdiction.

- 14.2** In the above cases the Seller shall be entitled to request the entire payment of the sums still due by the Customer in one amount as permitted by the laws.

15. Intellectual Property Rights

- Any and all intellectual property rights connected with the Products, including any individual parts thereof and any documentation pertaining thereto, belong solely to the Seller.
It is absolutely prohibited for the Customer to manufacture and/or sell and/or advertise any third parties' products which may be confusingly similar to Piusi Products. In case of breach, the Seller may immediately suspend any supplies to the Customer, without prejudice to any further rights and remedies.

16. Severability

- Should any of these General Conditions be declared void or unenforceable by a court of competent jurisdiction, the remainder of these General Conditions and the sale contract shall not be affected thereby and shall continue to be fully valid and enforceable.

17. Governing laws

- These General Conditions and any sale contract between Seller and Customer shall be governed by the laws of Italy.

18. Incoterms®

- The use of "Ex Works" in these General Conditions, or any other delivery terms as may be agreed upon between Seller and Customer, shall be interpreted according to the INCOTERMS® of the International Chamber of Commerce (ICC) as in force on the date the sale contract is made.

19. Jurisdiction and venue

- 19.1** The courts of Mantua (Italy) shall have the exclusive jurisdiction on any and all disputes arising from these General Conditions or from any contract of sale between Seller and Buyer.

- 19.2** As an express deviation from Article 19.1, it is hereby expressly agreed that Seller may, alternatively and at its sole discretion, sue Customer before the courts of Customer's domicile.

20. Personal data

- Legislative Decree (D. Lgs.) n. 196 of 30/06/2003 provides for the protection of individuals and other persons with regard to the treatment of personal data. Such treatment has to be consistent with principles of fairness, lawfulness, transparency and protection of confidentiality of the person providing his own personal data.

In accordance with Article 13 of D.Lgs. 196/2003 and with reference to the "ordinary" and "sensitive" personal data which are intended to be treated, the following information is hereby provided:

- a) Purposes of treatment: accounting data bases, commercial data bases, technical department data bases.

Personal data will be collected and managed in order to accomplish mandatory duties of accounting, tax, commercial and technical nature in connection with the Seller's business and with contractual commitments undertaken by Seller.

- b) How data are treated: manually and by computer.

- c) Provision of personal data: it is mandatory in order to allow the regular flow of accounting, tax and technical information; refusal to provide data may lead to failure or partial performance of the contract.

- d) Communication and divulgence: personal data may be communicated by Seller to outside third parties providing technical, commercial tax services, collection and management of payments arising from contract performance, and to other third parties in compliance with the law.

- e) The person concerned is entitled to exercise the rights set forth by Art. 7 of D.Lgs. 196/2003.

- f) Owner of the data treatment is the company Piusi S.p.A., with offices in Via Pacinotti 16/A, z.i., Rangavino, 46029, Suzara (Mantova), Italy.

- g) Responsible for the treatment is indicated in the current "DPS" (policy document on privacy) for the company.

By sending a purchase order, Customer also authorizes his data to be treated for the performance of the contract in relation to which information under the privacy protection rules is received.

LICENZA D'USO SOFTWARE

Leggere con attenzione questo avviso prima di procedere con il download, l'installazione e l'uso di questo programma. Eseguendo un clic sul pulsante con la scritta "continua" dichiarate di ritenervi legati dai termini di questo accordo che costituisce un contratto dal valore legale tra chi concede la licenza (d'ora in poi "Piusi SpA") e chi la assume in carico.

1. Definizioni

1.1 In questo accordo per programma si intende il programma per computer e tutto quanto vi è collegato, il materiale stampato, la documentazione che può essere on line o stampata ed il software compreso nel pacchetto.

1.2 Il programma è protetto dalle norme di legge e dai trattati internazionali sulla proprietà intellettuale. La proprietà e lo sfruttamento economico del programma (compresi i copyright, i marchi di fabbrica, i diritti riguardo i brevetti o qualunque altra proprietà intellettuale di qualunque natura) e tutte le copie che ne derivano rimarranno di Piusi SpA.

2. Termini contrattuali

Il programma viene concesso esclusivamente in licenza di uso per poter essere utilizzato secondo i termini di questo accordo.

2.1 Installando, copiando o in altro modo usando il programma, voi vi dichiarate d'accordo con quanto descritto in questo accordo.

In caso di disaccordo è fatto divieto di usare il programma e dovete immediatamente cancellare qualunque copia del programma risulti in vostro possesso.

3. Diritti ed obblighi

3.1 Il contratto è stipulato in modo personale e non trasferibile ed è strettamente connesso all'utilizzo dei prodotti Piusi s.p.a. E' pertanto fatto divieto di cessione del presente contratto.

3.2 Il mancato rispetto delle clausole, contrattuali determina la cessazione del contratto senza responsabilità alcuna per Piusi s.p.a.

3.3 E' vostro diritto risolvere il presente contratto in qualsiasi momento cessando l'utilizzo del programma e con relativo obbligo di cancellare immediatamente qualunque copia del programma risulti in vostro possesso.

4. Altri diritti ed obblighi

4.1 Tranne che per quanto espressamente espresso in questo Accordo non è concesso di copiare, riprodurre, pubblicare, affittare, cedere in leasing, modificare, creare delle opere derivate del Programma compresa l'esportazione e non vi è concesso di togliere le note relative alla proprietà identificativa o marchi del Programma.

5. Diritti di proprietà intellettuale

5.1 Il Programma è protetto dalle norme sul copyright ed altre leggi sulla proprietà intellettuale e da trattati internazionali.

6. Garanzia limitata

6.1 La garanzia viene fornita sul programma così com'è, senza alcuna altra garanzia di alcun genere, implicita o espresa.

In particolare Piusi SpA non garantisce che le operazioni eseguite dal programma saranno prive di errore.

6.2 Piusi SpA non garantisce l'utilizzo del Programma nei termini della sua affidabilità, accuratezza, attualità o quant'altro.

La durata del periodo di garanzia richiesta dalle norme sarà limitata nei termini della garanzia limitata.

7. Esclusioni della responsabilità per perdite derivanti.

7.1 in nessuna circostanza Piusi SpA o chiunque altro sia stato coinvolto nella creazione, produzione, commercializzazione o consegna del Programma sarà considerato responsabile per danni accidentali o che possono conseguire dall'utilizzo o dalla vostra impossibilità di usare il Programma, compresi, senza limitazioni, danni per perdite di profitto aziendale, interruzione del lavoro, perdita di informazioni aziendali, problemi con il computer o qualunque altro danno di alcun genere anche se è stata avvisata della possibilità di tali danni.

8. Limitazione di responsabilità

8.1 La responsabilità di Piusi SpA non potrà mai essere superiore al prezzo da voi pagato per il programma.

9. Politica di aggiornamento

9.1 Piusi SpA può di tanto in tanto aggiornare la versione di questo programma e può, a sua opzione, rendere questo aggiornamento disponibile per il vostro uso.

10. Termini generali

10.1 La legge e la giurisdizione applicabile al presente contratto è la legge italiana ed il foro esclusivamente competente è il Tribunale di Mantova.

10.2 Comunque se una o più clausole del presente contratto fossero dichiarate non valide da una qualunque corte avente giurisdizione competente, l'invalidità di tale provvedimento non avrà effetto sulla validità degli altri elementi di questo accordo che resteranno pienamente in effetto.

10.3 Questo accordo costituisce l'accordo completo tra voi e Piusi SpA per quanto riguarda questa transazione.

Qualunque variazione a questo accordo deve essere fatta per iscritto, firmata da un rappresentante autorizzato da Piusi SpA.

Dovete avere delle domandi riguardanti questo accordo, o se desiderate contattare Piusi SpA per qualunque motivo, fatelo scrivendo a:

Piusi SpA Via Pacinotti, 16/A Rangavino 46029 Suzzara (MN) Italy

Tel. 0039 0376 534561
Fax 0039 0376 536393
Email piusi@piusi.com

SOFTWARE LICENSE

Read this notice carefully before downloading, installing and using this program. By clicking "continue" you agree to accept the terms of this agreement, which constitutes a legal contract between the licensor (hereinafter "Piusi SpA") and the licensee.

1. Definitions

1.1 In this agreement, program refers to the computer program and everything linked to it; printed material, online or printed documentation and the software that is included in the package.

1.2 The program is protected by international laws and treaties on intellectual property. Ownership and economic exploitation of the program (including copyrights, trademarks, patent rights or any other kind of intellectual property), as well as all copies deriving from these shall remain property of Piusi SpA

2. Terms and conditions of the contract

The program is given out exclusively by means of the user licence to be used in accordance with the terms of this agreement.

2.1 By installing, copying or using the program in any other way, you agree with the terms and conditions of this agreement.

If you do not agree, you may not use this program and you shall immediately delete any copy of the program in your possession.

3. Rights and obligations

3.1 The agreement is personal and non-transferable, and it is closely linked to the use of Piusi S.p.A. products.

Therefore, this contract may not be transferred.

3.2 Non-observance of the contractual clauses shall result in the cancellation of the contract without any liability for Piusi S.p.A.

3.3 You have the right to terminate the present agreement at any time, by ceasing to use the program, with the corresponding obligation of immediately deleting any copy of the program in your possession.

4. Other rights and obligations

4.1 Except for what is expressly mentioned in this Agreement, it is prohibited to copy, reproduce, publish, rent, lease, modify or create works deriving from the Program, including the export thereof, and it is prohibited to remove any identification marks or properties of the Program.

5. Intellectual property rights

5.1 The Program is protected by copyright laws and other laws governing intellectual property, as well as by international treaties

6. Limited guarantee

6.1 The guarantee on the program is provided as it stands, without any other kind of guarantee, whether implicit or explicit.

In particular, Piusi SpA does not guarantee that the operations carried out by the program shall be free of errors.

6.2 Piusi SpA does not guarantee the Program in terms of reliability, accuracy, up-to-dateness or anything else.

The duration of the guarantee period required by law shall be limited within the terms of the limited guarantee

7. Exclusion of liability for related losses

7.1 under no circumstance shall Piusi SpA or any other party involved in the creation, manufacture, sale or delivery of the Program be considered responsible for accidental damage or damages that might result from the use thereof, or by your inability to use the Program, including, without limitations, damages for losses of company profit, work interruption, loss of company information, computer problems or any other damage, even if the possibility of such damage has been foreseen.

8. Limitation of liability

8.1 Piusi SpA shall, under no circumstance, be liable for an amount exceeding the price paid by you for the Program.

9. Update policy

9.1 Piusi SpA may occasionally update the version of this program and may, at its option, make this update available for your use .

10. General terms and conditions

10.1 This agreement shall be governed by Italian law and the place of jurisdiction shall be the Court of Mantova.

10.2 However, should one or more clauses of the present contract be declared invalid by any court having jurisdiction, the non-validity of said clause shall not affect the validity of the other elements of this agreement, which shall remain fully effective.

10.3 This agreement constitutes the complete agreement between you and Piusi SpA as far as this transaction is concerned.

Any variation to this agreement must be made in writing and signed by a representative that has been authorised by Piusi SpA.

Should you have any questions regarding this agreement, or should you wish to contact Piusi SpA for any reason, you may do so by writing to:

Piusi SpA Via Pacinotti, 16/A Rangavino 46029 Suzzara (MN) Italy

Tel. 0039 0376 534561
Fax 0039 0376 536393
Email piusi@piusi.com



Fluid Handling
Innovation



PIUSI
®

Certified
ISO 9001 / ISO 14001

PIUSI S.p.A.
46029 Suzzara (Mantova) Italy
tel.+39 0376 534561
fax.+39 0376 536393
e-mail: piusi@piusi.com
www.piusi.com